

SPECIAL DIFFERS ON S

Standard QL	replacement	keyboard,	with black
enclosure			£22.00
Anti-bounce dev			
PS/2 Style 10			
interface board a			
KBL 128 all-purp	oose computer	enclosure.	£28.00
64 way Flip bac	k> connector fo	or KBL 128	£8.00

All the above items come with full instructions

All prices inclusive of VAT

P&P free of charge in U.K. & N. Ireland

(phone or write for details of cost of shipments abroad)

Send your order, with cheque or postal order, to:

WEYBOARD PRODUCTS LTD
UNIT E2, WELLAND IND. ESTATE
VALLEY WAY
MARKET HARBOROUGH
LEICS. LE16 7PS

Tel: 0858 410048 Fax: 0858 66786



Editor Helen Armstrong

Production Controller Jayne Penfold

Designer Jeff Gurney

Advertising Sales Jason Newman

Magazine Services Sheila Baker

Advertising Production Michelle Evans

Group Advertising Manager Richard Vaughan

Group Editor John Taylor

Publishing Director Ray Lewis

Managing Director Peter Welham

Sinclair QL World Panini House 116-120 Goswell Road London EC1V 7QD Telephone 071-490 7161 ISSN 026806X

Unfortunately, we are no longer able to answer enquiries made by telephone. If you have any comments or difficulties, please write the The Editor, Open Channel, Trouble Shooter, or Psion Solutions. We will do our best to deal with your problem in the magazine, though we cannot guarantee individual replies.

Back issues are available from the

replies.
Back issues are available from the publisher price £2 U.K., £2.75 Europe.
Overseas rates on request.
Published by Maxwell Specialist
Magazines, A Division of MCPC Ltd.,
Sinclair QL World is distributed by SM
Distribution.


Distribution.
Tel: 081-677 8111. Subscription information from: MSM Subscription Dept, Lazahold Ltd., PO Box 10, Roper St, Pallion Ind. Est., Sunderland SR4

45N. £21.00 U.K., £24.70 Europe, MiddleEast £25.80, Far East £27.60, Rest of World £26.20, U.S.A. \$45.00.
Airmail rates available on request. Typesetting by Ford Graphics, 8-10 Whitsbury Road, Fordingbridge, Hampshire. 5P6 1BR. Tel: (0425) 655657 Printing by Cradley Print.
Sinclair QL World is published on the third Thursday preceding cover date.

© COPYRIGHT SINCLAIR QL WORLD – 1990

ONTENTS **NOVEMBER 1990**

- QL SCENE New programs from Wales
- **OPEN CHANNEL** Good service 10
- QL SCENE Digitiser expected 13
- PROGRAM TIP Printing from Flashback 14
- DIY TOOLKIT Fast diskcheck 18
- TROUBLE SHOOTER Disks and spellcheckers 22
- SUPERBASIC Arcade games in Basic 26
- 28 PROGRAMMING IN C Part 2
- ONE MAN'S SYSTEM From the Spectrum to BA 34
- THE PROGS 3-D Pie Graphics 40
- SUBSCRIPTION INFORMATION 42



NEXT MONTH

THE REALLY USEFUL ARCHIVE BOOKLET

To celebrate and abet our fresh assault on news-stands and newsagents, QL World carries an EXTRA free booklet about Archive on the cover next month.

PC CONQUEROR WITH MS-DOS PC CONQUEROR

PC Conqueror addresses and answers the problem of IBM PC compatibility faced by many QL users. Boot up your QL with PC Conqueror, and under 10 seconds later your QL will be a pretty compatible PC! This has been accomplished by our very meticulous and painstaking emulation of the functionality of a PC clone, down to the very operation of the 80x86 family of microprocessors! But you do not need to concern yourself about how we've managed it - Conqueror works. It can read, write and format PC disks, run PC operating systems (including MS-DOS and DR-DOS, also Unix-clones + p system), move data QL <->PC and can multitask. In a full review in the May issue of QL World PC Conqueror was found to be very compatible - "every program I tried with Conqueror worked satisfactorily". the subject of speed, QL World found Conqueror clocked in on average at 60% of the speed of a PC, even without user-tuning Conqueror's performance feature we put in for knob-twiddlers!). The price is £89.95, and add another £50 in order to get MS-DOS v4.01 too.

PROFESSIONAL PUBLISHER

ProPub is the state of the art QL desktop publishing system. It can handle user-input text and drawings in a huge variety of fonts, sizes and styles, as well as import from Quill, Editor, Eye-Q etc. This is a very user-friendly DTP program - most of its controls are intuitively obvious, but there is context-sensitive help available at every stage. Pixel proportionality, configurable space allocation between characters words, honouring of bold/italics/ underline (+ other embedded commands) in the source text, word-wrap (text boxes can be of ANY shape), v.easy shadowing/brushwork and a detailed manual all combine to make this a spectacular system, ideal for pros and beginners alike.....£89.95

FONT ENLARGER

This ProPub accessory enlarges fonts (80+ with Lightning SE, 20+ with ProPub) to sizes of your choice without any jaggedness.....£19.95

SOLUTION WITH MS-DOS SOLUTION

Solution is a pretty compatible PC Emulator, about half the speed of PC Conqueror. If you are on a tight budget, it is a snip at £39.95 or just £89.95 including the full MS-DOS v4.01

SPECIAL DESKTOP PUBLISHER DESKTOP PUBLISHER

If your purse cannot stretch to ProPub, these are the best desktop publishers for the QL. The Special Edition has bigger fonts, more features and is easier to use - but both allow you to produce classy dot-matrix output. The standard one costs £24.95, the Special Edition £39.95.

SUCCESS CP/M EMULATOR

CP/M was a popular O/S for Z80 machines. There are 1000s of good, cheap PD programs for it, which Success lets you run on a QL. Just £49.95!

SPRITE GENERATOR

ssG allows you to create and move objects around a screen at high speed without flicker. No machine code at all is needed! Just £29.95.

3-D PRECISION

3DP allows you to create & manipulate any 3-dimensional objects on screen: outputs dot-matrix & plotter...£49.95

EYE-Q

Eye-Q, a no-nonsense graphics program, is a joy to use. It matters not whether you need freehand work, diagrams, charts, technical drawing, it does it all. Eye-Q is £39.95.

ULTRAPRINT

Screen output to printer in 20+ styles/sizes for £19.95

TURBO BASIC COMPILER + TOOLKIT

Turbo is the supreme SuperBASIC compiler for the QL: stunningly fast, it produces code to run typically dozens (sometimes 100s) of times faster than interpreted SuperBASIC. When compared by QL World with "another product" it was Turbo that was found to be more SuperBASIC compatible. The toolkit provides a valuable extension to the functionality of the QL, and complements other toolkits. Turbo complete with toolkit is £99.95

SUPERCHARGE BASIC COMPILER

Supercharge is half the speed of Turbo and lacks many of Turbo's advanced features. A budget buy at £29.95, though. The quality is excellent.

PERFECT POINTER TOOLS

This excellent program gives you an on-screen pointer (arrow) environment and all the tools you are likely to need to run it. Run your QL this way now for just £29.95!

QKICK MULTITASKER

A pull-down menu controlled multi-tasking program, ideal for running in the background and giving you notepads, file handler, clock, diary, minidatabase, calc etc for £24.95

TOOLKIT III

Virtually everyone with a disk system has TK2 Supertoolkit on-board. Toolkit III takes off where TK2 ended, greatly increasing TK2's power (even Sorts!). Toolkit III works without TK2. This toolkit is for everyone with a QL...£29.95

QFLICK CARD INDEX SYSTEM

Few users actually require all the facilities of a sophisticated database like Archive. QFlick presents a very convenient alternative - a very fast card-file database, with easy to learn snappy search and navigate commands and good file-handling. You can move Archive data to/from QFlick, and run multiple copies of QFlick in the background. A good buy at £29.95

DISKTOOL + QUICKDISK

An exciting way to accelerate disk access, add password protection and to optionally increase disk storage capacity by 32K! This multitasking utility can do much more - an ideal complement to Media Manager...£19.95

BETTER BASIC

Better Basic is an expert system which will improve your BASIC programs - or those you type in - no end. Will even help experts! £24.95

PROFESSIONAL ASTROLOGER PROFESSIONAL ASTRONOMER

A complete Astrology and Astronomy system for beginners and experts - the manual teaches you everything - producing dozens of pages of personal data, forecasts, predictions and compatibility test results. The astrology module costs £59.95, the astronomer £29.95 - save £20 if you buy both. A world-beating program!

LIGHTNING SPECIAL EDITION LIGHTNING

Lightning Special Edition is a program which will make your QL run over twice as fast as normal, with no side effects. It will give your machine a professional - and very new - feel to it, as things will happen quicker, screen ouput will be snappier, internal computations will be Lightning SE does this quite faster. automatically - no particular knowledge or skills are required by you. program installs itself on your boot-up cartridge(s) or disk(s), just like a benevolent virus. When you then boot up your QL, Lightning SE auto-installs itself. Thereafter all you notice is very increased operating speed on the part of your QL. Lightning also adds many new commands to the QL's repertoire, including new types of scrolls, the facility to change fonts, colours etc in existing programs (Quill included!) and lots more. It is a magic wand you must not afford to be without! A cut-down standard version costs £24.95 and the super full-speed, full-function Special Edition costs just £49.95: it is the best program ever for the QL, bar none.

MONITOR

Monitor allows you to trace the operation of machine code programs as they run. Breakpoints can be set. A snip at £19.95!

DIGITAL C SPECIAL EDITION COMPILER DIGITAL C COMPILER

Std Digital C (£29.95) is a high-speed C compiler. The Special Edition (£49.95) is even faster, and has structures, long pointers/integers, no 64K size limit, direct QDOS access, separate QL/C libraries.

GAMES COMPENDIUM BACKGAMMON DROIDZONE BLOCKLANDS REVERSI ARCADIA

Backgammon is a friendly companion, Reversi a powerful and intelligent adversary well versed in alpha-beta search methods. Blocklands sets you free in a 3D world measuring 256x65536 QL screens. Droidzone is a zap-em-up game faster than any other. Arcadia is a 2 in 1: BMX Burner reminds one of JetPac, and GridRacer is like nothing else! Each game is £9.95: £29.95 buys the lot

NEWS

- * There are five new programs in our stable Toolkit III, QFlick Card Index System, QKick Multitasker, Disktool with Quickdisk, and Perfect Pointer Tools all created by Ultrasoft.
- * Our non-game programs are very comprehensively documented with A4 manuals averaging about seventy pages in length (the largest is 325+). They are 4-hole punched for easy binding/ storage. * Microcartridge users please note: don't panic! we have large stocks of microcartridges and we are NOT going to run out. Quality software on cartridge will continue to be available from us for the foreseeable future. You can buy cartridges from us at the rate of £19.95 for a set of five cartridges.

SUPERFORTH COMPILER

Superforth is a beautiful FORTH-83 compiler for the QL. It produces stand-alone, very fast FORTH code which you can EXEC or EXEC_W: the official specification for the language is very greatly exceeded. FORTH is a very rewarding language to learn, and the supplied manual is a a complete tutorial for FORTH, assuming no knowledge at all and taking you through FORTH one step at a time. The whole Superforth system will cost you £39.95.

ADVENTURE CREATION TOOL SE

This £49.95 program is NOT just for creating adventures but is for everyone who wants to write in BASIC. A treasure trove of utilities.....

TRANSFER UTILITY

If you have a disk system but still have programs on cartridge that assume mdv is the device name, this program will move them across without hassle. Damages only £9.95!

SUPER ASTROLOGER

If you have no real interest in astrology or astronomy but want a program to have some fun with, this one is just ideal! You might just learn something too.... Only £24.95

GRAFIX

graFix is specifically designed for output of screens and DTP pages (from all our publishers) onto 24 pin printers: advanced features such as interpolation (x & y) and magnification (also x & y) are provided. A vital ProPub accessory for just £9.95

MICROBRIDGE SYSTEM

Microbridge is a good standard Contract Bridge bidder, player and master tutor, providing non-intervening opponents as well as a partner well-versed in Acol. It can show its reasoning for bids on screen 4-5 lines of conversational English! The program doesn't cheat (each hand is managed independently, making deductions from bids and play just like humans)....£34.95

EDITOR SPECIAL EDITION EDITOR

Not just a word processor - more of life. The Editor way Special Edition (SE) is a super powerful data management tool, user simple-to-master of interface was the result many months of careful design. Absolute consistency of control and operation is its hallmark. To ALL Editor illustrate this, commands have exactly the structure - verb, followed by a your one of separator (any choice) and one or more optional (if more than nouns separated by the same separator): so F/and will Find the first occurrence of and after the cursor. You can even put your files and then commands into like execute them programs. Multi-columnar work is easy. can run many copies of Editor simultaneously, with overlays on-screen or with split screens. version is £29.95 The standard and the Special Edition (faster, twice the features) costs £49.95 with a clear, 160 page manual

MEDIA MANAGER SPECIAL EDITION MEDIA MANAGER

to use. Whether something has MMSE is a joy gone wrong with a disk or tape ("Not found", "Not a valid Quill file", "Bad or changed medium", "Read/write failed" etc) or whether you want better control over your programs and data, MMSE should be to hand. Virtually calamity can be recovered from automatically: all permutations (accidental deletion, partial overwriting or formatting, errors yielding: bad map but OK directory, bad directory but OK map, bad map directory, OK map and directory but bad file fault, power sectors, unknown alitch corruption and so on) have been catered for. It isn't just for when things go wrong, either - many useful utilities are included. MMSE costs just £49.95, or £24.95 for cut-down std version that is less friendly.

IDIS SPECIAL EDITION IDIS DISASSEMBLER

Ordinary disassemblers are almost useless, requiring detailed knowledge of the program being disassembled (Catch-22). IDIS is an intelligent disassembler and gives you nearly auto output for £24.95 - the Special Edition goes much further and costs only £39.95.

THE SMALL PRINT

* UK purchasers - the quoted figures are all-inclusive. For the rest of Europe, add 5% (rest of the world, 10%) to the quoted figures to arrive at the VAT-free total (exports are zero-rated for UK VAT), inclusive of all freight and documentation charges. Acceptable forms of payment are sterling cheque drawn on a UK branch of a bank or building society, sterling postal order, Eurocheque made out in sterling, international money order in sterling, VISA / ACCESS / EUROCARD / MASTERCARD (specify expiry date), cash, foreign currency cheque (add 10% conversion charge) direct money transfer to A/C 50327808 DIGITAL PRECISION LTD at Barclays Bank PLC (Branch code 20-79-44). South Chingford Branch, 260-262 Chingford Mount Rd, London E4 8JN.

* To upgrade from one version of a program to a superior program, send us the cartridge/disk. Except in the case of upgrades between program versions both with the same name, send the manual too. The cost of an upgrade is £10 plus the difference in current advertised price between the two programs.

* Digital Precision is a trading name of DIGITAL PRECISION LIMITED, Co. Reg. No. 1833989, registered in England & Wales.

* For details of RAM and disk requirements for our software, please consult the April/May 1990 issues of QL World.

BARGAINS

SPECIAL LIMITED PERIOD OFFER: ACT NOW

- * Buy ANY TWO programs
 - get 10% off the total price!
- * Buy ANY THREE programs

get 15% off the total price!

- * Buy ANY FOUR programs
 - get 20% off the total price!
- * Or buy FIVE or more programs

get 30% off the total price!

This is a very generous offer. Please take it while it lasts.....

To:	DIGI	TALP	RECISION	LTD)
222 TH	EAVE	NUE.	LONDON	E4	9SE

ORDER COUPON

Or telephone 081-527 5493

ZZZ THE AVENUE, LONDON		001-327 3473
Please send me:		
Name:	Address:	
		Postcode:
Enclosed: CHEQUE/PO/C	CASH/VISA/MASTERCARD/ACCESS/EUROCARD for £_	Signature:
Card No:	Expiry:	
luse: (QL/THOR) (MDV/3.	5" DISK/5.25" DISK) (360/720/1440 SECTORS)	■DIGITAL PRECISION LTD

PSION ORGA	NIS	FR
1 764	£180	Using Psion Organiser 210
Psion LX Book	£15	Spelling Checker
Comms Link	£60	Organiser XP2 32K£110
32K D Rampack	£55	Numbase 1£40
Centronics Interface	£40	Psion Printer£230
Organiser I 7	£150	File Handling Book£15
128k Datapak	£100	32K Datapak£35

	Z88
ZBase£69.00	Easy Money£69.00
Spellmaster£59.00	Z88 Computer£230.00
Thinkz£50.00	z-Term£50.00
Cambridge Topper £8.00	Superchip 4£150.00
Centronics interface £30.00	128K Eprom£50.00
128K RAM Pack£50.00	Z-Tape£50.00



COMPUTERWARE

the QL stockist

Tel: 0303-81-2801

PSION MC	-
MC 200	£627.00
MC 400	£927.00
MC 600	POA
128K Flashcard	
512K Flashcard	£224.00
64K Ramcard	£68.00
128K RAM Card	£114.00

SPARES	
JS ROM SETS	£30.00
Keyboard Membrane	£7.25
ULA ZX8302	£10.25
ZX 8301	£12.00
MAB 8049	£7.50
MP 68008	£20.00
79007E	£10.25
Repairs	phone
M/drive assemblies-complete	£27.50
Voltage regulator (high output)	£4.75
Power supply UK	£28.50
OL Test kit	£13.50
M/drive assemblies (xchange)	£20.00

BOOKS	SECOND SERVICE
Z88 Dabhand Guide£1	6.00
Assembly Language Prog.	£9
Z88 Ref Manual	£16
QDOS Companion	
Z88 Magic	£16
QL Service manual	£25
Z88 Pipe dream	£16
Using Your Z88	£10
Z88 Computing	£10
Z88 Software DLV Guide	£40
	a life and life

SOFTWARE BUSINESS Flashback (Special edition) £40.00 £40	Media Manager Special Edn£50.00 Super Media Manager £30.00 Sidewinder Deluxe £20.00 Conqueror £90.00 Flashback Special Edition £40.00 Media Manager (d) £20.00 XRef 2.00 £20.00 Super Toolkit 2 (Eprom) £29.00 Success £50.00 RPM £15.00 Task Master (c-d) £25.00 The Editor £20.00 The Editor special edition £49.00 Turbo (c-d) £99.00 Vanilla Emulator £40.00 Ultra Print £20.00 SPY £15.00 Cightning £30.00 Qualisoft Terminal £30.00 Lightning S.Edition £50.00	Pro-Fortran-77 Pro Pascal OMON Super Forth + Reversi IDIS IDIS Special Edition GAMES Chess Super Croupier Flight Simulator Matchpoint Bridge Player 2 Professional Astrologer Crown of Sorkingnm Snooker Super Backgammon 3 War in the East (set) Microbridge Heart of Gem Area Radar Controller
Archivist 250.00 Cartridge Doctor £18.00 Expert System £50.00 Page Designer 2 £35.00 Master Spy £30.00 ArchRTM+ArchDEV £20.00 Locksmith £15.00 Mailfile (256K) £20.00 Archive Tutor £20.00 QFLASH Ramdisc + t'kit £19.00 QFLASH Ram Eprom £25.00 QFLASH Ram Utilites (c-d) £10.00 QFLASH Ram Utilites (c-d) £10.00 Reconfigurable toolkit 2 £29.00 4 Matter £15.00 Recover £20.00 Turbo Quill Plus £13.50 Speedscreen (C-D) £15.00	Better Basic	Talisman The Prawn Blocklands Archanoid Death Strike Fictionary Firebirds Karate Mortville Manor Vroom Stone Raider Lands of Havoc Shang Aquanaught King Stone Raider Brain Smasher Patience

Please telephone for details of other prod	lucts not li	sted here
--	--------------	-----------

SUNDRIES	
VDU cleaning kit£7.50	Joystick + adaptor£16.00
10 Microdrive cartridges £23.50	Psion 2.35 Sets£23.00
100 Microdrive labels£3.75	QL-Z88 Link£25.00
Mains filter£24.00	10 3.5" Discs (unbranded) £12.00
10 DS/DD discs 3.5* (brand) £29.00	QL Dustcover£6.00

Brain Smasher Patience	£18.00
ucts not listed	d here •
	DI IEDALG
PER	IPHERALS
QL Scanner	£140.00
	£29.00
	complete £75.00

SOFTWARE

£39.00

£35.00

£13.00 £19.00 £15.00 £15.00

£70.00 £25.00 £17.50

£13.00

£35.00 £13.00

£19.00 £15.00

£15.00 £15.00 £11.50

£13.00 £15.00

£15.00 £13.00

£19.00

€19.00

ALL PRICES INCLUDE VAT. U.K. POSTAGE £2.50 PER ORDER. - WE EXPORT WORLDWIDE Phone for details of other QL products OR send SAE for our latest catalogue. Credit card phone orders accepted, or send cheques, postal orders, Eurocheques, to:

TK COMPUTERWARE, STONE STREET, NORTH STANFORD, ASHFORD, KENT TN25 6DF

TELEX 966676 PMFAB G













FAX 0303 812892

NEW FROM WALES

Dilwyn Jones Computing has supplied QL World with information on five programs which the new company is now

marketing.

Dilwyn Jones is already well known to established QL users as the author of Page Designer 2, published by Sector Software, and other programs including some in the public domain. He hopes to establish himself as a QL supplier after some success with his programs through private advertising.

OL Basic Reporter is a programming utility for programmers in SuperBasic and compiled Basic. It has a variety of listing and reporting functions to list variable names, types, procedure and function names and lines, machine code extensions and execution addresses, and others. All lists can be sorted into alphabetical order and printed to the screen or any QL device. The program is useful among other things for finding typos and variable name clashes in listings. The program runs on an unexpanded QL and is designed to be easy to use. Basic Reporter is £10 including manual and EEC postage.

OL Vision Mixer is a screen sequencer for display and advertising. Screens and graphics can be loaded from just about any QL source, and then displayed at random or from a menu sequence, with speed and pauses user definable, including key-stepped displays. OL Vision Mixer needs at least 256K of expansion, and costs £10 including EEC postage.

QL Quick Posters is an aid to laying out text-only display sheets quickly. It exploits many little-used printer facilities. Designed for use with 24pin printers - printers capable of doing enlarged text and with a choice of fonts are the most likely candidates. The program

has no fonts of its own, but will improve the quality of largesize text, add borders, preview on-screen, load and save, and has a freely reconfigurable printer driver. A sample printout from a Star LC24-10 is available from the publisher with an sae. Quick Posters costs £10 including EEC post-

OL Wordscheck takes any Ascii or Quill doc file and provides a total word-count and the number of different words used. Output can be sent to screen, printer or file. The output can be given a number of user-definable variables such as a count of words over a certain length.

Wordscheck runs on an unexpanded QL and can multitask. The price is £6 including EEC postage.

OL Home Budget is an undated version of the alreadyestablished finance, income tax and capital gains tax calculator. Personal expenditure and bills can be entered as a number of accounts with itemised pay-

ments. The tax calculator assists in calculating personal income tax for any year from 1883/4 onwards, and includes separate taxation for married couples. Changes in taxation rules can be user-updated. It also covers "indexed" asset costs for capital gains tax purposes.

The current version addresses points raised in the May 1990 QL World review, plus extended error-trapping and multitasking using EXEC

and CTRL C.

Home Budget costs £20 including EEC postage. It is QLiberated and runs on an unexpanded QL.

Postage outside the EEC area will be added at cost. All programs are available on mdv, 3.5 in disk or 5.25 in disk, and have printed manuals with the exception of Quick Poster, which includes instructions as a Quill doc file.

Enquiries to Dilwyn Jones Computing, 41 Bro Emrys, Tal-y-bont, Bangor, Gwynedd LL57 3YT.

Assistance from Archive Author

Two mistakes have come to light in the Archive Power series, for which I must accept responsibility. The first is an error in the June 1990 listing, p34, towards the end of proc NOTEPAD. The line commencing 'if OPTION=4: error PAGETEMP:' should read OPTION=4: PAGEPRINT:' Then in the August 1990 issue, in the text on page 37, there is a list of procedures to be included in the calendar program. This includes the non-existant procedure GETSEDIT. It should have been GETSINPUT. Sorry to anyone frustrated by this.

Some readers have also found difficulty getting the program to run at all, due to confusion over how to save a program in

object format. If you save a program in the normal way, by typing SAVE "MYPROG", it will be stored as a text file, the "MYPROG PRG", and if it is a long program it will take an age to load even from disk. However, Psion also allow saving in a 'tokenised' format, with the line SAVE OBJECT "MYPROG". The file will then the name have "MYPROG_PRO". The main programs (NOTE PAD, CAL-ENDAR and TODOLIST) should all be saved with this object form of the save command, to make use of the rapid loading it provides. If you have not done this, you will get an error message when July's initialisation program is run, say-

Show uccess

The All Formats Computer Fair will be taking place again at the New Horticultural Hall, Greycoat St., Westminster, London on Saturday 1 September and Saturday 4 November.

A report reached QL World and its sister magazines that one trader reached the July fair with several thousand cassettes for various computers, ex-stock of from a retailer which had closed down. The haul was said to include around 2000

ing 'cannot open file'. The solution is simple. From the Archive command line, simply enter LOAD 'NOTEPAD' followed by SAVE OBJECT 'NOTEPAD' and then try running the Desktop program.

Robin Stevenson



mdvs of unidentified QL software, which was "all gone by 2am". Windfalls like this are of course unpredictable, but QL visitors must have thought it was Christmas.

For advance £3.00 tickets and information, contact Mike Hayes, 9 Midgrove, Delph, Oldham OB1 5EJ, tel. 0457 875229.

OPEN CHANNEL

Open Channel is where you have the opportunity to voice your opinions in Sinclair QL World. Whether you want to ask for help with a technical problem, provide

somebody with the answer, or just sound off about something which bothers you, write to: Open Channel, Sinclair QL World, 116/120 Goswell Road, London EC1v 7QD.

Thanks

I recently sent my *Minerva* rom for upgrade. The postman ensured that the rom pcb stapled itself and the rest of the package contents together. QView, however, replaced the pcb at no extra charge, and returned my upgrade eight days later.

Having installed Minerva 1.82, I found that Supercharged programs would no longer run. Phone calls to Stuart McKnight of QView and Freddy Vachha of Digital Precision ensured. Stuart explained the changes to Minerva which makes it less tolerant of programs which circumvent Qdos, and Freddy explained to me the reasons behind the incompatibility and my options. He then offered an upgrade to Turbo with a tradein allowance of £30 for Supercharge. This was on top of the generous package disBoth Stuart and Freddy I found to be helpful, informed, enthusiastic and shared my loathing of the IBMPC. At work I am forced to use an XT clone with *PC Write* and *Perfect Writer*, where reformatting of a large document, line by line, could take all day. This is something that the QL running DP's *The Editor* would usually achieve in about 30 minutes; five minutes, if I could fit Miracle Systems' 68020 prototype board.

My thanks to Tony Tebby, Jan Jones, Quanta, QView, Digital Precision, Miracle Systems and *QL World* for making the QL what it is.

B R Seidel Manchester

Typing

Further to a reader query about Dir_To_Archive_Bas, I have suggested that he check his

typing especially in procedures read_tempdir in lines 580 and 680 and open_file in lines 370 to 440, as these lines may have been mistyped. It is critical that there are no omissions of semicolons, backslashes, quote marks or ampersands as these are essential to the running of the routine. I have checked the listing as published and it is right.

Terry McKnight Walkden, Manchester

Errata

Thank you for publishing my program *Chemistry* in the September issue. I had given up all hope of seeing it in print. However, on checking the listing, I found an omission in line 750.

After the last character on that line there should be two spaces and a "close of string" indicator ('). The line should look something like this:

750 PAPER 4,2: INK 7: AT 2,74: PRINT 'He ': AT 3,74: PRINT '2'

This was probably spotted by many readers as the line would not be accepted by the QL without the final character, but I would like to point it out anyway.

A similar gremlin also attacked lines 1750 and 1770.

Also, if anyone has compiled the rest of the program, then the absence of a "Quit" option forces the user to reset the QL to escape. This may not be the case when using a front-end utility (I still don't own one) but it is an obvious omission. Adding the following lines provides the necessary function:

Change line 1840 by altering opt\$>'3' to opt\$>'4'

Add:

1805 PRINT: PRINT '4) Quit CHEMISTRY' 1875 IF opt\$='4' THEN: quit

1882 DEFine PROCedure quit 1884 CLS: AT 10, 10: PRINT 'Bye'

1886 PAUSE 300: CLS: STOP 1888 END DEFine

After RENUMbering, the last line should be 3040.

The program still runs fine without this little addition, and runs and compiles successfully with it, even if parts of the code make some programmers wince!

On a different note, I would just like to add all the usual stuff about the magazine being wonderful, keep up the good work, will anyone produce a 'proper' QL Mark II and support for us all now?

I also hope that this letter meets at least 50% of the wishes which Bryan Davies expressed in September's *Troubleshooter*. It hasn't been checked by anything other than myself. There is only one deliberate spelling mistache; anything else must be Monday Morning Blues at the typesetting office.

Ian Thompson Ripon Yorks

Editor's comment: Probably Friday Afternoon Blues.

Mouse

I have heard on and off about the lack of a suitable mouse for the QL. I find this surprising as I have a mouse from Jochen Merz software here in Germany. It works perfectly, and I have had good service from Jochen; I see he now advertises in QL World. I installed the interface myself and if I can do it, it cannot be very difficult. I must say that I sweated a bit but it turned out well. The main complication came from the Schon interface, which normally interferes with it, but I put in a couple of spacers to lift it up.

Peter Lund Munster, West Germany

ARAPAPAPAPAPAPAPAPAPA

Editor's notebook

The good news is that next month, with the December issue, our publishers will be investing the time and money that we have long been hoping for in distributing Sinclair QL World more widely to the news trade in the UK. This has been made possible by a change of distribution arrangements and our more settled lifestyle since we came to MSM.

So now is the time to tell your friends that they can get QL World from good newsagents, and that they can support the QL by buying their own copy!

To encourage our regular readers, as well as reach out to the many users who either don't know that QL World exists or can't afford to subscribe, we will have extra pages in the form of a free giveaway booklet on our December and January covers, and a return to the much-loved 'QL Old Master' style of cover artwork.

Look out for us in December, and if you don't see QL World on your newsagents' shelves – ask them why not.

Footnote: DIY Toolkit regrets that it now has to ask readers ordering batches on MDV to send sufficient formatted mdvs with their order, as they now not able to buy and supply mdvs economically within their prices.

SINCLAIR

WORLD

FREE ARCHIVE BOOKLET WITH THE DECEMBER ISSUE – more to follow in January

LOOK FOR QL WORLD AT YOUR NEWSAGENT NEXT MONTH

QL SUPERTOOLKIT II by Tony Tebby - Full Screen Editor, Key Define Print Using, Last Line Recall, Altkey, Job Control, File Handling, Default Directories, Extended Network. 16k Eprom Cartridge Version @£ 24.15d onfigurable Version on Microdrive @£ 24.15d MIRACLE SYSTEMS PRODUCTS @£ 99.82b OK Disc Interface (inc Toolkit II) @£ 28.75d QL Centronics Printer Interface @£ 99.99e OL Expanderam 512K Thrucard **QL HARDWARE** Single 3.5" Disc Drive & (Own PSU) @£103.50a Dual 3.5" Disc Drive & (Own PSU) @£188.60a b @£ 9.20c @£ 19.95c 3.5" DS/DD Discs - 10 off ... Q POWER REG. The only real solution to your QL overheating (switched mode power supply run cold). QL Keyboard Membrane @£ 11.50d QEP III Advanced Eprom Programmer @£121.90d Care Eprom Cartridges each 5.75c ULA CHip ZX8301 PRINTERS @f179.40a STAR LC10 Colour CITIZEN SWIFT 24-pin Colour @£356.50a SOFTWARE 87 (State MDV or Disc) of 60.00d TEXT 87 V.3.00 FOUNTED 89 @£ 25.000 **FOUNTEXT 88** TEXT 87/FOUNTED 89/FOUNTEXT 88 @£ 15.000 2488 PRINTER DRIVER Upgrade to Text 87 V.3.00. Return old copy together@£25.00d MONITORS (Price including lead) @£ 97.75a lips BM7522 Amber Hi-Re Philips CM8833 Colour Med-Res Philips AV7300 TV/tuner for above Philips BM7502 Green Hi-Res (a£ 69.00b HOW TO ORDER: st. Enclose your Cheque/PO made payable to CARE Electronics. a ACCESS/VISA. Allow 7 days for delivery

TONY TEBBY SOFTWARE (QJUMP)
DLFP (Micro/P disk interface upgrade) @£ 14.95d DMON II. @£ 23.00d DTYP Type/Spell Checker. @£ 29.09d DPAC 1-Desk top accessories, calender, alarm, calculator, ypewriter, digital clock Sysmon. @£ 21.85d
ZITASOFT SOFTWARE by Steve Jones
OCKSMITHE copies M/DRIVE — M/DRIVE
SIDEWINDER — High resolution printer driver prints full creens or parts of screens from postage stamp size to large panners. Prints sideways, invert, scale, mirror, text insertion

Print your own T-shirt Design. Just print on paper and iro	
Start C10 NX1000 Rainbow@£	17.25
Star I C10 NX1000. Black@£	11.50
Encon EX80, MX80, LX80, FX100/ Okidata ML80	
Citizen 120D/Star NX10, Black@£	11.50
Small 5 colour pen set@£	12.65
Jumbo 5 Colour Pen Set£	16.10
PAINTER	

by PROGS. Fully multitasking	@£	37.95c
READYMADE LEADS		
RGB QL to Phono	(a £	5.75c
RGB 8-6 pin DIN		
RGB 8-7 pin DIN (Hitachi)	(a £	7.13c
RGB 8-7 pin DIN (Ferguson)	(a £	7.13c
RGB 8 pin to SCART (Euro)	(a £	11.50c
6-way PCC 25-way 'D' (Printer-Ser 1)	(a £	9.89c

QPAC I

AS REVIEWED OL WORLD
AUGUST ISSUE



800 ST ALBANS ROAD, GARSTON, WATFORD, HERTS, WD2 6NL. Tel: 0923-672102

Tel: 0923-672102 Fax: 0923-662304

Please add carriage a=£11.50 b=3.45c=£1.38 d=£2.30

The Advanced Wordprocessor for the Sinclair QL

text⁸⁷

text87 version 3.00 offers today's state-of-the-art userfriendly environment for document production. Extremely fast in operation with documents of any size and capable of mixing and displaying different type styles and sizes. With integrated spellingchecker in three languages and extensive support for highest quality printing possible on daisywheel and 9-pin printers.

text87budget, has all the features of text87 version 3.00, the only limitations is that it cannot be used with 24-pin and laser printer drivers. Upgrade to the full version will be availabe at the price difference.

text87: £60 \bullet text87budget: £45 \bullet fountext88 + founted89:

£40 • 2488: £15 • typeset90-deskjet: £20 •

typeset90-laserjet: £40 ● typeset90-GQ5000: £40

Software is available in English, French, German and Italian. Prices are inclusive of airmail. Payable by cheque, Postal Order or Eurocheque. Please specify language and disk system (all 31/2" and 51/4" formats can be supplied). text87 requires at least 256K memory

Printer Drivers

fountext88 and founted89, the graphic printer-driver and editor for text87 provide graphic founts without the limitations in text editing and document size imposed by QL desktop-publishing programs. More than 35 quality founts of up to 72 pixels in height are supplied and new founts can be designed or captured from saved screen images. For Epson and compatible 9-pin and 24-pin printers.

2488, the state-of-the-art text-mode printer drivers for selected Epson LQ, NEC P, Star LC and Panasonic KXP 24-pin printers offer advanced features such as multiple typefaces, proportional spacing, micro-justification, double height, shadow and outline modes (depending on the printer model).

typeset90-deskjet text-mode printer drivers for Hewlett-Packard Deskjet and Deskjet plus support printer's internal founts plus the full range of Roman and Helvetica plug-in cartridges.

typeset90-laserjet text-mode printer driver for Hewlett-Packard Laserjet series printers supports printer's internal founts plus a wide range of fount cartridges (incl. Roman, Helvetica, Universe) in sizes between 6 points and 72 points.

 $typeset 90\hbox{-}GQ 5000 \ \ text-mode\ printer\ drivers\ for\ the\ Epson\ GQ-5000\ supports\ printer\ is\ internal\ scalable\ and\ bit-mapped\ founts\ in\ sizes\ between\ 6\ points\ and\ 72\ points.$

Software 87, 33 Savernake Road, London NW3 2JU

QL S C E N E

Budget

Joe Haftke, author of *Home Budget*, has terminated a sales and marketing agreement with QL supplier PDQL as of 29 July 1990, following the issue of the required legal notices, and requested return of all material. The marketing agreement with PDQL retained copyright to the author. At the time of reporting Mr. Hatfke has received no response from PDQL.

PDQL has been under a shadow in recent months following a spate of complaints from customers, including reports of non-delivery of goods after payment, repeated failure to meet delivery promises, and doubled charges on credit card accounts.

Mr Haftke dates his growing dissatisfaction "with PDQL's performance, or the lack of it" from some considerable time before a review of Home Budget appeared in the May 1990 issue of QL World.

An updated and improved release of Home Budget is now available from Dilwyn Jones Computing, who now have sales and marketing rights. "The contrast is a pleasure to experience", writes Mr Haftke of the new agreement.

Enquiries to Dilwyn Jones Computing, 4 Bro Emrys, Tal-y-Bont, Bangor, Gwynedd LL57 3YT. Tel. 0248 354023.



Digitiser

CL Systems proprietor C L Lang is proposing to release a new QL digitiser on the market in mid-October.

The CQV1 real time video digitiser is designed to capture and freeze frames from a video recorder, camera or other PAL-compatible video source in real time (about 20 milliseconds). The frames thus captured can be stored, printed or loaded into desktop publishing programs. Some of the potential uses projected by the manufacturer include slow frame recording, video graphics to printer, and capturing images of 3-D objects for desktop publishing.

The specifications include one odd or even frame in

20ms, display rate 5 frames per second in quarter-screen mode, 2.7 fps in full screen mode, resolution 256 by 256 pixels in eight grey levels, black level adjustment, display merge (OR, XOR), invert and negative, full quarter or 4x quarter displays. The CQV1 will run on mdv, 3.5 in or 5.25 in disk, on an unexpanded QL via the rom port.

The projected price is £120 plus £3 p&p. For further information, samples or specification sheet contact 403 Chapter Road, Dollis Hill, London NW25NG, Tel. 081 459 1351. QL World hopes to try out and review the CQV1 as soon as production models are available.

exec_wflp2_text_exe(ENTER)

Fig. 3:

Line 1 flp2_test_c \rightarrow flp2_test_exe

And finally, a missing line on page 22, column 2, line 8:

... compatible) environment, a Unix environment and a VME environment (the operating system ...)

Demo

DataDesign by Progs - Van der Auwera is now available as a demo version for £3 or Belgian Francs 180 (cash or Visa). This version is said to have all the facilities of the operational package, except the Save commands. Potential users can experiment with the demo on their own machines before deciding whether or not to buy the program.

Enquiries to Progs - Van der Auwera, Haachtstraat 92, 3020 Veltem, Belgium.

SQLUG celebrates

SCOTTISH

QL Users Group



The Scottish QL Users Group (SQLUG) is entering its second year with a celebratory First Anniversary issue of its newsletter, appropriately known as the Special Edition. The anniversary issue's main feature is a series of historical articles about the QL.

The Group meets monthly, usually for a software or hardware demonstration and discussion. The September meeting, for instance, is scheduled to include a video digitising session and an in-depth look at PC Conqueror.

PC Conqueror.

The annual membership fee

is currently £6 renewable in August, and pro rata at any other time of year. Enquiries to SQLUG, Alan Pemberton, 65 Lingerwood Road, Newtongrange, Midlothian EH224QQ

C connections corrected

Following last month's backslash corrections to *Programming in C*, we have some more details to correct, mainly involving confusion between the uses of hyphens and underscores.

In **Fig. 2**, line 3: Printf ("My first C program\ndisplays two lines");

On page 23, column 1:

Line 34 device flpl_use:

Line 38 flp2_test -p -m (EN-TER)

Line 41 code is in a file named flp2_test_c, that it ...

On page 23, column 2:

Line 5 _c doesn't need to be ... Line 8 named flp2_test_obj Line 11 exec_w flp1_cg (EN-TER)

Line 19 file named flp2_test_obj

On page 23, column 3, line 2:

n enquiry from a reader about printing from Flashback and text87 made the point which has often been heard in the past - users have problems with printing, from any program. What may appear a simple procedure to an experienced user, can be unknown, or very complicated, to someone who does not spend all day, every day using the QL. Here is what was suggested to reader.

You can print databases directly from FlashBack, rather than going through another program. As FlashBack is flexible, it should normally be possible to do any editing required within it. However, there is no great difficulty writing the file out in a form which can be edited in text87, and subsequently printed out there.

Using FlashBack alone, the <CTRL-P> keving enables the sending of a database direct to a printer. If you key <CTRL-P>, you will be offered SER1 as the default device to print to and most users should accept that. You can choose PAR if using a Sandy SuperQ board with parallel printer port.

The first illustration shows one record of a typical nameand-address database, after <CTRL-P> has been keyed; the program is waiting to be told whether or not the printer is connected (and switched on). There is one step to take before using the Print command, however - decide whether or not you want to print the whole file. To print only part of the file, use the Group command

PRINTING FROM FLASHBACK

Bryan Davies offers assistance with printing databases directly from Flashback, or via text⁸⁷.

first, to select those records you want printed.

You can also use the Xclude command after Group, to remove odd records that meet the Group criteria but are not wanted in the printout. For example, to produce the printout in the second illustration, <CTRL-G> was keyed to activate the Group command, the string <QL> was typed onto the input line, then the up-cursor key was used to set the FIELD number to 00 to ensure that records with <QL> anywhere in them were selected. This latter action is important, because Grouping on any field other than 00 only works if the string you enter as the Grouping criterion is at the start of the field, and the <QL> string was part-way through FIELD 04 in these records.

Keving ENTER twice causes Grouping to occur, from the start of the database. In this case, the total number of records resulting was about 30, but that was whittled down to 12 using the <CTRL-X> command; some of the people in the 30 might not have wanted their addresses printed here (the editor for instance!). You Xclude by displaying the record that is not wanted in the Group or Xclude commands—all you have to do to get all records back is key <CTRL-K> to Kill the Group.

You are now ready to print, as far as the program is concerned, but the problem with printing this way is the format of the text on the page. FlashBack itself (without the Report Generator functions) does not permit you to send instructions to the printer for formatting, so what comes out on a dot-matrix printer is usually 10-pitch (Pica) print, running from one edge of the paper to the other. This is easily altered by sending the appropriate commands to the printer from the SuperBasic command line first. Press ESC (then CTRL-C if necessary) to get out of FB and into SB, then type and ENTER a line such as the following one:

OPEN#7,SER1:PRINT#7,CHR\$

(27)&CHR\$(108)&CHR\$(10)& CHR\$(27)&CHR\$(77):CLOSE#7 This sets the left margin to 10 characters, and the typestyle to 12-pitch Elite. Note that you

may have to use different codes if your printer is not "Epsoncompatible". You can then go back to FlashBack and print from there, using the new

printer settings.

The second illustration shows the printout of the Group, without any further manipulation. There are a couple of points to note on the printout. The first field (and the second in one case) is printed starting one character to the right of the start of the line; this is very likely not sufficiently annoying to be worth trying to deal with. There are three blank lines between each pair of records. This point may be of enough importance to cause the user to try the "transfer method" of printing, via another program, as detailed below.

To transfer the file to text⁸⁷, or any other WP/editor program, use <CTRL-P> again but change the device to whatever you wish to use for temporary storage; RAM disk is the fastest. You have to add the file name also; for example, instead of SER1, set the device to RAM PRINT. All the comments about Grouping apply as before. After the Grouped database has been printed to RAM disk, you can Import this file into T87 using the command <F3 F I A n>, that is, Importitas an ASCII file, in the "normal" (line-by-line) fashion. Illustration three shows the file as it looks after Importing

WordStar International Ltd., Chancery House, St. Nicholas Way, Sutton Surrey SM 1EH. Tel (081)-643-8866 (PC)

OSter OTel. (9494)-471111 (PC/QL; printers-tech. supp. Rob Papper)

ITel. (8494)-471111 (PC/GL; printers-tech. supp. Rob Papper)

Field 84 PHONE Work Space 881888 Ref No 88238 88231 Transfer Raffec F=Fld

Adder Publishing Ltd., P.O. Box 148, Combridge CB1 2EQ. Tel. (0223)-277050 (QL)

Admon Services, 53 Gilpin Road, Admoston, Telford, aurupunce TF5 88G. Tel. (8952)-255895 (QL; Dennis Briggs)

Alchter Group pic, Alchter House, Perry Road, Harlov, Essex CM18 7PM. Tel. (8279)-443521 (8)

Aladdink, Dept. GL, Freepost, Eyemouth 1014 Jank (4 Hurker crescent, Eyemouth, Beruickshire TD14 5AP). Tel. (88987)-58965 (QL; ribbon re-inking, N.E.Goduin)

> Frame: text area Line: 3

Adder Publishing Ltd., P.O. Box 148, Cambridge CB1 2EQ. Tel. (0223)-277050 (QL)

Adman Services, 53 Gilpin Road, Admaston, Telford, Shropshire TF5 OBG. Tel. (0952)-255895 (QL; Dennis Briggs)

Akhter Group plc, Akhter House, Perry Road, Harlow, Essex CM18 7PN. Tel. (0279)-443521 (QL)

Aladdink, Dept. QL, Freepost, Eyemouth TD14 5BR (4 Hurker Crescent, Eyemouth, Berwickshire TD14 5AP).
Tel. (08907)-50965 (QL; ribbon re-inking, N.E.Godwin)

Alexander, John, Fieldhouse Drive, Telford, Shropshire TF2

Ark Distribution, Corve Farm House, Corve Lane, Chale Green, Isle Of Wight. Tel. (0983)-79496 (QL; Archivist etc)

Ashcroft, T, Mitchell Avenue, Newcastle-upon-Tyne NE2 (QL; scientific references database)

Aholasoft, Kirjurintie 3, SF-05400 Jokela, Finland. Tel. ? (QL; Jussi Koskinen, Sam The Little Spaceman)

Armin Breuer vA. GBR, Postfach 2234, D-6104 Seeheim-Jugenheim 2, Germany. Tel. (01049)-6257-7244 (QL/Thor:Armin Breuer, Dirk Schafer, Andreas Brev, Stephen Michels)

Atkinson, Joe, 36 Ranelagh Road, Ealing, London W5 5RJ. Tel. ? (QL; ROMs, mdvs)

Astracom Tel. (0480)-412884 (QL; modem)

ABS Computer Supplies, 4 Shouldham Street, London W1H 5FG. Tel. (071)-224-8320 (QL; discs, ribbons etc)

into T87. Bear in mind that the right margin set in T87 may not match that used in FB and you may have to adjust it to get the display right. The three blank lines are still there between records, and you may choose to remove some or all of them; you can also do any other editing of the records that may be necessary, such as pulling the first lines back to the left margin.

Transferring a database this way has the merit of disposing of FB's own formatting codes. You don't need to get rid of unwanted material at start and finish of the file, once it has been Imported into T87. In terms of time and convenience, there is little to choose between the transfer method just outlined, and direct Import of the DBA file into T87, as described below

It is desirable to set both the typestyle and the margins you wish to use before reading any file into T87. Use the same command as when reading-in

the Printed file: <F3 FIAn>. A point to remember about T87 is that the set allocated memory (using the <F3 CPM nn> command) may have to be considerably greater than the size of files to be Imported. The database used here occupied about 50KB on disk but required a memory setting of over 150KB in T87. Even though you may have grouped the file in FB, you will get the whole of the database when Importing the DBA file into T87. This may be acceptable, but it can mean a lot of manipulation if you only want a handful of records out of hundreds. You may have to use the Search and Block Copy functions several times to get the records you need all together.

When you read a _DBA file directly into T87, you need to delete a block of information at the start of the file which is for T87's own use and of no interest when printing. Move down the file until you find where the first record of your database is,

then go back to the top and use the Block Delete command to get rid of everything prior to that line. Do the same thing at the end of the file, to remove unwanted material from there also. Record fields should be on separate lines, with no blank lines between fields or records, provided you selected the "Normal" option when Importing the file. You are then ready to print, or you may want to edit out the odd spaces on the first lines of records, select particular records, etc.

There is another way of handling printout. You can make use of FB's ability to "drop" records or fields into underlying programs, and transfer records that way, one at a time. The fourth illustration shows one record transferred to T87 this way, with the FB window at the bottom of the screen ready for the next transfer. Where name-and-address records are concerned, it may be desirable to reduce the space taken by the printout. One way of compressing the output is to use condensed (17 characters per inch) print. This can be sent from the SB command line, and you could do two separate runs direct from FB, winding the paper back between them and resetting the left margin so that you get two columns. Alternatively, once the records have been transferred to T87, you can use the Columns function there, together with condensed print. Don't be afraid to experiment, but use a spare copy of your treasured database file . . .

MIRACLE SYSTEMS





Microdrive users - read this ...

NEW TRUMP CARD

£225 inc. (£198 export)

RAM + Disk interface + firmware

We have re-engineered the TRUMP CARD 768K to use the new 1 Megabit DRAM memory chips. This new design runs about 20% faster (twice the speed of the QL's internal RAM) and uses less power than the previous one (still available in the 256K size). It holds the same firmware:

- TOOLKIT II which comprises more than 100 additions and enhancements to the QL's Superbasic and operating system including an on-screen alarm clock, wild card copying, accessing remote devices on other QLs equipped with a ROMbased TOOLKIT II via the network.
- a printer buffer which can be used to buffer the serial ports (the size of which is limited only by the amount of free memory) letting you get on with something else whilst the printer is printing.
- a screen dump facility to copy all or part of the screen image to most types of dot-matrix printer including some colour ones.
- a RAM disk that allows you to access the memory as you would Microdrives or floppy disks for fast file retrieval (please note that RAM disk contents are lost after switch-off or reset).
- a memory cut that resets the QL to appear as an unexpanded 128K type for the few early programs that refuse to run in expanded memory.

The disk interface can access up to 4 disk drives (e.g. our DUAL 3.5" plus our 5.25") and has the same commands as are used for Microdrive control. There is an additional command FLP_USE which can be used to divert all MDV accesses to FLP (the floppy disk interface device name). This makes the transferring of your software from unprotected Microdrive (i.e. the majority of QL software including Quill, Abacus, Archive and Easel) to disk a trivial task. A simple step-by-step guide for transferring Quill as an example is given in the comprehensive TRUMP CARD USER MANUAL supplied with the TRUMP CARD.

The TRUMP CARD 768K's RAM adds to the QL's own 128K giving a total of 896K. Like the firmware the extra RAM is installed automatically when the QL is switched on so that no installation procedure is necessary. The exception to this is TOOLKIT II which can be left uninstalled for compatibility if you have other toolkits; installation consists of simply entering the command TK2 EXT.

installation consists of simply entering the command TK2_EXT.

Fitting the TRUMP CARD 768K is easy - you remove the door at the left hand end of the QL and slide the TRUMP CARD into the expansion port. A "Beginners Guide" on pages 3 and 4 of the TRUMP CARD USER MANUAL will quickly get the novice and experienced user up and running.

TRUMP CARD 768K PACKAGE

£375 inc. (£333 export)
TRUMP CARD 768K + dual disk drive
+ 10 diskettes

This is the ideal upgrade path from obsolete Microdrives. The package comprises the latest TRUMP CARD 768K plus a QL standard floppy disk drive with 2 mechanisms plus ten 3.5" double-sided double-density diskettes. The only extra item required is the appropriate mains plug to suit the country where it is to be used.

Disks are more reliable than Microdrives, hold much more information (720K after formatting) and are several times faster. Besides these advantages they actually cost less. Our QL DUAL DISK DRIVE is fully boxed in a black metal casing and is mains (220V-240V AC) powered.

An EXPANDERAM 512K can be used as part payment against the TRUMP CARD 768K PACKAGE. Just send it to us together with £285 (£255 for overseas customers) remittance and we will send you the TRUMP CARD 768K PACKAGE.

This package transforms the unexpanded QL into a very powerful machine and is very easy to fit. We are confident that you will find this investment more than worthwhile as many QL users have already done so. If you are not fully satisfied with your purchase then by returning it to us within 14 days of receiving it we will return your money in full.

When ordering by phone it is sometimes easier to spell names and addresses using the phonetic alphabet

IIICS alla aa	aroooo aomig			
A - Alpha	H - Hotel	O - Oscar	V - Victor	
B - Bravo	I - India	P - Papa	W - Whiskey	
C - Charlie	J - Juliet	Q - Quebec	X - X-Ray	
D - Delta	K - Kilo	R - Romeo	Y - Yankee	
E - Echo	L - Lima	S - Sierra	Z - Zulu	
F - Foxtrot	M - Mike	T - Tango	0 - Zero	
G - Golf	N - November	U - Uniform		

MIRACLE SYSTEMS Ltd
25 Broughton Way,
Osbaldwick, York, YO1 3BG,
U.K.
Tel: (0904) 423986

Miracle Systems are exhibiting at the following:

ALL FORMATS COMPUTER FAIR

New Horticultural Hall. Elverton St., Victoria, LONDON SW1

4th November 1990

ALTERNATIVE MICRO SHOW

Bingley Hall, Stafford Showground, STAFFORD

10th November 1990

NOTTINGHAM **QUANTA MEETING**

Sherwood Community Centre, Mansfield Road (A60), NOTTINGHAM

(non-members very welcome)

24th & 25th November 1990

14 day money back guarantee on all products 12 month warranty on all products **UK prices include VAT and P&P** (Export prices in brackets include P&P)

QL HARD DISK £449 (£405)

- ☆ 40 MBytes of on-line storage
- About 5 times faster than floppy
- 公公公 Fully cased complete unit Hard sub-directories
- Head auto-park
 Plugs into QL ROM port
- ☆ Through connector for ROM cartridge
 ☆ Fully compatible with TRUMP CARD

We recommend that you consider purchasing the OL HARD DISK only if you have already upgraded to floppy disks (e.g. TRUMP CARD PACKAGE) so that backing up is practical. Also the QL HARD DISK uses about 55K of RAM leaving little room in an unexpanded QL for

QL 5.25" DISK DRIVE £125 (£114)

- ☆ Ideal for Conqueror
- ☆ Through-con for dual 3.5"

This complete unit can be retrofitted to a TRUMP CARD PACKAGE so that Solution/Conqueror users can read PC diskettes. We recommend that Microdrive users upgrading to disks consider the QL-standard TRUMP CARD PACKAGE rather than the 5.25" drive.

(Needs disk interface e.g. TRUMP CARD)

QL DISK ADAPTOR - £15 (£15)

- ☆ Access 4 drives from TRUMP CARD

Plug this into the original TRUMP CARD, install the latest ROM (included) and your TRUMP CARD can control up to 4 drives, e.g. our Double 3.5" plus 5.25"

QL CENTRONICS - £29 (£28)

- ☆ SER1/SER2 to parallel printer
- Standard Centronics plug
- ☆ Default QL set-up 9600 baud☆ 3 metre cable

Connecting a printer to the QL using this interface is not only simpler but is usually cheaper than buying a serial card for your printer plus a serial cable. Two interfaces will enable 2 printers to be driven simultaneously.

QL DISK CARD - £100 (£89)

- ☆ TRUMP CARD without RAM
- ☆ Full TOOLKIT II, etc. ☆ Controls up to 4 drives
- The DISK CARD is intended for use with an internally expanded QL or with the EXPANDERAM.

QL DISK CARD PACKAGE £250 (£224)

DISK CARD Plus:

- ☆ DUAL 3.5", 720K DISK DRIVE
- ☆ 10 diskette

QL EXPANDERAM 512K £99 (£88)

- ☆ Increases QL RAM to 640K
- Through connector for disk interface
- ♣ Plugs into the expansion port

If you already have a disk interface then the EXPANDERAM will slot in between the QL and the interface. Programs running in the EXPANDERAM run about 1.75 times faster than those in internal memory.

QL DUAL 3.5" DISK DRIVE £175 (£155)

- 2 x 720K disk drives Fully cased complete uni
- ◆ OI -standard format
- ☆ Very quiet operation
- (Needs disk interface e.g. TRUMP CARD)

QL TRUMP CARD 256K £135 (£120)

- Increases QL RAM to 384K
- ☆ Controls up to two drives
- Toolkit II. etc.
- ☆ Can be expanded to 512K or 768K

Please note that we offer neither the parts nor the service for expansion

QL TRUMP CARD 256K PACKAGE - £285 (£255)

TRUMP CARD 256K plus

- ☆ Dual 3.5", 720K disk drive
- ☆ 10 diskettes

Tel: (0904) 423986

To place an order by phone please have your credit card ready. For overseas customers we charge the prices shown in brackets.

To order by post, please fill in the form opposite or write to us quoting your credit card number and expiry date, or enclosing a cheque payable to MIRACLE SYSTEMS Ltd

To: MIRACL	E SYSTEMS Ltd, 25 Broughton Way, Osbaldwick, ork, YO1 3BG, U.K. Tel: (0904) 423986
Please send me	
I enclose a cheque	to the value of: £
Or debit credit card	
expires	
Name	Signature
Address	

his article explains how you can accelerate QL and Thor disk access, and check the contents of any drive quickly and comprehensively. CHECK_DISK_BAS suits almost all QL floppy disk systems, while FAST COMPARE BAS works with microdrives, ram disks, floppies or even

hard disk sub-directories.

The key to speeding up disk access lies in anticipating the hardware and asking for the right thing at the right time. FAST_FORMAT_BAS re-programs the Odos disk allocation scheme, giving faster access without sacrificing compatibility. The new fast format disks are interchangable with old format disks, but load and save large files much more quickly.

These programs are written in Basic, as direct access to QL disks is done the same way from SuperBasic as from assembler. There's little point in writing machine code when compilers can do it for you; a well-designed program will probably spend most of its time waiting for

the drive.

QL World has printed many articles about disk expansion, but these have tended to aim at hardware, discussing interfaces, cables and drives. I shall focus on software. The QL harbours some neat design ideas; it's amazing what you can do if you know how.

Bootstrapping

This article is primarily written for those who have a disk system up and running, and want to get the best from it. It helps to define some mechanical terms first. The data on any QL disk is held in concentric rings, or 'tracks', on either or both sides of the disk; the number of tracks on each side is usually 40 or 80.

Every track holds nine 'sectors', each of 512 bytes, giving a top capacity of 80 tracks = 2 sides = 9 sectors = 512 bytes =

737280 bytes, or 720K.

Other information is recorded on the disk when you format it, in-between the sectors, so the system can compensate for small variations in rotational speed and identify any track or sector as it passes the sensing head. The extra data explains why a 720K QL drive is said to have an 'unformatted' capacity of one megabyte. The QL scheme may seem wasteful, but it has compensations. Commodore's AmigaDOS (developed by Metacomco in Bristol) dispenses with most of the sector gaps, allowing 880K in lumps of 5.5K, one lump per track on each side of the disk. The Amiga can fit 160K extra on a disk, but programs have to read a full track, even if they only want a few bytes.

The larger the lumps, the more disk space can be used by files, and the faster large files can be accessed, but the smaller the lumps, the more files you can get on a disk; lumps are rarely shared, as that would make individual files hard to find or extend.

As a file grows, previously unused sectors must be allocated to it, and the usage of each group of sectors must be recorded. On QL disks, allocation is in groups



of three sectors, so that even an empty file uses three sectors (1.5K)

Files of more than 1472 bytes use six or more sectors; 64 bytes at the start of each file are used for a dummy directory prefix. 64+1472=1536, the allocation size in bytes.

This 'granularity' reduces the number of groups on the disk, and hence cuts the processing overhead involved in reserving or discarding storage. A 1440 sector disk can hold no more than 480 files (1440/3 is 480).

The practical limit is a little lower: when you format a disk to 1440 sectors, up to 1434 are available for files. The other six are used by the map and directory.

The first 'missing' group holds the disk map with the disk name and format details, plus three bytes for each of 480 groups, recording the file number and position for each.

Simon Goodwin gives QL and Thor drives the DIY treatment.

The other group is file zero - the directory, containing a 64 byte Qdos file header for every file on the disk, including itself. This file occupies one group for every 24 files on the disk. File headers are discussed in QL World - February 1988, and Volume F of DIY Toolkit.

Most computers cannot use a drive until the user notes its details in a 'system file', like CONFIG.SYS on MSDOS. This is often obscure and inconvenient. The QL is a better judge of a disk than many users, so Qdos works out the number of tracks and sides on a disk or drive automatically.

When you present a new disk the system interrogates the drive to find out its capacity and the rate it can 'step' from one track to another. This explains the rattle and buzz you hear as the disk starts up. This system of trial and error is one of the QL's finest features; it's fast, flexible and gets the best out of the machine and your

The data format on a QL disk was standardised by Sinclair, but the codes and commands were not. More than a dozen QL disk systems have been marketed since 1984; most of these use variants of Tony Tebby's QFLP system rom, but Quest, Dattel, MCS and Sinclair Research opted for alternatives.

My programs assume you have a QFLP rom, or compatible system, though FAST_COMPARE_BAS will work on any machine with the toolkit command WSTAT. FAST_FORMAT and CHECK DISK need the QFLP extension that allows you to read and write sectors as 512 byte strings; you're OK if your machine accepts:

OPEN IN #3, "FLP1 *D2D"

This command gives channel #3 exclusive control over sectors of drive FLP1. The OPEN_IN stops old, incompatible systems creating a file called "FLP1_*D2D" but it does not stop you writing sectors or allow access to other tasks.

Channel #3 can then read and write any sector, given only the sector number (1-9), track (0-79) and side (0 or 1). The mechanism to send this disk address is rather eccentric; you multiply and add the component values, and use the composite thus found to set the file pointer.

SET POSITION #3, SECTOR + (TRACK * 256 + SIDE) * 256

SET POSITION is a Turbo Toolkit command; Toolkit 2 users can substitute GET and PUT, prefixing the pointer value with a backslash (\), located above the Enter key on a QL

At a pinch you could use PAN and SCROLL, but it would take 160 successive integer offsets to get from track 0 to track 79, and that seems gratuitous.

Some QL disk systems have inadequate

documentation, so there's extra information on the DIY Toolkit disk, including standard directory and sector map details. *Quanta* members with an interest in other disk systems can obtain source and compiled code for my TRS-80 *MultiDOS* reader, from the group library.

These programs suit controllers from Miracle Systems, PCML, Computermate, Cumana, Silicon Express, Technology Research, Sandy, CST and Thor International. Suitable upgrades to the QFLP standard are available for Medic systems, and Sinclair's own model, produced by MicroPeripherals. Call Care Electronics for upgrade details.

Old MicroPeripherals roms call the disk device FDK, and include DGET and DPUT commands, which read and write individual sectors, rather than the QFLP equivalents. The French Dattel disk system opts for FLD1 and FLD2, has its own direct sector commands RS and WS, easily adapted.

The expansion unit from Micro Control Systems was designed and programmed by Mark Snape; early versions included many good ideas, but fell short of the QFLP standard. Users tell me it has been fully compatible for the last couple of years, once the MCS Toolkit rom is fitted.

As far as I know, the only QL DOS that refuses to read sectors directly was the first to arrive. Quest's oddball interface was launched, amid a deluge of green plastic leaping frogs, in 1984. This system keeps its operating code on microdrive cartridge, rather than rom, and gets confused by files longer than 32K.

I am keen to hear from anyone using disk systems I have not mentioned, like the QL interfaces advertised by Kempston Micro Electronics.

Like all popular eproms, QFLP software comes in many versions. In general high version numbers are best, but later changes are often intended to compensate for the quirks of particular drives. It may not be worth seeking an upgrade if your drives are already reliable.

Version 1.07 was the first to support direct sector access, and appeared in the original CST Qdisk interface. 1.08 and 1.09 fixed problems with LBYTES from microdrive and access to partly-corrupted disks. Version 1.10 was the first able to read and write old 'single density' disks, on interfaces with an appropriate control chip.

Version 1.11 was functionally identical to 1.10, but the code in the rom was reorganised. Version 1.12 featured much-improved detection of the drive's optimum stepping rate. QFLP 1.13 incorporated tweaks to suit a batch of Mitsubishi drives, encased by many suppliers, which provide unusually short 'index' pulses.

Version 1.14 is a major upgrade. It adds commands to control speed and security, and set up obscure track counts. See the details of FLP_OPT or FLP_TRACK and FLP_SEC in your disk manual, or on the DIY disk. The FORMAT command was re-written and error checking improved.

Troubleshooter recently doubted that anyone might format to 360K in a 720K drive, but I find it useful. If you give QFLP a disk name that has an asterisk as an eleventh character, the disk is formatted on one side, giving half the capacity in about 60% of the time:

FORMAT "FLP1 SingleSide*"

This can format a disk for a few files quickly, or for a single-sided drive.

QFLP 1.14 fixed a silly bug in FORMAT, which occasionally produced a single-sided format by chance. The correction stops QFLP looking for the asterisk unless an eleven character name is supplied.

The toolkit commands WTV and WMON have similar bugs; they read their parameters from memory, even if they are not supplied; this causes inconsistent results which depend on the values lying around in memory.

QFLP V1.14 fixed a serious bug that could destroy the disk directory if you accidentally tried to load a null file (zero bytes) with LBYTES or EXEC. V1.15 of QFLP was adapted for the 1772 interface chip, which replaced the obsolescent 1770. Error-checking is slightly refined, and an extra 6K of small files can be stored. Earlier software would not save small files once 714K was full, because of a bug in the track zero handling.

QFLP 1.16 avoids confusion if you swap disks with files open, or add toolkit commands with a program loaded. 1.17 is the same, apart from the added ramdisk, and 1.18 is more tolerant of dodgy drives. V1.18 to 1.21 are identical, apart from the supplier. I hear that 1.22 to 1.27 have small changes to suit *Minerva*.

Miracle Systems now supply V1.28 with their redesigned Trump Card; this can control up to four floppies. It also incorporates code to control WIN1, Miracle's hard disk drive, which used to load control software from a floppy.

CHECKDISK

PC users have a command CHKDISK which searches a disk for faults. Listing 1

is CHECKDISK_BAS for the QL. The program attempts to read every sector, and reports unreadable tracks and sides by number.

If CHECKDISK reveals a problem, copy the files onto a fresh disk and start again. Some files may be unreadable because of bad tracks or sectors, but you should be able to retrieve most. Special recovery programs may be needed if directory track zero is damaged.

FORMAT tests the whole disk surface, and locks out parts that do not hold the format pattern. Data can be corrupted later, by software errors, mechanical wear, magnetic or electric fields, running over the disk with your chair, or turning drives on and off with disks inside.

CHECKDISK can re-assure you that your data is still readable, or help to nip problems in the bud – before your backup copy suffers the same fate! It's a good idea to run CHECKDISK before making important backups, or after any event that seems hazardous, in retrospect.

QFLP does not re-read, or 'verify', the sectors it writes; that would make it slow. The only way to be sure a file has been saved correctly is to re-load it. The MCS interface has VER_ON and VER_OFF keywords to control write verification.

CHECKDISK uses WHEN ERROR to trap and report disk errors without stopping the program; so I regret that it does not work on "AH" and "JM" roms. WHEN ERROR can easily crash Qdos if you forget to turn it off and make changes or load another program.

Another bug means the interpreter may lose its place in the program and lock up if a trapped error occurs in an expression. CHECKDISK avoids error-prone expressions, so it should not crash your machine.

The program listed checks 80 tracks and both sides of the disk. Adjust lines 250 and 280 if you are not using a 1440 sector format. For a 40 track single sided drive, substitute:

250 FOR true_track=0 to 39

280 FOR side=0

```
100 REMark QL/Thor CHECK_DISK
110 REMark Copyright 1990 Simon N Goodwin
120
120 :
130 WHEN ERROr
140 IF ERLIN=300
150 PRINT "Error on track ";true_track;" side ";side<>0
160 bad=bad+1 : CONTINUE 320
170
             END IF PRINT "Error at "; ERLIN; : REPORT #1 : STOP
190 END WHEN
200
        CLS
        DIM drive$(8) : bad=0
220 drives="flp1_" : sectors=FILL$(0,512)
230 OPEN_IN #3,drives & "*d2d"
240 CLS : CLS #0 : PRINT #0; "Checking track"
250 FOR true_track=0 TO 79
260 AT #0,0,17 : PRINT #0,true_track;
             track=true_track*65536
FOR side=0,256
270
280
                 FOR sector=3,7,2,6,1,5,9,4,8
GET #3\sector+side+track,sector$
290
300
END FOR sector
320 END FOR side
330 END FOR true_track
340 PRINT bad; "fault";
350 IF bad<>1 : PRINT "s";
360 PRINT " on ";drive$
370 CLOSE #3
310
                 END FOR sector
```

A bug in the current Thor rom, Argos 6.4.1, means that GET will not read sectors into strings that have been dimensioned, so this example uses FILL\$ to pack a string to the required size.

FORMAT records sectors on the disk in ascending order, numbered from 1 to 9, but CHECKDISK reads sectors in scrambled order to speed up access. As it takes time for SuperBasic to process each sector once it has been read from the disk, the faster at LBYTES, EXEC, SBYTES, SEXEC, Psion document SAVE, and even PRINTing long lines from SuperBasic. The speed on task file-handling and COPY depends on the buffer size and number of contending tasks.

At best, the time to save 500K on Thor XVI floppy falls from 1 minute 25 to 45 seconds. A PRINT loop in QL SuperBasic accelerated from 5.3K per second to 8.3 on a 720K disk, or 4.8 to 6.3K per second

```
normal interleave, so loading is uneven in
speed and scrambled in sequence.
  Now take a freshly formatted disk in
FLP1, and type FFORMAT with FAST_FORMAT_BAS loaded. Save and
re-load the display on the modified disk.
The image should reappear smoothly and
```

and notice the 'shutter' effect as individual

sectors load. The sequence used by

SBYTES does not match LBYTES on a

consecutively down the screen, at noticeably higher speed. If it pauses or hiccups part-way down, you need to set a new stepping offset.

The first 64 bytes of any Qdos disk contain details of the format and interleave. The first four bytes of sector 1, track 0. side 0 must contain the characters 'QL5A', to identify the QL format. Then come ten bytes for the disk name, and a host of other details.

The QL lets you configure the order in which sectors are used into any disk. FAST_FORMAT adjusts three entries the stepping offset and the logical to physical and physical to logical translation tables. The logical to physical table contains 18 entries - one for every sector on each side of a track.

The values determine the order in which the software uses physical sectors. Normally QDOS puts every third sector in the same group, so a single track contains three groups, comprising sectors (1, 4, 7) then (2, 5, 8) and (3, 6, 9).

Groups on each side of the disk are used alternately, if it's a double-sided disk. The first three groups on track zero use sectors 1, 4 and 7 on side 0, followed by 1, 4 and 7 on the other side of the disk, then 2, 5 and 8 on side 0, and so on.

This suits many sequential files, like Psion data files, and Basic programs that INPUT and PRINT to disk. The gap of two sectors gives the program about 40 ms to process the next 512 bytes of data, before the next sector comes round. If it takes as much as 50 ms, the sector header will be missed and you'll have to wait an extra 190 ms for the next lap of the disk.

In fact the order in which Qdos uses sectors is configurable for every disk, although few people use anything but the 1:3 interleave. FAST_FORMAT_BAS alters the interleave on a QDOS disk to 1:1. You could just as easily change it to 1:2, or 1:4, depending on the speed of your program - or keep different formats for different applications. All QFLP and Thor roms are compatible with this feature now, but this is the first time it has been explained.

Normally the table indicates sectors 1, 4, 7 and so on, as explained earlier. Just to add spice it numbers sectors from zero and adds 128 for the other side, so a typical table starts 0, 3, 6, 128, 131 and so on.

FAST_FORMAT re-programs the table to use sectors in strict ascending order from 1 to 9 on side 0, then side 1 similarly.

The Physical to Logical table is the same thing in reverse - 18 bytes indexed by SECTOR+SIDE*9 to give logical sec-

```
100 DEFine PROCedure FFORMAT
110 REMark VERSION 3.5 30/8/90 (C) 1989,90 Simon N Goodwin
              i, map2, map3, s1$, m1$, m2$, k$(2)
130 CLS #0
140 INPUT #0, "Put an EMPTY formatted disk in FLP1 & press ENTER: ";k$
      REMark Read directory
160 OPEN #3, "flp1_*d2d'
170 GET #3\1,s1$
180 REMark Extract position of logical sectors 2 & 3
     map2=CODE(s1$(42))+1
200
      map3=CODE(s1$(43))+1
210 GET #3\map2,m1$: GET#3\map3,m2$
220 REMark Set offset used when stepping between tracks
230 S1$(39)=CHR$(0): S1$(40)=CHR$(1)
240 REMark Set up LOGICAL -> PHYSICAL translation
250 FOR i=41 TO 49: S1$(i)=CHR$(i-41): REMark 0-8
260 FOR i=50 TO 58: S1$(i)=CHR$(78+i): REMark 128
                                                             REMark 128-136
270 REMark Set up PHYSICAL -> LOGICAL translation 280 FOR i=59 TO 76: s1$(i)=CHR$(i-59): REMark 0-17 290 REMark Write new data
300 PUT #3\1,s1$ : PUT #3\2,m1$ : PUT #3\3,m2$
310 CLOSE #3
320 CLS #0
330 PRINT #0; "Fast format ready."
340 END DEFine FFORMAT
```

software must wait for a complete lap of the disk before the next numbered sector comes round again.

At best, a SuperBasic loop loading sectors in order from 1 to 9 can only read 2.5K per second, or one sector every 200ms. It may be slower still, after taking account of extra delays stepping between tracks and

CHECKDISK aims to read the whole disk and report bad tracks as quickly as possible, so it checks sectors in scrambled sequence, reading every fourth sector till all nine sectors have been read.

The interleaved sequence used was found by trial and error, and gives quick access on standard QL disks. It can check 720K in two and a quarter minutes, while sequential reading would take six and a half minutes.

FAST FORMAT disks work as normal on QL and Thor, but the speed of programs and operations are different because the interleaving of sectors is changed. The QL is quite flexible; I have used various interleaves on my last four work disks for months without problems, using QFLP 1.16 and 6.4.1.

Tuse FAST disks for tasks, screens, and other files that I wish to load in one step, but stick with the standard format for Quill documents, as they load faster that way and I like to refer to past articles as I write. If you find yourself pushed for time, I recommend you use a 'quick format' disk for incremental saving as you go along, and standard format for finished work. In the former case you SAVE more than you LOAD, and vice versa.

FAST FORMAT disks are often slower than the originals on interpreted file IN-PUT and Psion LOAD - but in my experience they can be 30 to 100 per cent on a single-sided disk. Screens load at over 16K per second, compared with 12.5K per second normally. The Thor XVI reaches 18.8K per second, saving about three seconds when EXECing Xchange from floppy

If you read a file more than once the QL will often get the data from 'slave blocks' in spare memory, rather than the drive, so swap disks regularly if you want meaningful timings. It's a small advantage, but it's free, and only takes a couple of seconds to convert a freshly formatted disk.

Conversion of slow to fast format is possible, but you need to read each track into memory, re-order the sectors, and write them all back. It is quicker and safer to copy everything from one disk to another.

Sometimes the computer knows from the start which sectors to save or load, and the memory area to be used - EXEC and LBYTES work like that, and Devpac, Spyand Chas Dillon's Editorload files this way; so do most Page Designers.

In this case QDOS uses a 'scatter load' system, introduced for the ZX Microdrives. Slave Blocks are not used. As sectors come from the drive they are slotted directly into the receiving memory; loading continues until all the slots are full. You can see this clearly if you save a screen on cartridge with

SBYTES MDV1_SCREEN, 131072, 32768

then clear the display with MODE 4, and re-load with

LBYTES MDV1_SCREEN, 131072

Try the same thing with an empty disk,

tor numbers between 0 and 17.

The stepping offset compensates for the extra delay associated with stepping from one track to another, so QFLP uses sectors in staggered sequence from one track to the next. The idea is that the next sector should be ready under the head as soon as the disk has stepped from the last sector of the previous track. If the offset is 3, sectors 4, 7 and 1 will form the first block on track 1.

I use a stagger factor of one sector on fast QL disks, and zero on Thor ones, as this gives the best speed for LBYTES and SBYTES. You may find two or three is better, if you have a slow drive – as a rough guide, these usually rattle when others squeak.

There is no 'correct' value, any more than there is a 'correct' interleave. The ideal stepping offset depends as much on your hardware as your software. If your drive steps slowly, replace CHR\$(1) in line 230 with CHR\$(2) or even CHR\$(3). Fast systems may allow CHR\$(0).

FAST_COMPARE_BAS only uses one toolkit command – the ubiquitous and arcane WSTAT, which gives 'Wildcard STATistics' about files on a drive. The program quickly compares the files on two drives, by scanning their directory statistics. This means it can miss very small changes, like a few characters altered or transposed, but it picks up most significant errors.

Like most users with hard-earned data on disk I keep multiple copies and aim to save each file to two or three disks after any major change. Problems usually become obvious when I notice that the number of free sectors, shown by DIR or STAT, differs between media when I expect them all to hold the same thing.

Normally this means I have failed to save a file on one of the disks, or forgotten to save an update, so that one file has been extended but the other has not, causing the discrepancy in drive statistics. Sometimes whole groups of files are missing or outdated. Mismatches may stem from known rom bugs – for instance both SAVE and COPY sometimes fail to report errors, leaving incomplete files.

At such times I need a quick way to determine what's gone wrong. There may be 400 or more small files on one floppy disk, and scores or hundreds on a cartridge.

A full DIY Toolkit disk contains over 150 files, ranging in size from a few bytes to 26K. As the kit grew I needed an efficient way to keep my copies up to date and avoid losing tweaks and improvements dreamt up at the end of a hard day's thinking — when it is easy to forget to update one of the backup disks.

I could write a loop to read each sector from each disk, and compare them, but it takes ages to read and compare 1,474,560 bytes on two drives, and shows up lots of irrelevant differences which might be caused by deleted files on one drive, mismatched file name (so DIY19_DOC does not match Diy19_DOC) or differ-

ences in the order of files in the directory. What's more, the drives are unavailable to other tasks while open for direct sector access.

I wanted a method of comparing disks that works in a few seconds, ignores trivial differences, and tells me the disk, file name and expected size for all missing files — and the drive and size of each version, when files with equivalent names differ in size. I wanted it to work on any QL, with any drives.

FAST_COMPARE_BAS fits the bill, as long as your system has three drives and the WSTAT command, or an equivalent which reports file-names and sizes on alternate lines. You can get by with two drives if you adapt the program to use pipes and QLINK from *DIY Toolkit's* Volume P. Direct the report and temporary files to pipes, or MEM, instead of the TEMP\$ drive.

The program starts by reading the directory statistics from drive 1 into a temporary file. It copies the file names and sizes into arrays FNAM\$ and FSIZE: the code uses INPUT to read each name, so it is confused if you use names with line-feed characters inside! If you plan to use the program on files which are open, beware of 'in use' reports, or foreign equivalents.

The second lump of code reads through the statistics for drive 2, and tries to match each file against an entry in the arrays. If the name matches, but the size does not, the code reports:

Mismatched size <NAME> <DRIVE1>

<SIZE1> <DRIVE2> <SIZE2>

Files that appear on one drive but not the other prompt:

Excess file <NAME> <DRIVE> <SIZE> bytes

Add wild-cards or sub-directory names to the device names in line 150 if you want to restrict the names of files checked. The result is a report on device TEMP\$, in the file "COMPARISON" – you may wish to change the name.

The programs and text of this article are available on 3.5 or 5.25 inch disk, together with further details of QL disks. The price is £7 Sterling, calculated at three quid for the data and four for the service; everyone except the Post Office benefits if you order other volumes, from past columns, at the same time. For a full list, send an SAE to DIY Toolkit, Cwm Gwen Hall, Pencader, Dyfed, Cymru SA39 9HA.

Suggestions are welcome as ever at the *QL World* address, but please allow a while for them to be forwarded; like other contributors, I do not work in the office.

```
REMark QL/Thor FAST COMPARE
REMark Copyright 1990 Simon N Goodwin
REMark Version 1.1 30/8/90
REMark Extensions needed: WSTAT
120
130
140
150
160
170
                :
LET d1$='flp1_': d2$='flp2_': temp$='ram1_'
LET max%=480: tab1=16: tab2=53
DIM fnam$(max%,36),fsize(max%)
GET_STAT d1$
count1%=0: REMark Number of files in device 1
REPeat read1
IF EOF(#3): EXIT read1
count1%=count1%+1
IF count1%>max%
PRINT #0; "Too many files on ";d1$;
PRINT #0; " maximum ";max%: CLOSE #3: STOP
END IF
200
210
220
230
240
250
260
270
280
                   END IF
INPUT #3, fnam$(count1%), fsize(count1%)
END REPeat read1
CLOSE #3 : DELETE temp$ & "temp"
              CLOSE #3 : DELETE temp$ & "temp"

GET_STAT d2$ : count2%=0

OPEN_NEW #4, temp$ & 'Comparison'
REPeat read2

IF EOF(#3) : EXIT read2

INPUT #3, file$, size

count2%=count2%+1

IF NOT ONd1(file$, size) THEN EXCESS d2$

END REPeat read2

FOR i=1 TO count1%

If fsize(i)>=0

file$=fnam$(i): size=fsize(i): EXCESS d1$

END IF

END IF

END FOR i

PRINT #4; count1%; "files found on ";d1$

PRINT #4; count2%; "files found on ";d2$

CLOSE #3 : DELETE temp$ & 'temp' : CLOSE #4

PRINT #0; "See the file"!temp$; "COMPARISON"

BEEP 3000,0 : STOP

DEFine PROCedura EXCESS d1.
290
300
310
320
330
340
350
360
380
390
390
400
410
420
430
440
450
460
470
 480
 490
                  DEFine PROCedure EXCESS(drives)
PRINT #4; "Excess file" TO tab1; files;
PRINT #4; TO tab2; drives! size! 'bytes'
END DEFine EXCESS
500
510
520
530
540
                  DEFine Function ONd1(n$,s)
550
550
560
570
580
600
610
620
630
                  DEFine Function ONd1(n$,s)
LOCal i

FOR i=1 TO count1%

If fnam$(i)==n$


IF fsize(i)<>s

PRINT #4; "Mismatched size" TO tabl;n$;

PRINT #4; TO tab2;d1$!fsize(i)!!!d2$!s

END IF
fsize(i)=-1: REMark Ignore this later

RETurn 1: REMark Names match
630
640
650
660
680
690
710
720
                  END IF
END FOR i
RETurn O
END DEFine ONd1
                 :
DEFine PROCedure GET_STAT(drive$)
OPEN_NEW #3,temp$ & 'temp'
WSTAT #3,drive$
OPEN_IN #3,temp$ & 'temp' : REMark Rewind?
END DEFine GET_STAT
```



Bryan Davies considers disks and spell checkers

G.H. Services report that the 4th issue of QL Technical Reviewwas being run off in mid-July and I'll report on it when a copy is received

The short article on Page 40 in September QL World produced a very speedy response from John Roberts, who offers an alternative way of adding fields to Archive databases, but only for users having a copy of The Editor.

He suggests Exporting the database concerned, then reading it into The Editor and using the commands given below.

Sample database, as it appears when read into The Editor:

"firstfield", "secondfield\$", "thirdfield\$"

- 0. "Seconds", "Thirds'
- 1, "Secondday", "Thirdday"
- 2, "Seconds", "Thirds"
 3, "SecondMon, "ThirdTue"

- 3, 'Secondmon, Third 4, "Seconds", "Thirds" 5, "Seconds", "Thirds" 6, "Seconds", "Thirds" 7, "Seconds", "Thirds" 8, "Seconds", "Thirds" 9, "Seconds", "Thirds"

Commands (the > sign indicates exchanges to be made at the ends of the lines and the lines in brackets are explanatory, not part of the command):

t ec>>, "fourthfield"> (add another, numeric field) rp n ec>>,4> (add '4' to new field, in each record) t ec>>, "fifthfield\$"> (add another, alphanumeric field) rp n ec >>, "nothing in particular"> (additional quotation marks for text)

The final step is not clear from John's letter, and I have not had time to check it; you have to "take out everything on the last line except? and write the amended file", the ? indicating something missing from the letter. Write out the new file with a LIS extension from The Editor, then Import it back into Archive.

The comment in the "Response to Readers' Letters" section about a program ordered from PDQL concerns HardBack, written by Chas Dillon for hard disk users. After waiting for well over a month for a copy, one arrived from PDQL the day after an associate complained about its nonarrival (it is his hard disk I am trying to set up). As the program implies, it deals with backing-up files from hard disk, and I hope to report on it at a later date. I had hoped the program would also provide moregeneral utility functions, to make the hard disk easier to use, but that is not the case. However, the instructions are helpful to anyone trying to understand the workings of the software provided with the Miracle hard disk.

If you are looking for odd items of hardware, try Adman Services, which has a large variety of QL (and other) oddments. For example, they have MP disk interfaces, with a choice of rom chips, and dual disk drives plus the MP interface, with box and power supply, for about £150. They can also provide an eprom board, to allow Odos and other routines to be accessible. The phone number is 0952 255895

Readers' Letters

Differences between printers account for a large proportion of the problems users have. What works well on one printer may initially seem useless on another. A couple of recent examples concern the program TechniQL and the optical scanner reviewed by Mike Lloyd a few issues ago. The saga of J. Roy Goodall's difficulty printing from TechniQL continues, and it hard to see a way of bringing it to a happy conclusion, because he is so far away (Belize) from the supplier, T.K. Computerware.

In view of the fact that the program has been around for almost as long as the QL, it can reasonably be assumed that printout can normally be obtained from it, but Roy cannot get printout to either an Epson LX-800 or a Tandy DMP-130A. T.K. supplied another program copy, and the result was apparently the same, making it seem unlikely the fault lies with the program copy itself. The serial-parallel interface used with the printers has been replaced; hopefully, that eliminates it as a potential source of the problem.

Printout from Easel and Eye-Q on the LX-800 "presented no problems". The LX is not (so far as I am aware) a fully "Epsoncompatible" printer, despite being manufactured by Epson. I have attempted to use an LX printer-driver with an Epsoncompatible printer and got decidedly erratic results. Does anyone know of differences between Easel/Eye-Q and TechniQL, in

the way they treat printers as being Epsoncompatible? One other thought that comes to mind at present is the likelihood that Roy's QL has a JSU rom (the type fitted to QLs sold in the USA); it is known that screen graphics can look quite different with the JSU, compared to the JS UK rom, and it may be that the output to the printer is similarly different. In addition, it is thought that some US-specifications differ from UK-spec ones. Perhaps US readers have some thoughts on printing from TechniQL?

The scanner is a printer-dependent device in so far as the software has to drive the print head. To be able to do this, the software has to be supplied with various movement codes specific to the printer being used. In the case of E. May, the printer is a Seikosha GP-100A Mark II, and he has not succeeded in getting the print head to scan his documents. The head moves a little, then stops. The printer details have been sent to the manufacturers of the scanner, and comment from them is awaited. In general, the scanner does a good job; Mike Lloyd was impressed with the one he reviewed, and I am informed that it can do a good job of displaying a £5 note in colour!

Keyboard Products have refunded Richard Alexander's money, having been unable to supply the ordered keyboard in time (but he says he may re-order). As reported last month, they stated they have completed the redesign which caused delay, and should be delivering PS/2 keyboards in a reasonable time now. As of late August, there has been no further comment from Michael Jackson regarding his order for this keyboard, but there have been no other complaints.

R.W.S. Dand says he contacted his credit card company about the double charge for goods supplied by PDQL and the second debit has been refunded, but the credit card company said they had not been repaid by PDQL. J.S. Hay now has a working Rename routine, supplied to him by Brian Hedge. Comparison of their typed-in lines revealed an error in one data value. There was more to it than this, however, as Hedge had written a 3-line routine to get around the problem many earlier QLs had with the CALL command not working properly, and this was necessary to enable the Rename routine to run on Hay's QL. E.E. Stocker has received a refund and disk from Sector Software, following a mix-up about orders he placed with them. J. Roberts has contacted Psion about corruption on his Psion Chess cartridge, and they have offered to help. Although Psion do not now bother with the QL market, they have been helpful in dealing with queries on various occasions, and they don't seem to have "washed their hands" of the QL.

A problem of a different nature, to which I know no answer, was put by C.G.H. Services. In response to my repeated advice to pay for goods by credit card, they state that small businesses are not considered suitable to be given a credit card "franchise", so that I am effectively advising readers not to buy from small businesses. My understanding is that card companies do not refuse facilities to small businesses but, understandably, they may refuse in cases where they feel a business is not sufficiently long-established or cannot provide suitable references. I did not mean that buyers should make use of a credit card a hard and fast rule (especially now card companies are starting to charge for the card, and its value has dropped correspondingly). If you spend, say, £5 to £20 as you might with several small suppliers most buyers can afford to take the chance of losing that amount, and pay by cheque or postal order, etc. It is when you order expensive goods that the use of a credit card becomes highly desirable. It is for the individual to decide at what level loss of the money would be painful. Credit card companies may set a limit below which they do not give refunds, and that figure has typically been £100, although that does not seem to mean refunds of lower amounts will automatically be refused.

It would certainly be untrue to imply that small companies are inherently less trust-worthy than large ones. In any event, all the suppliers we are familiar with on the QL scene are small, by normal business standards. Large adverts and familiar names are not guarantees that your order will be despatched but, if the new owners of QL World (the Maxwell group) ensure that advertisers pay promptly for their adverts, there will much less chance of adverts appearing in future from suppliers in the process of going out of business.

The PC supplier which presented the most unbelievable face to me, resulting in my having to claim a refund from a credit card company, now provides a large advertising spread in the PC magazine I read regularly, and similar adverts in several others.

One has to "test the water" at some point,

by sending money and hoping for something in return. Preferably, one should have favourable comments from other buyers to give confidence. Naturally, those of us who write for QL World come into contact with suppliers, and form our own opinions of those who seem trustworthy; inevitably, we deal more often with the bigger suppliers, because they have more hardware/software to be reviewed, and because more readers write in about them, since more readers buy from them. At this point in time, the main suppliers all seem both trustworthy and commercially sensible. That is, they normally supply what is ordered, only cashing cheques when they feel certain the goods are available for despatch, and they keep their finances in sufficiently good order to be able to meet their commitments. Several suppliers have reported a downturn in orders over the past few months, and an increased level of "suspicion" on the part of buyers. That is, because of the way two suppliers treated their customers last year, and early this year, good suppliers are now suffering loss of business, and finding that buyers are tending more to want to collect goods personally rather than order them by mail.

What can one say, in hindsight, about PDQL and SUB? As a supplier, PDQL did not always seem as "professional" as some others, but it never gave us the impression of being unsafe to deal with, not until about the time the letters of complaint started arriving at the magazine. The situation is still quite unclear, as an associate of mine recently (late August) called PDQL to complain about ordered goods not being supplied, and was assured one particular program would be sent that day and it was duly received the next day.

SUB didn't seem "right" to me, from the start, but you can't advise readers to steer clear of a supplier simply because your own intuition has doubts. The concept of an answer service for users with problems was laudable, but the chances of success with such an enterprise struck me as small. Eidersoft tried it earlier on, and came unstuck. Taking money on the promise of supplying help is a shaky premise, for the supplier as well as for the punter. As the supplier, if you subsequently find that you don't have the time or the expertise to provide the answers the subscribers need, you soon end up having spent the money they sent you, and with a mass of complaints and calls to

deal with. Once you let correspondence build up to a significant level, you won't get any work done. A supplier that gets even one letter to deal with for every 50 to 100 orders despatched may find it hard to keep order processing efficient, and to make money and this is also a reason why it can be difficult to get replies to letters even from "good" suppliers.

Insurance is a subject we all tend to fight

shy of, sometimes to our cost. Recent correspondence concerning an expensive item returned to a supplier as defective, and received by the supplier in a damaged condition, highlights this aspect of mail order business. If the goods are expensive, insure them. Don't expect the supplier to have insurance cover for goods that might be returned to them! Make sure the insurance is for the full value of the goods, not for some nominal amount which may be far less. It is also essential to advise the supplier of what you are doing, and to give the supplier first look at the goods which

the supplier first look at the goods which are thought to be defective. If you feel it is necessary to bring a third party into the matter, choose someone who is professionally-qualified to give a full written report on the claimed defect, and who will submit a proper report that would be acceptable to a Court as "competent, independent professional opinion".

A supplier called to advise that we might get a complaint from a QL user who had ordered certain programs, changed his mind and cancelled the order on the basis of "expert opinion" on the programs concerned, and then changed his mind again and reinstated the original order. The supplier might not now be keen on dealing with the order at all, as the amount of time spent so far, and the distinct possibility of further queries, suggests the sale would hardly be a profitable one. A few words on the need this particular user apparently has might answer questions for others. The stated requirement was to be able to transfer text files between QL and PC, in both directions, maintaining typestyle enhancements (egitalics, bold). The program to be used on the QL was text87, and WordStar and/or WordPerfect seemed to be the other WP program to be used on

The first point is that direct transfer of files, without any attendant "translation routine" being used, would enable text to be transferred with little difficulty, but enhancements would be lost in the process. Whatever you put into the original file, the version of it received by the target pro-

gram would be devoid of the correct codes that tell the printer when to change size, print in bold, use an italic character set, etc. If the user accepts this limitation, and is prepared to reinsert printer codes using the target program, the transfer process is quite easily accomplished using XOver, MS-QLink, or similar programs.

The transfer process does not actually remove all non-text codes; if you want files transferred from the QL to be as "clean" as possible when they are passed to a PC, the obvious program to use is The Editor. It keeps its files in a simple Ascii-text format and doesn't insert lots of formatting codes for its own purposes. text⁸⁷ does use its own formatting codes; if you transfer a standard T87 file to a PC you get rather a mess, which might take you a very a very long time to knock into acceptable shape. You should use the Export-Ascii command in text87 to make the file to be transferred as clean as possible before using XOver or MS-QLink — to transfer it. Using the Export command does not, however, get over all problems associated with print codes. As an example, the dash (hyphen) character used in text87 is different from that used in WordPerfect 5.0; although the dashes remain in the transferred file, you can't use the Search command in WordPerfect to find them, because it simply does not recognise the code used

by text⁸⁷ (this is an oddity of WordPerfect, not a fault in text⁸⁷).

When WordStar files are transferred from PC to QL, the last character of each word gets altered.

You can deal with some of these problems by writing a macro instruction or command file to make necessary conversions once file transfer has been completed, but this is clearly only practicable when the target program is capable of recognizing the codes which need changing. For example, when a WordPerfect file is saved in Ascii form and transferred to the Editor, the only tidying-up work needed may be to remove end-of-line codes (displayed as "splodges" by The Editor), and The Editor is well-suited to doing this job with the minimum of activity on the user's part. Most WP programs (including text87) are not designed to do the manipulations that The Editor is capable of and they don't recognise many of the codes that it can

Where print codes in a text file are explicit — that is, you can see the codes on the screen display — and you can choose your own codes, you are in a position to select codes which the target program will recognise. Again, The Editor is the obvious program, because any typestyle enhancements you insert into Editor

files have to be identified by on-screen codes, which you can select to suit your purpose. Quill uses embedded codes for some typestyles (underline, superscript, subscript and bold), so you will have trouble with these, but you can use the Translate entries (when creating the printer-driver) for other typestyles and choose codes to suit.

Text⁸⁷ is the best QL WP program, from the point of view of handling many typestyles, but the codes are all embedded. My experience importing text⁸⁷ files into WordPerfect is that — whichever method is used — tabs and typestyle codes are lost and, with one method of importing, "real characters" (such as the degree sign °) may also be lost; the end result is satisfactory for my purposes, but there can be a fair amount of time involved in putting enhancements back in. Much the same applies with Quill.

Complicated as it may sound, there is merit in using The Editor as the transfer agent, but using text⁸⁷ as your normal document-preparation program. Make the transfers (both ways) via The Editor, to keep the files clean and enable conversions to be made, but use text⁸⁷ to prepare text for printing. You can easily Import files from The Editor into text⁸⁷.



QUANTA

Independent QL/Thor Users Group

Worldwide Membership is by subscription only, and offers the following benefits:

Monthly Newsletter – up to 40 pages

Massive Software Library – mostly FREE!

Free Helpline and Workshops

Regional Sub-Groups. One near you?

Advice on Software & Hardware problems

Discounts from most major suppliers

Subscription just £14 for UK members

Overseas subscription £17

Barclaycard: Visa: Access: Mastercard

* Now in our SEVENTH successful year *

Further details from the Membership Secretary



David Johnson The Corner House Loxley, Warwick CV35 9JT Tel (0789) 842543



JOCHEN MERZ SOFTWARE

Im stillen Winkel 12 - 4100 Duisburg 11 - W-Germany Tel./Fax 0203/501274

QL-Emulator for ATARI ST

Emulator (Hardware, QJUMP's Drivers (including WIN). AtariDOS and more...) £169 EPROM Cartridge for ST (makes machine autoBOOT) £30.50 Floppy Adaptor to connect QL-Disk-drives to the ST £9.50

OL-Hardware

ABC-Keyboard Interface (for IBM PC/XT keyboards) £44 High Quality Mouse for QIMI or ATARI ST £29

QD II - Editor

Now with local directory and even more additional facilities! QD II uses Button Frame of QPAC II: it also uses QTYP_SPELL for typechecking. Markers are also implemented. Easier and more clever menu handling. Short-selection keystrokes for frequently used commands. Real scroll bar with new Window Manager. Window may be split for different views of a file. Colour-configurable. With HOTKEY System II and Pointer Environment. New MenuExtension which gives standard menus (e.g. File Select). £38.50

OMENU

Many QD-Users will know it: the Menu Extension. Now with more facilities, even real subdirectories are treated in a new file-select window. Programming instructions and examples for SuperBASIC and machine code. £11.50

DIAMONDS

New Game. This is definitely a 'just one more go' game to keep you up at night, a kind of action-puzzle. £11.50

QL vers n of the well-known game. Very nice graphics, 1 or 2 player game and many other features £16

THE PAINTER

An excellent graphics program for MODE 4 & 8. Uses Pointer Environment, so that it may be controlled by QIMI or SuperQBoard Mouse. Works fine with QL Emulator. £30

Brain Smasher! £13.50

Thing & EPROM Manager £18 QSUP £27 Ion Gold & Doppel Ion £12

Firebirds £12 Arcanoid II £12

Please add £2.30 for postage and package. All programs except Arcanoid, Firebirds & Ions need memory expansion. All prices excl. V.A.T. E&OE

Please write for more information - especially about the Emulator

C.G.H. SERVICES

Cwm Gwen Hall, Pencader, Dyfed, Cymru, SA39 9HA (Tel. 0559 384574)

Products	Туре	Memory	flp_	mdv
Anel Pum Quat	Text Adventure	128K	£8.00	£8.00
Blag2	Text Adventure	256K	£8.00	£8.00
D-Day Mk II (Special Ed)	Wargame	256K	£13.00	£18.00
Dreamlands	Text Adventure	256K	£8.00	_
From the Tower of Valagon	Text Adventure	128K	£8.00	£8.00
Grey Wolf	U-Boat Simulator	256K	£9.00	£12.00
Here We Go	Text Adventure	128K	£10.00	£10.00
MacSporran's Lament	Illustrated Adventure	512K	£8.00	£8.00
Open Golf	Golf Simulator	512K	£9.00	_
Orbiting	Astronomical Sim	128K	£8.00	£8.00
Personal Finance Manager	Home Accounts	128K	£8.00	£8.00
Polytext	Multi column			
	quill output	128K	£16.00	£16.00
Quiz Master	Quiz Game	128K	£10.00	£10.00
Return to Eden	Illustrated			
	Role-Play Adv	256K	£15.00	_
Starplod	Illustrated Adv	128K	£8.00	£8.00
The Gee Gee System	Horserace Prediction	128K	£10.00	£8.00
Uncle Loonie's Legacy	Illustrated Puzzle Adv	/ 128K	£8.00	£10.00
Voyage of the Beano	Illustrated Adv	256K	£10.00	_
Voyage of the Beano	Text Adventure	256K	_	£12.00
Wreck Dive	Graphical Adv	128K	£8.00	£8.00

Please add 10% to all orders by post to cover p&p and other charges. We regret that we cannot deal with orders by Access or other cards. All monies must be in Sterling.

Also available: QL Technical Review 1-4. Subscriptions to QL Technical review nos 5-8 £6.00. Adventurers' Forum 1-9, subscriptions to QL Leisure Review nos 1-4 £6. The Bible − 9 discs − text files £30. We also distribute a wide range of Public Domain and Shareware titles. Please send an s.a.e. for details. We would like to hear from any programmers wishing to have their programs published.

🖈 sinclair 🖭 🖈

EEC LTD MAIN SUPPLIER OF Sinclair QL COMPUTERS & PRINTERS QLs FROM £125 PRINTERS FROM £120

QLs COMPLETE JM FULLY TESTED AND WITH 6 MONTHS WARRANTY

TV lead, QL Software 2.35, Quill – Word Processor, Abacus – Spread Sheet, Archive — Records, Easel – Business Graphics

Customers buying one of the QL Computers are given one year's free membership to QUANTA (Help, Newsletters, & 400+ Library Programs – most free).

QUANTA MEMBERS can obtain a £5 discount "The JM QL can run all Programs available for the QL system."

**A JS ROM can be fitted & tested by EEC Ltd for an extra £25 at time of order, but not retrospectively **

★ SPECIAL OFFERS ★

While Stocks Last

NEW PHILLIPS COLOUR MONITORS

14in high resolution enhanced graphics, 85 chars. RGS input. Complete with tilt & swivel stand, and QL lead ready to plug-in and go. RRP £379.00



£240 inc VAT

UNIVERSAL DISK DRIVE

UNIVERSAL DISAN

Imb, 3.5in cased, complete with built-in
power supply, mains switch & 13amp plug,
external dip switches adapt drive for QL,
PC, Atari, Amiga, etc, comes with full
instruction book, plastic cover, and free DS/
DD disk
£89 inc VAT QL lead £12

UNCASED DRIVES

NEC FD1036A 1mb 3.5in 1/3 height £49 inc VAT Epson 1/2mb 5.25 in 1/2 height £40 inc VAT QL lead for disk i/face £12

CTTIZEN LSP-100 9-pin dot-matrix printer, Centronics, draft 150 & 175 cps, 30 NLQ sheet or tractor feed. Epson FX & IBM graphics compatible. Centronics interface £20, if bought with printer

C. ITOH DAISYWHEEL PRINTER serial prints at 20 cps, can print 1+3 copies. Paper width 13 ins, chars per line: 115, 138 or 172: selectable on top panel, buffer 256 bytes. Obtainable extras; Centronics Module, 2 col ribbon, tractor & auto sheet feeder. Interchangeable plug-in interface modules for Star NL-10 printer. Serial, Parallel/Centronics. IBM/PC, or Commodore each £20

Prices include VAT. Terms CWO, Access or Visa. Minimum order £10. Carriage £8.00 for printers & QL (overseas £20.00) other items £3.00 (overseas £8.00)

EEC LTD

18-21 MISBOURNE HOUSE, CHILTERN HILL, CHALFONT ST PETER, BUCKS. SL9 8UE Tel: 0753 888866 Fax: 0753 887149

Services



ASTRACOM Modem

Intelligent buffered modem with text status messages. Hayes protocol, parallel printer port (can be used as 6k serial to parallel printer buffer). 240vac or 9–12vdc. Autodial answer and many programmable registers incl printer logging of RX and/or TX data. BT approved. Can be used with any computer.

I NEW : U22/22BIS WITH U2.03 FIRMWARE I NEW :

QuaLsoft Terminal

Viewdata/UT52/UT100 QL TERMINAL EMULATOR

Een deluxe communicatieprogramma van Kualsoft

Multitasking for electronic mail, PRESTEL etc, OET download, Phone directories for RLL (yes RLD modems for the OL, autodial (where poss) and logon, two-usy FILE TRANSFER to ATRRI ST, IBH PC, Psion Organiser (wia comms link), XMDDEH, real time clock/timer, buffered logs to file/printer, transmit files, editable command line, Swedish Vorugru/Demon options, translates, editor etc. SOLVES ALL PACKAGED MODEM SOFTWARE PROBLEMS

Unbuffered modems usable with Miracle Modapto

Software (3.5" or mdv) & manual [3]

COMPUTER CLEANER

Much improved mains filters, 40-80 db cut 3 spike filters, 390 joule cut (3 & 4 way) Certified X/Y 248ac capacitors

All prices include VAT and postage in the UK

QL REPAIRS

QLs tested with Thorn EMI test rig

(MDV hardware extra if required)

£25 - 6 month guarantee

London 81— dialling code is changing to 871— or 881— in May 1990. Use our look-up tables and text (export file) conversion program to save HOURS of work.

Disks contain 5 text lists in database import formats (quote delimited, etc) & a program for text (ie export) file conversion. Also provided:

: Files for major databases/sprdshts : Psion Archive .dbf file

3.5/5.25 disk or microdrive - £12 SPARFS

Faulty QL boards (excl plug in ICs) £9
Keyboard membrane £7 Circuit diags£2
68008 cpu £8 1377 PAL£3
JM rom set £12 JS rom set £25
8302 ULA £10 8301 ULA £10
8849 £7.50 MDV ULA £12
Other components (sockets etc) plse PHONE

Programs to transfer text AND programs error free (XMODEM) between computers

Available for IBM PC and compatibles ATARI ST and Sinclair QL. Connects to Psion organiser via Psion comms link

Qual.soft program (per m/c)....£7.50 Serial lead (name 2 computers)...£10 Complete package for 2 computers.£25

MATE OPDER ONLY



12 Bouverie Place, London W2 1RB (tel: 071-724 9053) SCHOLLING BBS FOR ORDERING-01. WELP - 071-706 2379 (All speeds to V22bis)
Fax: 071-706 2379 Telex: 265451 (ref: 72:MAG90645) Prestel: 017249053





SUPER BASIC

Mike Lloyd battles with alien forces to develop a playable arcade game written entirely in SuperBasic.

he SuperBasic series has tackled many subjects over the years but it has up to now avoided the specialist subject of games. This has largely come about by accident, but this serious omission is about to be put right with a short series of articles devoted to games written entirely in SuperBasic.

There are four major categories of computer games: the category most people immediately think of when considering computer games is the arcade variety. Arcade games can be further broken down into sub-specialities such as "shoot-emup" involving the traditional alien hordes. "duck-and-weave" such as Pacman, and "search-the-castle" hybrids which mix arcade style gameplay with elements more commonly found in text-based adventures. The main features of such Games are speed, noise, fancy graphics and a sense of power and danger.

Basic games

In the early days of the home computer revolution arcade games were commercially marketed in simple Basic, but nowadays all professionally-produced arcade games are written in high-speed machine code to provide as much visual impact and realistic action as the cpu will allow. The Basic language is normally thought of as being too slow and too limited for fast games. This is largely true even if the Basic program is compiled, but there has nevertheless been a steady stream of playable arcade-style games written completely or mainly in Basic and published in magazines like Sinclair QL World. Just glance at the Microdrive Exchange for examples.

Most Basic arcade games are based on or related to the early efforts of the computer game pioneers because those early games were carefully designed to make the most of the powers of contemporary computers without exposing too many of

their weaknesses.

The earliest games played on computers were entirely text-based and they form a category of their own: adventures. Adventure games tend to be of the "dungeons

and dragons" genre with a "quest" scenario, but successful adventures have been based upon murder mysteries, spy books and even the highway code. A typical format involves the description of a location and input covering movement, picking things up and avoiding dangers. Nowadays the techniques developed over the years for adventure games are finding their way into computer training packages, with the computer responding appropriately to the trainee's input.

The satisfaction in both playing and writing adventure games comes from the rational, logical representation of a realistic world in which every conceivable option has been catered for by the program. Recent adventure games rely on graphics to convey atmosphere and information, and some have replaced text input with on-screen menus or arcade-style responses. Adventure games become very unsatisfying if a perfectly reasonable action is not permitted because the game designer did not think of it or if the game depends upon meaningless conditions being met - the door will not open unless you are holding a box of matches, for instance.

A third category of computerised game comprises intellectual games such as chess, backgammon, Scrabble and even Monopoly. The essence of these games is to recreate on the computer screen games which are already familiar to users. The computer can then become a highly capable opponent, using sophisticated "look-ahead" analytical techniques to replace human intellect. Some of these methods have been explained in the series on a draughts program published in previous editions of QL World.

The final category includes all simulators, be they flight simulators, car racing simulators or games which would not normally be considered as simulations, such as computer golf and computer snooker. Quality wargames packages fit into this area of the games market, depending upon whether realism or combat machismo is the aim.

The satisfaction obtained from simulators tends to be in direct proportion to the

illusion of reality created by the programmer. There is a good argument that simulations have become too complex and fail to acknowledge that facing a computer screen and keyboard provides much less information than would be available in real life. The weight of a golf stroke cannot properly be gauged, nor can an aircraft's height above the runway be judged, when the only information available is a low-resolution graphic of a small

This weakness of simulations is being tackled on two fronts: improving the displays and changing the way user responses are handled. The Japanese have been experimenting with special seats with screens all around them and an "active" suspension to reproduce cockpits for car, aircraft and spaceship simulators. One of the more promising options becoming available is a set of jumping pads which plug into a computer and detect the user's foot movements. This turns athletic simulations into something much more credible. It cannot be long before even the humble exercise bicycle has a display screen so that users can race against computerised opponents.

Each class of computer game holds its own peculiar challenges, and those of the arcade games demand programming techniques of far greater complexity than those normally expounded in this series. Nevertheless, the first game to be tackled in the Super basic series is very much of the traditional arcade variety, albeit with some interestingly original ideas included within it. Before getting down to detail in the next article it is worthwhile to consider some of the general problems which programmers of arcade games have to overcome.

Top speed

Speed is by far and away the most important consideration when planning an arcade game in Basic. There is a constant conflict between adding special effects and keeping the program short and simple enough to ensure that it is fast enough. The fractions of a second difference between the speed of an IF command, and its SELECT ON equivalents might not seem very important, but if a comparison is made within a loop at the heart of the program executed many times a second then it might well make the difference between a playable game and a non-event.

Almost everything in a game program's design is subordinate to speed, including conventional programming style. Forget long variable names, neat IF..THEN statements, clear algorithms and the division of a program into coherent procedures. For a Basic arcade game to work the code must be pared down to its most efficient, and every trick in the book to achieve this aim is valid, no matter how unacceptable it would be in a standard business program.

At the heart of a typical game is a loop in which the screen is updated and user input is detected and acted upon. This loop, the main game loop, is where speed counts the most. The main game loop usually breaks down into a body of statements which are executed every time the

Game loop

loop is cycled and a number of statements which are only executed if a condition is met (for instance if the user presses the "fire" button, or an alien hits the bottom of the screen).

The efficiency of the main game loop is compromised by every GOSUB, GOTO, procedure call or user-defined function. Jumps out of the main game loop, by a GOSUB for example, should be ruthlessly excluded from the fixed part of the loop and only tolerated when speed is not vital in conditional parts of the loop. There is therefore not much call for sophisticated structures such as user-defined procedures in an arcade game program except for ancillary features such as displaying a high-score table or animating the dying moments of the user's battlestar at the end of a session.

To keep a Basic game moving at an acceptable pace the number of objects having the appearance of moving simultaneously must be reduced to an absolute minimum, which might mean only two or three items. The Space Invaders format is not really suitable for a Basic conversion because it involves far too many independent aliens (and the products of their firepower) which must each be moved during one cycle of the main game loop. The Pacman format is much more acceptable, with only the one "munchy" controlled by the user and perhaps two or three "ghosties" haunting the maze.

One way of giving the impression that there are a larger number of entities moving on the screen is to create a string with a number of items a few spaces apart. By printing the whole string, perhaps six things can be moved in the time it takes to move one, but of course their relative positions will be unchanged.

Movement does not have to be pixel-by-

pixel in order to convince the player that something is actually moving when in fact it is being rubbed out at one location and re-drawn at another. Generally, movement in hops of one character position or one line is acceptable. The time between an object disappearing at one location and being replaced at another should be as short as possible and the time it then remains on the screen should be as long as possible before it is necessary to move it again. The main game loop should therefore be designed so that an item is drawn on the screen, its next location is calculated, and all the other actions which must take place are completed before it is overwritten pending its re-drawing somewhere else.

A potentially lengthy part of any game loop is the need to read keyboard input and respond to it. Generally, this means that the keyboard has to be read for input and, if detected, the input must be tested by a series of conditional statements to determine what action needs to be taken. Where conditions are mutually exclusive, for example where only a left cursor or right cursor keypress could have occurred, the most likely condition should be tested for first and the other possible conditions should be coded in an ELSE alternative, such as:

IF fire_button THEN ...
ELSE IF left_move THEN ...
ELSE IF right_move THEN ...
ENDIF
ENDIF
ENDIF

Do not forget, of course, that for some games the most common condition might be no keypress at all, in which case this will have to be tested for before any particular keypress is considered.

Tuning clauses

Where simultaneous keypresses are permitted, which must be true for the majority of arcade games, a different approach must be taken. Each possibility must be tested for in each cycle of the main game loop, leading inevitably to a series of IF...THEN clauses. Even here, however, it is possible to save time by paying attention to the phrasing of the clauses. For example:

IF NOT X THEN ...

might well be slightly slower than its equivalent:

IF X = 0 THEN ...

Where ranges are considered the scope for tuning commands to obtain maximum efficiency grows considerably. Ranges might be inclusive, like:

IF X>= 7 OR X <= 11 THEN ...

or they might be exclusive, like:

IF X > 6 OR X < 12 THEN ..

There is usually merit in avoiding OR and writing IF statements to include AND instead – it is surprising how often this is possible. Ranges might also be broken down into two separate IF statements, such as:

If F X > 6 THEN IF X < 12 THEN

ENDIF ENDIF

With the QL, of course, it is also worth considering using the SELect construct instead of IF..THEN. Tips as to the faster of the two conditional constructs have been published in a recent SuperBasic article.

Knowing it

In order to extract maximum execution speed from a program and to include as much screen action as possible it is essential that you know your programming language and the capabilities of your computer inside out. The QL has some unusual quirks which generally make it a less suitable platform for computer games. It has no means of detecting whether a character has been printed at a particular location on the screen, for example. However, it has superb conditional structures which permit boolean logic (more of which next month) to quickly act upon keypresses detected with the very fast and capable KEYROW command. It also has an unusual option to the OVER command which gives an additional form of overprinting.

Programmers also need to be aware that procedure and function calls are slower than GOSUBs, that jump to a distant part of a program take longer than a jump to a nearby part of the program, that normal QLs actually perform integer arithmetic more slowly than floating point arithmetic, that vertical and horizontal lines are much more quickly drawn using the BLOCK command than by the LINE command, and so on.

Increasingly these days, knowledge of standard SuperBasic needs to be supplemented with knowledge of whatever toolkits, replacement Roms and compilers are pressed into service alongside it. For example, both the Minerva rom and all the Basic compilers perform integer arithmetic much more quickly than floating point arithmetic. Another worthwhile example of useful knowledge is that the Lightning screen accelaration program works at its fastest if characters are an exact number of bytes wide (eg CSIZE 0,1) and they are printed at a screen location whose horizontal offset from the edge of the screen is exactly divisible by

In next month's article the process of designing an arcade game will be illustrated by a relatively fast and original arcade game programmed totally in SuperBasic.

Programming

he previous article on C programming was mainly concerned with the basic structure of a program. We also took a look at how to compile and run a program using the Digital C compiler.

This month we'll take a more detailed look at some C facilities.

The main areas covered are:

- a) defining symbolic constants
- b) defining and using variables
- c) sequence control statements (while and for)
- d) conditional statements

Two C program listings are included to illustrate these facilities. The program in fig. 1 performs a fairly simple task. It counts the number of characters that you type in. When you press the (ESC) key it tells you how many keys you pressed and then stops. If you type in more than 32765 it stops automatically without you having to press (ESC). The program displays each character as you type it - but it is not especially fancy. Many characters on the QL keyboard do not produce displayable characters - these will appear as blobs on your screen. Examples of such keys are the (TAB) key and the arrow keys that usually move the cursor around. Inside our C program the arrows and (TAB) simply get displayed as blobs!

The first two lines of the listing in fig. 1 define things known as symbolic constants. In our program these are named MAZ_INT and ESC. MAX_INT is given the value 32767 and ESC is given the value 27. When the program is compiled the C compiler (parser) replaces every occurrence of MAX_INT by 32767 and every occurrence of ESC with 27. The only exception to this rule is that if MAX_INT or ESC are enclosed within double quotation marks (eg "MAQX_INT") they are left alone and not replaced).

Symbolic constants are defined using the following syntax:

#define SYMBOLIC_NAME value

It is conventional to use upper case letters in symbolic constant names. Underscore characters, alphabetic and numeric characters can also be used in SYMBOLIC NAMES.

The value assigned to the SYMBOLIC __NAME can be almost anything. Usually every #define appears at the start of the program before the main function.

Using symbolic constants can sometimes make programs easier to understand and easier to change. We are using



MAX_INT to represent the maximum value that *Digital C* allows an integer variable to have (32676). ESC represents the Ascii character that is produced when you press the (ESC) key on a QL keyboard (Ascii code 27 decimal).

All program variables must be declared before they are used. Usually they are declared at the beginning of the main function – just after the curly bracket. There are a few other places where you can declare variables, but for now stick to the beginning of main.

Fig. 1 declares two variables. The first is named num_characters and is an integer. The second is named inp_char and is a character.

The basic syntax used for declaring variables is:

data_typ variable_name;

You can declare many variables of the same data type using:

data_type variable1, variable2, variable3;

When variables are declared in C they are not normally given any initial default value. Unless you assign a value to a variable (see below for details) it will contain an unpredictable garbage value.

Digital C supports two basic data_types — int and char. In future articles we'll take a look at arrays and pointers. Full implementations of C include floating point (decimal) numbers. Digital C does provide some facilities for handling floating point variables – again we'll consider them later.

In Digital C an int can hold a value in the range -32768 through +32767. Some implementations of C can cope with larger values (sometimes they use a data_type known as long int to do this).

A char can hold a single Ascii character. Ascii characters have codes in the range 0 through 255. The QL Concepts manual that is provided with the QL gives details In the second article on his new C series, Andy Wright moves onto facilities, including variables and control statements.

of which code represents each of the characters.

To assign a value to a variable use:

variable_name = expression;

An expression often consists of constants and/or variables_names linked together by arithmetic operators such as +, -, * and /. Some examples are:

/*Assuming x, y and z have been declared as type int */

$$x = 1;$$

 $y = x + 7;$
 $z = (x + y) * 15;$

In fig. 1 both num_characters and inp_char are assigned an initial value of zero. One curious point about char variables is how they are assigned values. The statement:

inp_char = 0;

stores the character whose Ascii code is zero (NULL) in inp__char.

In a similar fashion:

 $inp_char = 65;$

stores an upper case A in inp__char (Ascii code 65). For characters that can be typed in from a keyboard, however, you can use:

inp_char = 'A';

This stores the Ascii character A in inp_char. The C compiler can only manage this if you include the apostrophes (single quotes) on either side of the character – if you don't then it expects you to use a numeric value in the range 0 through 255.

The next few lines of fig. 1 print some messages. Last month we covered the basics of the printf function. In fact, printf

orintf ("words to print and print_formats", expressions and variables separated by commas);

Programmi

```
#define MAX_INT 32767
#define ESC 27
/* Defines some symbolic constants */
main ()
          num_characters;
    int
    char inp char;
    /* Define an integer and a character variable */
    num characters = 0;
    /* We haven't read any characters yet */
    printf("This program counts the number of keys that you press n");
    printf("
                 until you press ESC or type %d characters\n\n",
            MAX INT - 1 );
    inp char = 0;
    /* Makes sure that inp char isn't already ESC by coincidence */
    while ( inp char != ESC && num characters < (MAX_INT - 1) )
    /* Loop round until all characters have been entered */
         inp char = getchar();
         /* Get a character from stdin */
         if ( inp char != ESC )
              num_characters = num_characters + 1;
              /* Only increment num characters if inp char != ESC */
              putchar(inp char);
              /* Write the character to stdout */
         }
    printf("\n\nThe number of characters entered was: %d\n\n",
            num characters);
    /* Write the results to stdout */
    printf("Press a key to quit");
    inp char = getchar();
    /* Wait for key before terminating */
}
              Fig 1: Character counting program
```

allows you to print a character string and/ or the values of program variables. The basic format is on the previous page.

The double quotes must be included. The words to print can include almost anything including special characters such as \n to force a line feed. You can alsoinclude details to tell printf how to print program variables and expressions. These print-_formats always start with a % sign. In fig. 1 %d has been used. The %d indicates that the variable should be printed as an integer. %c would have told printf to print it as a character. If you want

to print a real % symbol using printf you should use \% in the words to print string. There should be one expression or variable for every % format specification.

The printf function always writes its output to a device known as stdout. This is normally the computer screen.

Note that in the second printf the value of MAX_INT -1 is printed. The compiler replaces MAX_INT by its value (32767) and so the coding works. If MAX_INT were within the quoted string of printf the compiler would not have replaced it!

The next part of the program in fig. 1

uses a while loop. The loop in the program keeps going round and round until you press the (ESC) key. The loop used in the program could have been written more elegantly - but we can afford to be more elegant later. The while loop structure is:

```
while (condition)
    statement;
    statement;
```

The statements enclosed between the curly brackets are executed over and over

Programming IN

again so long as the condition is true. When the condition becomes false the loop is terminated and control passes to the statement after the closing curly bracket. The statements within the curly brackets make up what is known as a compound statement.

In a similar fashion to SuperBasic, in C conditions are actually expressions. If the expression evaluates to zero then the condition is false, otherwise it is true.

Some of the comparison symbols in C are different than those used in Super-Basic. For example:

!= is not equal to
== is equal to
> is equal to
> is greater than
< is less than
! not

Using == instead of = when comparing values is something that most new-comers to C find very confusing. Only use = in value assignment statements – if you use it when comparing values you will get unexpected results.

Several conditions can be linked together (as in SuperBasic) using the following logical operators:

&& means AND means OR

(two of SHIFT and the key at the top right hand corner of a QL keyboard).

Parentheses () can be used inside complicated conditions (as in Super-Basic). The While loop in fig. 1 keeps going until inp_char is equal to the (ESC) key or num_characters is euqal to the highest valid integer value minus 1. If num_characters were allowed to get bigger than 32767 then it would end up holding an incorrect value.

Within the while loop, the getchar function is used to read a character from the standard input device (stdin) into the variable named num_char. The basic syntax is:

variable __name = getchar ();

The variable can be either an int or a char. The stdin device is, by default, the keyboard.

If the value of inp_char is not equal to the Ascii code for the (ESC) character the value of the num_characters is increased by one and the character is displayed on the screen using putchar. The basic syntax of the if statement is:

```
if ( condition )
{
    statement;
    statement;
```

If the condition evaluates to true then the statements enclosed within the curly brackets are executed. As with the while loop, the condition is actually an expression — if it evaluates to zero then the condition is false, otherwise it is true. You can also use:

```
if ( condition )
{
    statement;
    statement;
}
else
{
    statement;
    statement;
```

It is possible to nest if statements within each other.

The putchar function is used to write a single character to the standard output devide (stdout). This means that we get to see the characters as we type them in — the getchar function does not display anything on the screen. The basic format is:

putchar (character);

The character used in putchar can be:

the name of a char variable an integer representing an Ascii character code a character enclosed in single quotes

Instead of using putchar we could have used:

printf ("%c", inp__char);
/* %c prints it as a character – %d would
print its decimal Ascii code*/

When the while loop is terminated the results are printed together with the message "Press a key to quit". The program then waits for a key to be pressed by using the getchar function. This technique of waiting for the user to press a key before reaching the end of a program is useful if you plan to run the finished product in a windows environment such as that provided with Qram. In

a windows environment the program runs within a window and all of the output to stdout appears in the window.

When the program finishes the window is closed and its contents disappear. If you're not careful then the window disappears before you get a chance to look at the results. The extra getchar at the end of fig 1 stops the program from finishing before user reads the final message.

Exercise 1

Try some of the following – it's probably best to handle each of them as a separate exercise and undo the changes before carrying on with the next one.

1. Miss out the brackets from the condition in the while or if statement.

Remove the line that sets inp__characters to an initial value of zero.

3. Remove the line that sets inp__char to an initial value of zero. Try running the compiled program a few times.

4. Change the program so that it stops when the user presses 'Q'.

5. Remove the %d print_format definition from one of the printf statements. Also try including more print_formats than there are values to be printed.

6. Write a program to find out what happens when an int variable gets bigger than 32767. Start off by giving the int a value of, say, 32760 and go round a while loop which prints the integer value and then adds one onto it until the user presses the (ESC) key. You needn't bother printing the character that the user types in each time you go round the loop.

7. You can do arithmetic on char variables in the same way as with int variables. Write a program to find out what happens when a char variable gets bigger than 255. Take the same kind of approach as you did with the int example above — but starting from a value of, say, 250. Try to print the value of the char variable as an integer value (%d) and as a character (%c) using the printf function.

The listing in **fig 2** counts the number of characters, words, alphabetic characters, spaces and numeric digits that you type in. You should be able to understand most of it already. It introduces a few new C standard library functions and the structure of a for loop. In the next few paragraphs we will only consider the new concepts.

In fig 2 the main processing loop is driven by a for statement. The basic

syntax of this is:

```
for (initial statements separated by commas; condition; statements for end of each repetition separated by commas)

{
    statement; statement;
}
```

```
Programmin
#define MAX INT 32767
#define ESC 27
#define TRUE 1
#define FALSE 0
/* Defines some symbolic constants */
main ()
{
                            /* Counts total characters */
    int
          num characters,
                             /* Counts spaces */
          num spaces,
                             /* Counts alphabetic characters */
          num alphas,
                             /* Counts number of numeric digits */
          num numerics,
          num words,
                             /* Counts words */
          within a word;
    char inp char;
    printf("This program counts characters and words etc\n");
    printf("
              until you press ESC\n\n");
    inp char = 0;
    for ( num_characters = 0, num alphas = 0, num spaces = 0,
                   num_numerics = num_words = 0,
                   within a word = FALSE;
          (inp_char = getchar()) != ESC;
         ++num characters )
    {
         putchar(inp char);
         if ( inp_char == ' ')
              ++num spaces;
         if ( isalpha(inp char) )
              ++num_alphas;
         if ( isdigit(inp_char) )
              ++num numerics;
         if ( inp_char == ' ' || inp_char == '\t' ||
              inp_char == '\n' )
             within a word = FALSE;
         }
         else
              if ( !within a word )
                  if ( isalpha(inp char) )
                       ++num words;
                  within_a_word = TRUE;
              }
         }
   printf("\n\nThe numbers entered were\n\n");
   /* Write the results to stdout */
   printf("Alphas Numerics Spaces Words\n");
   printf("%6d%9d%7d%6d\n", num_alphas, num numerics,
                             num spaces, num words);
   printf("\n\nPress a key to quit");
   inp char = getchar();
   /* Wait for key before terminating */
}
```

Fig 2: Multi-counting program

*/

Programming IN

All of the statements between the curly brackets are executed on each pass round the loop

The initial statements are all executed once before the first pass through the loop of curly bracketed statements. The initial statements are not executed again as the program loops round the bracketed statements. Note that the initial statements are separated by commas! The coding in fig 2 illustrates that you are allowed to use:

variable = variable = variable
= expression;

to assign values to many variables in a single statement.

The condition is similar to the type used in while and if statements. The loop continues so long as the condition is true. In fig 2 the condition is a little more complicated than the ones that we've seen before. It is:

(inp_char = getchar()) !=ESC;

The positioning of the brackets is important. You may find that you need to read through the next few paragraphs more than once (slowly) to make sense of them.

The getchar() function requires an empty set of brackets. The outer set of brackets force the value returned by get_char() to be passed into inp_char. The results of this is then compared with ESC.

Without the outer brackets the value returned by getchar() would be compared with the ESC character. If it was != ESC then the result is TRUE (non-zero) otherwise it is FALSE (zero). This TRUE or FALSE result (non-zero or zero) would then be fed into the inp_char variable. The final result of the condition is then based on whether or not inp_char now contains zero or non-zero! This would guarantee that the program didn't work as desired!

This type of condition is more elegant than the one that we used in the while loop of fig 1. It means that the statements within the loop do not need to check if inp_char is equal to ESC – if it is then the loop is automatically terminated. Although this new condition is more elegant than the old version, it is also a bit harder to understand.

The statements for the end of each repetition are executed at the end of each pass round the loop. If many statements are included they must be separated by commas. Note the use of the statement + +num_characters - this has the same effect as num Ocharacters = num _characters + 1 (it is a useful shorthand).

Some of the if statements in fig 2 look a bit different from before. The syntax used is:

if (condition) statement1; statement 2;

No curly brackets have been included. This means that statement1 is only executed if the condition is true. Statement2 is not included as part of the if statement. The basic idea is that if you want to make several statements dependent upon a condition you must use curly brackets to form a compound statement. If only one statement is to be dependent then the curly brackets are not needed – but you can include them if you want to.

The way that the code is indented in the example makes it look obvious what is happening. However, remember that the C compiler could not care less about the way that your code is indented. However you choose to indent the code, statement2 will always be executed if no curly brackets are used!

This principal applies to while and for loops also. For example:

while (condition) statement1; statement 2;

Because curly brackets have not been used, only statement1 is executed as part of the loop. Statement2 only happens after the loop has finished.

Most of the coding within the for loop uses some standard library functions to work out whether or not inp_char is alphabetic, a numeric digit etc. Each of these functions return TRUE or FALSE. Note the use of the == symbol when comparing inp_char with a space.

If $(inp_char == '')$

If a single = symbol were used it would mean: make inp_char equal to a space (Ascii code 32). If inp_char is then 0 (which it won't be - it will be 32!) the condition is FALSE, otherwise it is TRUE. The accidental use of = instead of == can cause newcomers to C a lot of frustration!

The only tricky bit involved in the loop is keeping track of the number of words that have been entered. It is made even more tricky when you try to define what you mean by a word and what kind of characters you expect to be used to separate words from each other. In fig 2 words are assumed to begin with an

alphabetic character and are separated by spaces, tabs and newline characters.

Whenever a character that is a word separator is detected the within __a_word variable is set to FALSE, this indicates that we are not currently inside a word.

When any other character is detected nothing happens if within_a_word is TRUE.

If within_a_word is false it means we are possibly at the beginning of a new word. If the inp_char is alphabetic then the num_words variable is incremented since we really are at the beginning of a new word. The within_a_word variable is set to TRUE so that the next input character doesn't cause num_words to be updated again.

The printf function near the end of fig 2 illustrates another facility. The use of %6d as a print format tells the compiler to print the integer value right aligned in a 6 character field. This makes the printed values line up correctly underneath the headings that are output by the previous printf.

Exercise 2

1. No check has been made to stop num_characters (or any of the other integers) from exceeding MAX_INT. What would be the consequence of this happening? Change the code so that it cannot happen.

2. Try replacing the == in the check inp_char == '' by a single = symbol.

3. Make the program count the number of lines that you enter. The (ENTER) key on the keyoard enters a '\n' (newline) character.

4. Try printing some of the results with a print format that is too small (eg %1d).

5. Change the program so that word separators are any characters which are:

not alphabetic and not one of:

- ' (apostrophe)
- (hyphen)
- __ (underscore)

digits 0 through 0

Compiling and running

If the Digital C disk is on flp1_ and the program code is in a file named myprogram_c on flp2_ use the following to compile, link and run it. If error messages appear when you run the compiler you should edit the C program and compile it again.

exec_w flp1_cc (ENTER)
flp2_myprogram -p -m (ENTER)
exec_w flp1_cg (ENTER)
flp2_myprogram_exe flp2_myprogram
-m -p -nc -d/flp1_ (ENTER)
exec_w flp2_myprogram_exe

Remember that Digital C source program files must end with __c.



We care for the QL

HOME BANKER PLUS - £19.95 (3.5" disc)

Version 4.0

Home Banker Plus lets you and your expanded QL keep control of your finances. Each Home Banker file stores details of up to 14 accounts in complete security (the four figure code supplied with the program can be changed). Regular payments and receipts can be input as standing orders and are added to your account automatically.

Home Banker Plus is completely menu-driven, and all transactions are accessed using the cursor keys or single letters (as preferred). Options available include Balance (showing your actual balance and the balance your bank tells you), Statement (allowing detailed statements to be printed out or viewed on the screen), Interest (which calculates approximate interest paid), Mini-Statement (giving the last twelve transactions), Full Balance (the balance of all accounts together with the total balance) and Search (which finds transactions without needing to look at a statement).

One of the major powers of Home Banker Plus is the Analysis option that shows you how much you have spent in certain areas (e.g. computing) over a period of time. Analysed balances and statements are available, and all the categories used can be viewed or printed at the touch of a key.

So that you do not need to load dated information every time you use Home Banker Plus, the package includes a module that can remove old information from the main data file, storing it elsewhere on the disc.

For those of you without memory expansion, a microdrive Home Banker is available at £14.95. Although this version does not have all the features described above, it is still a powerful tool (standing orders and analysis are available).

"If any software will convince doubters it is worthwhile keeping tabs on their finances, Home Banker will do it. It is a pleasant program to use, needs no specialist knowledge of banking or accounts, and the routines for entering transactions are fast . . ." SQLW, 3/89

DJW COMPENDIUM - £9.95 (3.5" disc)

This compendium disc contains a selection of past DJW programs, such as Diary, QLuck (the five-dice game), Qodebreaker (can you guess the hidden code), Housewife (the cookery and shopping program) and Software Directory.

"an interesting and useful program" (Housewife) SQLW, 2/87

Available from:

DJW Software (QLW11), 11 Pound Close, Bramley, Basingstoke, Hants. RG26 5BL

Tel: (0256) 881701 Fax: (0256) 882750



Payment by Access, Mastercard, Visa (quote number and expiry) or UK cheque or postal order payable to 'DJW Software'.

Overseas orders please add £2 p&p.

Orders are normally despatched within

3 days of receipt



ONE MAN'S SYSTEM

It is now eight years since I bought my first computer, a Sinclair ZX Spectrum, at the age of 13, back in 1982. At the time it was sufficient for my needs – learning abut computers and playing games! There was little opportunity at school to use computers, and there was little choice in home

computers at the time.

A few years later, I wanted a more powerful micro. At this point, in 1984, the Sinclair QL was making its appearance, and it sounded like a wonderful machine. Several months later, once I had managed to get together sufficient money (part of which came from selling the Spectrum), I finally bought one. By then the dreaded kludge had gone, and the QL was fairly near completion. The keyboard was much better than the old Spectrum rubber one, and even now, after using many 'proper' keyboards, it still seems good. I am still using that machine, and have had no problems, except towards the end of the first year when I returned it under warranty for a faulty microdrive mechanism to be repaired.


The only leisure software available back then consisted of two text adventures (West and Zkull, both produced by Talent) and Psion Chess. I bought Zkull and the chess game from WHSmiths, since QL software was available in shops at the time. Now nearly everything has to be bought by mail order, but I have had no problems with such companies. These two games have probably been the cause of more intensive thought than any other software I have used! I am nearly always beaten by Psion Chess, while Zkull has yet to be completed. One benefit with the QL was that, since no one else had one, there was no problem at school, where not pirating software was deemed strange among my

At first the basic QL hardware was suf-

Neil Gordon trusts the QL with his health and education.

ficient for my limited requirements. I used a Saisho TV / Monitor for my vdu, a job which it is still happily fulfilling. Dixons supplied a suitable lead. In this first year, the absence of commercial software encouraged me to do more programming than I might otherwise have done. This time of exploring the OL's abilities was very enjoyable.

Slowly my software collection increased, though generally only with games. I bought *QL User* from the start, and frequently copied the listings published in it, and later in *QL World*. To simplify finding and loading particular programs on a microdrive cartridge, which often contained 40 or more files, I wrote a program to list all the files on



a cartridge and allow their selection by at most two key presses.

At the age of 18 I started a joint mathematics and computer science course at Hull University. In the first year we learnt Pascal and had several programming assignments on the departmental IBM compatibles. My experience with Superbasic proved to be very useful since it has many similarities with Pascal. I bought a Pascal compiler (by Computer One) which allowed me to try out programs at home. The programming assignments required two reports to be submitted: an initial one, and then a final one with the completed program. I bought a Brother HR-5 thermal printer which provided high enough quality output to be suitable for the reports. It also allowed me to take printed listings to copy onto the Departments micros.

By this stage, I was reaching the limitations of a standard QL. Quill with microdrives is not very inspiring! Miracle Systems' 512K *Expanderam* was available fairly cheaply at the time because of the fairly low cost of ram chips back then, so I bought one from Byteback, together with the *QFlash* toolkit rom which gave me a

'permanent' ramdisk.

This system proved adequate for writing a summer vacation essay about computers! In fact Quill has been a very good word processor, capable of all the tasks I have put it to, which included writing cvs.

I was given a disk drive system for Christmas in 1988. This consisted of a Cumana interface together with a single, double sided, double density drive. Strong Computer Systems supplied the system, which included 10 disks. This improved things a great deal, and the entire system is excellent.

Over the past five years I have bought

The author with his compact QL set-up.

```
10 REMark LISTING 2 - 'Skeleton' program to produce blood glucose
20 REMark results analyser from stats program.
30 REMark Load stats first, then merge this with it.
210 PRINT #titlewindow; BLOOD GLUCOSE STATISTICS.
    defaultdevice$='mdv1_glucose_
300
    maxval=25
310
    minval=0
320
3465 PRINT #datawindow; TO 9; Blood Glucose against days.
3475 PRINT #datawindow; TO 9; 'Lines for Max, Optimal & Min.'
     PRINT #datawindow; \\\'m'\'m'\'o'\'l'\'/'\'l'
3477
     REMark Draw lines for optimum max, normal&min blood glucose levels
3681
      RESTORE 3688
3682
      FOR x=1 TO 3
3683
       READ y
3684
       LINE #datawindow, leftorigin, (y-minval) *yscale TO 140, (y-minval) *yscale
3685
      LINE #datawindow, leftorigin, (y-minval) *yscale+hiyposn TO 140, (y-minval) *yscale+hiyposn
3686
3687
      END FOR X
      DATA 3.5,5,8
3688
```

```
100 REMark LISTING 1.
                                                  690
                                                        menuwindow=4
110 REMark Neil Gordon, 1990
                                                  700
                                                        DATA 90,70,355,30
120 REMark General statistical analysis of
                                                  710
                                                        inputwindow=5
discrete data.
                                                  720
                                                        DATA 302, 11, 20, 222
130 REMark Holds one months figures, and ca
                                                  730
                                                        resultswindow=6
                                                  740
                                                        DATA 130, 130, 355, 110
140 REMark the mean and modal values, both
                                                  750
                                                       statuswindow=7
                                                  760
                                                       DATA 250, 11, 25, 10
150 REMark and by fields. (NB 7 fields)
                                                  770
                                                       titlewindow=8
160 REMark Best keeping to 2 digit data for
                                                  780
                                                      DATA 150, 11, 330, 10
 table layout.
                                                  790 REMark end window data
170 REMark Ie. Integers in range -99 to 99.
                                                  800 END DEFine init_display
                                                  810 DEFine PROCedure menu
180 init
190 init_display
                                                  820 LOCal ch$, choice
200 REMark title
                                                  830 REPeat loop
                                                      PRINT #statuswindow; Present File is
210 PRINT #titlewindow; 'STATISTICAL ANALYSE
                                                  840
                                                  : ';defaultfile$
R '
220 displayalldata
                                                  850
                                                       CLS #menuwindow
                                                      PRINT #menuwindow, '1 - Load' \'2 - Sav
230 menu
                                                 860
                                                  e'\'3 - Input Data'\'4 - Results'\'5 - Zap'
240 STOP
250 DEFine PRUCedure init
                                                  \'6 - Quit'\'/ - Graph'
260 REMark initialise data & main data stru
                                                 870
                                                       REPeat chloop
                                                 880
                                                        ch$=INKEY$ (-1)
cture.
                                                 890
                                                       IF ch$ INSTR "1234567" ⇔ Ø THEN EXI
270 RESTURE
280 REMark default values
                                                 T chloop
                                                 900
290 defaultfile$='No Name'
                                                      END REPeat chloop
300 defaultdevice$='mdv1_
                                                 910
                                                      CLS #menuwindow
                                                 420
310 maxval=99
                                                       choice=ch$
                                                 930
320 minval=-99
                                                       SELect ON choice
330 nullval=100:REMark used to signify 'no
                                                 440
                                                        =1: loader
' data value.
                                                 950
                                                        =2:saver
340 xmin=2:REMark left hand position of da
                                                 960
                                                        =3:adder
                                                 970
                                                        =4:results
ta for printing
                                                       =5:zapper
350 DIM daysdata (31,7) : REMark 1 month, 7 te
                                                 980
                                                 990
sts a day.
                                                        =6: quiter
360 resetdata
                                                 1000
                                                         =7:graphs
                                                 1010
                                                        END SELect
370 END DEFine init
380 DEFine PROCedure resetdata
                                                 1020
                                                        CLS #inputwindow
390 REMark initialise to nullval - program
                                                 1030
                                                       END REPeat loop
                                                 1040 END DEFine menu
 ignores such values
                                                 1050 DEFine PROCedure adder
400 FUR x=1 TO 31
410 FOR y=1 TO 7
                                                1060 REMark input data
420 daysdata(x,y)=nullval
                                                1070 LOCal daynum, testnumber, inputstring$,
430 END FOR y
                                                inputvalue
                                                 1080 REPeat adderloop
440 END FOR X
450 END DEFine
                                                 1090
                                                       INPUT #inputwindow: 'Day - '; inputstr
460 DEFine PROCedure init_display
                                                 1ng$
470 LUCal wwidth, height, xpos, ypos, n
                                                1100
                                                      IF inputstring$='' THEN EXIT adderlo
480 MODE 4
                                                OP
490 OPEN_NEW #3,scr_512x256a0x0
                                                1110
                                                        daynum=inputstring$
                                                          daynum<1 OR daynum>31 THEN GO TO
500 PAPER #3,4
                                                1090
510 CLS #3
                                                1130 INPUT #inputwindow; Test No - '; test
520 CLOSE #3
                                               number
    READ number of windows
530
                                               1140 IF testnumber<1 OR testnumber>/ THEN
    FOR n=3 TO number of windows +2
540
                                                GO TO 1130
     READ wwidth, height, xpos, ypos
550
                                                1150 INPUT #inputwindow; 'Data Value - '; i
     OPEN NEW #n, con_
560
                                                nputstring$
     WINDOW #n, wwidth, height, xpos+5, ypos+5
570
                                                1160
                                                      IF inputstrings='' THEN
     PAPER #n, 0
580
                                                1170
                                                        datavalue=nullval
    CLS #n
590
                                                1180
                                                       ELSE
     WINDOW #n, wwidth, height, xpos, ypos
600
                                                1190
                                                       datavalue=inputstring$
610 PAPER #n,7
                                                1200
                                                        IF datavalue<minval OR datavalue>ma
    INK #n,0
620
                                                xval THEN GO TO 1150
630
     CLS #n
                                                1210 END 1F
    NEXT n
640
                                                1220 daysdata(daynum, testnumber) =datavalu
650 REMark window data
                                                e
    DATA 6:REMark number of windows
660
                                               1230 displaydata (daynum), (testnumber)
670
    datawindow=3
                                               1240 END REPeat adderloop
    DATA 302,180,20,30
680
```

```
1850 INPUT #inputwindow; devicename$
1250 CLS #inputwindow
                                              1860 IF devicename$='' THEN
1260 CLS #resultswindow
1270 END DEFine adder
                                              1870
                                                    devicename$=defaultdevice$
1280 DEFine PROCedure printdata(x)
                                              1880 ELSE
1290 REMark print data in red if <0, in bl
                                              1890
                                                    defaultdevice$=devicename$
ack if >=0
                                              1900
                                                    END IF
1300 REMark x=nullval means ignore
                                              1910 INPUT #inputwindow; File Name - ';fi
1310 IF x=nullval IHEN RElurn
                                              lename$
1320 IF x<0 THEN
                                              1920 IF filename$='' THEN
      INK #datawindow, 2
1330
                                              1930
                                                    filename$=defaultfile$
     PRINT #datawindow; -x
1340
                                              1940 ELSE
1350
      INK #datawindow,0
                                              1950
                                                    defaultfile$=filename$
1360 . ELSE
                                              1960 END IF
1370
      PRINT #datawindow; x
                                              1970 name$=devicename$&filename$
1380 END IF
                                              1980 PRINT #menuwindow; 'SAVING...'
1390 END DEFine printdata
                                              1990 DELETE name$
                                              2000 OPEN_NEW #15, name$
1400 DEFine PROCedure displayalidata
1410 LOCal x, y, num
                                              2010 FOR number=1 TO 31
1420 CLS #datawindow
                                              2020 FUR tstnum=1 [0 7
1430 PRINT #datawindow; Date. Time.
                                             2030
                                                     PRINT #15; daysdata (number, tstnum)
      Date.
               Time.'
                                              2040
                                                    END FOR tstnum
1440 AT #datawindow, 17, 31
                                              2050 END FOR number
1450 PRINT #datawindow; (Negative=red)
                                              2060 CLOSE #15
1460 FOR num=1 TU 2
                                              2070 END DEFine saver
1470
     FOR tst=1 TO 7
                                              2080 DEFine PROCedure loader
       Al #datawindow, 1, xmin+25* (num=2) +ts
                                              2090 LUCal ch$, devicename$, name$, filename$
1480
t*3;
                                              , number, tstnum
                                              2100 INPUT #inputwindow; Loader - Sure? ';
1490
       PRINI #datawindow; tst
      END FOR tst
1500
                                              ch$
1510
     END FUR num
                                              2110 IF NOT (ch$=='y') THEN RETurn
1520 FOR num=1 TO 31
                                              2120
                                                   PRINT #inputwindow; 'File Device (defau
                                               lt-';defaultdevice$;') -
1530
      XEXMIN
                                              2130 INPUT #inputwindow;devicename$
1540
      v=num
                                              2140 IF devicenames=" THEN
      IF num>16 THEN x=xmin+25:y=y-16
1550
                                              2150
                                                    devicename$=defaultdevice$
1560 AT #datawindow, y+1, x-1
                                              2160 ELSE
1570 PRINT #datawindow; num
                                              2170
                                                    defaultdevice$=devicename$
     FOR tst=1 TU 7
1580
       Al #datawindow,y+1,x+(tst*3)
                                              2180 END IF
1590
                                             2190 INPUT #inputwindow; 'File Name - ';fi
        printdata daysdata (num, tst)
1600
                                              lename$
1610 END FOR tst
                                              2200 defaultfile$=filename$
     END FOR num
REMark draw table
1620
1630
                                              2210 name$=devicename$&filename$
                                              2220 PRINT #menuwindow; LOADING...
1640 LINE #datawindow, 10,0 TO 10,89.5 TO 0
,89.5
                                              2230 OPEN_IN #15, name$
1650 LINE #datawindow, 10,89.5 TO 63,89.5
                                              2240 FOR number=1 TO 31
1660 LINE #datawindow, 63,0 TO 63,89.5 TO
                                              2250 FOR tstnum=1 TO 7
124,89.5
                                              2260
                                                    INPUT #15; daysdata (number, tstnum)
1670 LINE #datawindow, 71,0 TO 71,89.5
                                              2270 END FOR tstnum
1680 FND DEFine displaydata
                                              2280 END FOR number
1690 DEFine PROCedure displaydata (no, tstno)
                                              2290
                                                   CLOSE #15
                                              2300
                                                   displayalldata
1700 REMark display one item of data
                                            2310 CLS #resultswindow
1710 LOCal x,y
                                              2320 END DEFine loader
1720 x=xmin+tstno*3
                                              2330 DEFine PROCedure zapper
1730 y=no+1
                                              2340 REMark remove data
1740 IF no>16 THEN y=y-16:x=x+25
                                              2350 LOCal ch$, num, tstnum
1750 AT #datawindow,y,x
                                              2360 INPUT #inputwindow; Zap data - Sure?
1760 PRINT #datawindow;
                                              ';ch$
                                              2370 IF NOT (ch#=='y') THEN RETurn
1770 AT #datawindow, y, x
                                     2380 resetdata
     printdata daysdata(no,tstno)
1780
                                             2390 defaultfile$='No file'
1790 END DEFine
1800 DEFine PROCedure saver
                                 2400 CLS #resultswindow
1810 LUCal devicename$, filename$, name$, num
                                             2410 displayalldata
                                              2420 END DEFine zapper
ber, tstnum
                                              2430 DEFine PROCedure guiter
1820 INPUT #inputwindow; Save Data - Sure?
                                             2440 REMark quit program
 ?:ch$
                                             2450 LOCal ch$
1830 IF NOT (ch$=='y') THEN RETurn
1840 PRINT #inputwindow; File Device (defau 2460 INPUT #inputwindow; Quit Program - Su
                                             re? ';ch$
|t-';defaultdevice$;') - ';
```

```
END FOR th
2470
       IF NOT (ch$=='y') THEN RETurn
                                                       2780
                                                       2790
                                                             CLS #resultswindow
2480
       FOR n=3 TO number of windows
                                                             PRINT #resultswindow; 'Mean and Mode b
                                                      2800
2490
        CLOSE #n
                                                      y test'\'times :'
2500
      END FOR n
2510
                                                      2810
                                                            FOR tn=1 TO 7
      NEW
                                                      2820
                                                              modal=0:occurances=0
2520 END DEFine
                                                      2830
                                                              FOR n=1 TO maxlevel
2530 DEFine PROCedure results
                                                               IF modalval(tn,n) > occurances THEN
                                                      2840
2540 LOCal tn,n,mean,totalitems,temp,varia
                                                      2850
                                                                occurances=modalval(tn,n)
nce
                                                      2860
                                                                modal=n
2550
        PRINT #menuwindow; 'CALCULATING' \'RES
                                                      2870
                                                               FND IF
ULTS...
                                                      2880
                                                              END FOR n
2560
      maxlevel=maxval-(minval*(minval<0))
                                                      2890
                                                              IF meanval (tn, 2) =0 THEN meanval (tn, 2
2570
      REMark first find mean and mode by fi
                                                      ) = 1
eld & overall.
2580 DIM meanval(7,2):REMark ,1 is total,
                                                      2900
                                                              meanval (tn, 1) = (meanval (tn, 1) / meanval
                                                      (tn, 2))
,2 is no of data Items
                                                      2910
      DIM modalval(7, maxlevel), overallmode(
                                                              round meanval (tn. 1)
2590
maxlevel)
                                                      2920
                                                              IF modal>maxval THEN modal=-modal+ma
                                                      xval
2600
      mean=0:totalitems=0
                                                      2930
                                                             PRINT #resultswindow; tn; TO 3; meanval
2610
      FOR th=1 TO 7
       FOR n=1 TO 31
                                                      (tn, 1); TO 7; modal
2620
                                                      2940 END FOR tn
2630
        IF daysdata (n, tn) Onullval THEN
                                                      2950
                                                            IF totalitems=0 THEN totalitems=1
2640
          temp=daysdata (n, tn)
          meanval (tn, 1) = meanval (tn, 1) + temp
2650
                                                      2960
                                                            mean=mean/totalitems
2660
          mean=mean+temp
                                                      2970
                                                            REMark round mean to nearest integer.
2670
          increment totalitems
2680
          increment meanval (tn, 2)
                                                      2980
                                                            temp=mean
2690
         IF (temp<0 AND minval<0) THEN
                                                      2990
                                                            round temp
2700
           increment modalval (tn, maxval-temp
                                                            PRINT #resultswindow; 'Overall Mean=';
                                                      3000
                                                      temp
2710
           increment overallmode (maxval-temp
                                                      3010
                                                            REMark now get the standard deviation
2720
         ELSE
                                                      3020
                                                            variance=0
2730
           increment modalval (tn, temp)
                                                      3030
                                                            FOR n=1 TO 31
2740
           increment overallmode (temp)
                                                      3040
                                                             FOR tn=1 TO 7
2750
         END IF
                                                              IF daysdata (n, tn) Onullval THEN
                                                      3050
2760
        END IF
                                                     3060
                                                               variance=variance+ (daysdata (n, tn) ^
2770
       END FOR n
                                                     2)
```

two joysticks. One, a Voltmace Delta QL, eventually broke; however, it had suffered valiantly at the hands of myself and assorted others who have enjoyed the wonders of Sinclair's QL. Unfortunately, this is no longer available. My present joystick, a Wiz Card, is actually more of a cursor pad, and I tend to use it more as a mouse substitute, a job for which it is eminently suitable.

As I have required new languages for my course, I have bought the necessary compilers. This is one of the major benefits of the QL. Such compilers are available for most of the major languages, and are fairly cheap compared to those on other computers. I use the Prospero Fortran compiler, again bought from Strong Computer Systems. It is very good, but requires the supplied eprom to be present. This means I cannot use the Qflash eprom with it. This is unfortunate, since it would be useful at times to use a ramdisk rather than the disk drive with the compiler. It is for this reason that I have not invested in a mouse, since I prefer not to continually have to fit and remove such eproms. I considered one of the multi-rom adapters, but they seemed expensive.

Î tried some assembly programming, but have only written fairly simple programs so far, such as adding new functions, which is so easy on the QL.

Last year I attended one of the Northern

Computer Shows organised by Sector Software, which was very interesting. I am using the *Spellbound* spelling checker I bought there to check this article as I write it! Any spelling errors are due to my forgetting to switch it on, rather than any deficiencies in the software.

One problem with the hardware I have collected is the number of bulky, hot and noisy power adapters they require. I have alleviated the problems somewhat by fitting a small shelf on the back of my computer desk where they now reside.

Being diabetic, I keep a daily record of my blood glucose levels. I have finally begun to computerise these records, which allows me to get statistical data about this information. This is very useful since trying to see patterns in a table of figures is difficult, and calculating average values and so on is very time consuming. None of the Psion software seemed quite right for this job, since I wanted a full month's figures on screen at once, and to get a plot of the values together with a moving average. For this reason I wrote a SuperBasic program to do the job. I have included a generalised listing of this (listing 1), since it may be useful for others, being suitable for any integer data input on a daily basis. I have also included a short program (listing 2) to merge with this to produce the specialised version. To create the latter version, first

load the general version, then merge the short program with it. The listings are fairly self explanatory, and contain comments.

Of all the languages I now know, Superbasic is probably one of the best. It is useful in the same way as the shell language found on Unix systems; for example, to write prototypes. Unlike that, it is fairly friendly (in terms of error messages, many is the hour I have spent searching for an error which was caused by using a colon instead of a semi-colon. The only real problem with Superbasic is its speed, but this can be improved by using one of the Basic compilers available.

Since speed is not always that important, I have not yet bought one of these. It is surprising just how many similarities there are between the QL and a Unix system, as in the use of pipes and multi-tasking.

The QL was and continues to be an excellent micro for students and anyone requiring a useful computer. Just how good it was is seen from the fact that although I would quite like a better-supported micro, there is at the present time no micro more suited to my needs than my trusty QL.

Finally, I have passed my finals, getting a First Class Honours degree, and will hopefully continue for either a Masters or a PHD, and some of the credit must go to my QL which was a useful tool and teacher!

```
3070
                                                    3600
                                                          INK #datawindow, 4
         END IF
3080
       END FOR tn
                                                    3610
                                                          REMark y axis
3090
      END FOR n
                                                    3620 LINE #datawindow, leftorigin, 0 TO left
      variance= (variance/totalitems) - (mean^
                                                    origin, 100
3100
                                                    3630 REMark dividing line
2)
3110
      PRINT #resultswindow; 'Standard Deviat
                                                    3640
                                                          LINE #datawindow, leftorigin, hiyposn T
                                                    0 140, hiyposh
ion'
                                          =';
3120 - PRINT #resultswindow; '(to mean)
                                                    3650 REMark upper x axis (y=0)
(INT (SQRT (variance) *100)) /100
                                                    3660 LINE #datawindow, leftorigin, -minval*v
3130 modal=0:occurances=0
                                                    scale+hiyposn TO 140,-minval*yscale+hiyposn
3140
      FOR n=1 [O maxlevel
3150
       IF overallmode (n) > occurances THEN
                                                    3670 REMark lower x axis (v=0)
3160
        occurances=overallmode(n)
                                                    3680
                                                          LINE #datawindow, leftorigin, -minval*y
3170
        modal=n
                                                    scale TO 140, -minval*yscale
      FND IF
3180
                                                    3690
                                                          INK #datawindow, 0
3190
      END FOR n
                                                    3700
                                                          xstep=1
3200
      IF modal>maxval THEN modal=-modal+ma
                                                    3710
                                                          ov=nullval
                                                          FOR n=1 TO 31
xva1
                                                    3720
3210 PRINT #resultswindow; 'Uverall Mode=';
                                                           IF (n=17 OR n=1) THEN
                                                    3730
moda 1
                                                    3740
                                                            ox=leftorigin
                                                            ×=o×
3220 END DEFine results
                                                    3750
3230 DEFine PROCedure round (x)
                                                           END IF
                                                    3760
3240 IF x-INT (x) > .5 THEN
                                                    3770
                                                           FOR tn=1 TO 7
3250
      ×= INT (x) +1
                                                    3780
                                                            x=x+xstep
3260 ELSE
                                                    3790
                                                            y=daysdata (n, tn)
3270
       ×=INT(x)
                                                    3800
                                                            IF oy=nullval AND daysdata (n, tn) On
     END IF
3280
                                                    ullval THEN oy=y:ox=x
3290 END DEFine increment
                                                    3810
                                                            IF daysdata (n, tn) Onullval THEN
3300 DEFine PROCedure increment(x)
                                                    3820
                                                             LINE #datawindow; ox, (oy-minval) *ys
3310 x=x+1
                                                    cale+hiyposn*(n<17) TO x, (y-minval) *yscale+
3320 END DEFine increment
                                                   hivposn* (n<17)
3330 DEFine PROCedure graphs
                                                    3830
                                                             ox=x:ov=v
3340 REMark display graph of data, and calc
                                                    3840
                                                            END IF
                                                           END FOR tn
ulate moving average.
                                                    3850
3350 LOCal ox, oy, x, y, n, tn, xstep, leftorigin
                                                    3860 END FOR n
,hiyposn,mvavpar,loopn,mvavch$,yscale,gmaxv
                                                    3870 REMark calculate & draw moving averag
al, gminval
3360 REMark get moving average parameter.
                                                    3880
                                                         IF mvavpar<>-1 THEN
3370 INPUT #inputwindow; No. of days for m
                                                    3890
                                                          mvavpar=mvavpar/2+.5
oving average?: '; mvavch$
                                                    3900
                                                           INK #datawindow, 2
3380 IF myaych$='' THEN
                                                    3910
                                                           ox=leftorigin+mvavpar*7-3.5*xstep
3390
      mvavpar=-1
                                                    3920
                                                           ov=nullval
3400
      ELSE
                                                    3930
                                                           FOR loopn=mvavpar TO 32-mvavpar
3410
       mvavpar=mvavch$
                                                    3940
                                                            movingaverage=0
3420
       IF mvavpar<1 UR mvavpar>31 THEN GO T
                                                    3950
                                                            number of i tems=0
0 3370
                                                    3960
                                                            FOR n=loopn-mvavpar+1 TO loopn+mvav
3430
     END IF
                                                    par-1
3440 CLS #datawindow
                                                    3970
                                                             FOR the 1 TO 7
3450 CLS #inputwindow
                                                    3980
                                                             IF daysdata (n. tn) Onullyal THEN
3460
      INK #datawindow, 4
                                                    3990
                                                               movingaverage=movingaverage+days
      IF myavpar >- 1 THEN PRINT #datawindow
3470
                                                    data (n, tn)
;TO 9; 'Graph with '; mvavpar; '-day moving av
                                                    4000
                                                               increment number of items
                                                    4010
                                                              END IF
erage.
                                                             END FOR tn
                                                    4020
3480 AT #datawindow, 17, 2: PRINT #datawindow
                                                    4030
                                                            END FOR n
; minval
                                                    4040
3490 AT #datawindow, 9, 2: PRINT #datawindow;
                                                            x=loopn*7+leftorigin-16*7*(loopn>=1
                                                    7) -3.5*xstep
maxval
                                                    4050
3500 AT #datawindow, 8, 2: PRINT #datawindow;
                                                            IF numberofitems=0 THEN
                                                    4060
                                                            y=oy
                                                    4070
3510 AT #datawindow, 0, 2: PRINT #datawindow;
                                                            ELSE
                                                   4080
                                                            y=movingaverage/numberofitems
maxva1
                                                    4090
3520 AT #datawindow, 9, 5: PRINT #datawindow;
                                                            END IF
                                                   4100
                                                            IF oy=nullval THEN ox=x:oy=y
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
                                                   4110
16'
                                                            IF number of items <> 0 THEN
3530 AT #datawindow, 10, 17: PRINT #datawindo
                                                   4120
                                                            LINE #datawindow; ox, (oy-minval) *ysc
                                                   ale+hiyposn*(loopn<17) TO x, (y-minval) *ysca
w:' (Date)
3540 AT #datawindow,17,5:PRINT #datawindow
;'17 18 19 20 21 22 23 24 25 26 27 28 29 30
                                                    le+hiyposn* (loopn<17)
                                                   4130
                                                           ox=x:oy=y
 31'
                                                   4140
                                                            END IF
                                                   4150
                                                          IF INT (loopn) = 16 THEN ox=leftorigin
3550
      INK #datawindow, 0
                                                   4160
3560
      hivposn=50
                                                           END FOR loopn
                                                   4170
                                                           INK #datawindow, 0
3570 vscale=50/(maxval-minval):REMark v sc
                                                   4180 END IF
aling factor
3580
      leftorigin=12
                                                    4190
                                                          PRINT #menuwindow; 'ANY KEY TO' \'CONTI
3590 REMark axis
                                                    NUE ...
```



DILWYN JONES COMPUTING

41 BRO EMRYS, TAL-Y-BONT, BANGOR, GWYNEDD, WALES LL57 3YT Telephone: BANGOR (0248) 354023

QL SOFTWARE AND COMPUTER SUPPLIES

QL HOME BUDGET

£20.00

Personal Income Tax calculator and domestic bills and accounts budgeting system. Also does Capital Gains Tax cost indexation calculations. Very easy to use.

QL QUICK POSTERS

£10.00

Make simple text only posters quickly and effortlessly with this handy utility. Designed for use with 24 pin dot matrix printers such as the Star LC24-10, the program also works with some laser printers and a few recent 9 pin dot matrix printers, e.g. the Star LC10, which can do enlarged text. Facilities supported include NLQ printing, centering of headings, italics, multiple fonts, up to 4 text sizes, ornaments such as shadowing and outlining and so on. Send an SAE for full details and a sample printout.

QL VISION MIXER

£10.00

Screen picture display and advertising system. Use mode 4 or 8 QL screens and display them using over a hundred eyecatching visual effects, either at random or in a programmed sequence. Uses range from shop window displays to video titling, from lectures to show display systems and general information presentation.

QL BASIC REPORTER

10.00

SuperBASIC programmer's aid. Lists variable, procedure and function names with types and line numbers, lines containing given keywords, which procedure calls which, sorted lists of machine code extensions with execution addresses etc. Could even help you get that magazine listing working!

QL WORDSCHECK

6.00

Counts the number of words in a Quill doc file or an ASCII text file and lists all the words used together with how often they were all used .

DiscOVER (by Dave Walker)

£20.00

QL disc format transfer utility. Moves files between QL and PC DOS formats and vice versa. No cables or extra hardware required!

MULTI DiscOVER

£30.00

As above, but a wider variety of disc format transfers, including BBC and CP/M.

TexTIDY (by Dave Walker)

£15.00

Tidy up text files by converting Quill doc files to plain text files. Also, converts to Wordstar or DOS Quill formats prior to using DiscOVER, or to a format suitable for import into Quill when transferred from other wordprocessors.

NEW!!! DISC BOX DIVIDERS £3 per set of 20

A great new idea – laminated plastic dividers with wipe clean surfaces and pre-labelled for a variety of topics including, for example, ASSEMBLER, BLANK DISCS, COMPILERS, DTP, GAMES, GRAPHICS on one side and blank on the other, so you can label the rear with your choice of headings by using a dry marker pen which can be later wiped off if required. These are sure to be a popular item for those of us needing to tidily organise our disc collections!

FLOPPY DISCS, MICRODRIVE CARTRIDGES, LABELS, PRINTER RIBBONS, PRINTER & MONITOR STANDS, DISC BOXES

3.5" DSDD Discs, unbranded	£0.50 each	SONY/K.A.O. 3.5inch discs£0.75 e	ach
20 or more unbranded discs	£0.45 each	20 or more Sony/K.A.O. discs£0.70 e	ach
Brand New Microdrive Cartridges	£2.00 each	Microdrive labels on printer roll, per 100£2	2.00
Disc labels (per roll of 100)	£2.00	Disc labels on printer roll, per 100£2	2.50
Disc box, 10 discs (Ryford)	£1.20	Disc box, 40 discs, lockable£4	1.50
Disc box, holds 80 discs, lockable	£6.50	Posso box, holds 160 3.5" discs (drawer type)£6	5.50
5.25" discs 80 track DSDD	£0.35 each	Disc box, holds 100 5.25" discs£6	3.50
Address labels printer roll, per 100	£2.00	Wire frame printer stand, paper shelf, white£9	00.6
Monitor stand, tilt & swivel	£15.50	Printer ribbons - phone for prices, stating type	

AUTHORS - WE ARE LOOKING FOR PROGRAMS TO MARKET - CONTACT US FOR DETAILS!

FLOPPY DISCS, MICRODRIVE CARTRIDGES, DISC, MICRODRIVE AND ADDRESS LABELS, PRINTER RIBBONS, DISK BOXES, MONITOR AND PRINTER STANDS – SEND AN SAE FOR A FULL PRICE LIST, INCLUDING FULL DETAILS OF OUR SOFTWARE, OR PHONE FOR PRICES. ALL SOFTWARE IS AVAILABLE ON MICRODRIVE, 3.5" OR 5.25" DISCS (DiscOVER ON DISC ONLY).

Please add £2 for UK postage and packing, except to software-only orders. Overseas orders - postage charged at cost. Please make cheques (Sterling only) payable to DILWYN JONES COMPUTING. Goods remain the property of Dilwyn Jones Computing until paid for in full.


```
10 MODE 4
20 WINDOW 512,256,0,0
30 PAPER 0: INK 1:CLS
40 initialise
50 start
60 menu
3399
3400 DEFine PROCedure presuf
3410 CLS#4
3420 WINDOW#0,436,24,39,11
3430 INPUT#0; "Prefix: "; pre$
3440 CLS#0
3450 INPUT#0: "Suffix: "; suf$
3460 CLS#0
3470 END DEFine
3599 :
3600 DEFine PROCedure change_col
3610 IF fink <> 2
3620 IF fink=4 AND seg()3*INT(seg)/seg+1
3630
      fink=184:sink=248
3640
     FLSE
      fink=2:sink=208
3650
3660 END IF
3670 ELSE
3680 fink=4:sink=224
3690 END IF
3700 END DEFine
3799 :
3800 DEFine PROCedure change_bw
3810 IF fink <> 248
3820 IF fink=120 AND seg (>3*INT(seg)/seg+1
3830
      fink=0:sink=0
3840
      fink=248:sink=248
3850
3860 END IF
3870 ELSE
     fink=120:sink=120
3880
3890 END IF
3900 END DEFine
4000 DEFine PROCedure fill_pie
4010 tempang=2*PI
4020 INK fink
4030 ang=ang1:angle:x1=x:y1=y
4040 IF ang1 (PI AND ang2) PI: tempang=ang2: ang2=PI
4050 ang=ang2:angle:x2=x:y2=y
4060 x3=70+x1:x4=70+x2
4070 IF ang1<=PI AND ang2<=PI
4080 IF x3<70 AND x4<70:x3=70
      IF x3>70 AND x4>70:x4=70
4090
4100 FOR x=x3 TO x4+.2 STEP -.2
      y3=45+height+SQRT((1-((x-70)/xrad)^2)*(yrad)
4110
^2))
4120
       y4=45+height+(x-70)*TAN(ang1)
       y5=45+height+(x-70)*TAN(ang2)
4130
       IF (x1+70>70 AND x2+70>70 AND x (x2+70) OR (
4140
x1+70<70 AND x2+70<70 AND x>x1+70)
4150
       LINE x,y4 TO x,y5
      ELSE
4160
      IF x>70
4170
4180
         LINE x,y3 TO x,y4
4190
        ELSE
4200
        LINE x,y3 TO x,y5
4210
       END IF
     END IF
4220
4230 NEXT X
4240 END IF
4250 IF tempang <> 2*PI:ang2=tempang:tempang=ang1:an
4260 ang=ang1:angle:x1=x:y1=y
```

A3-

Geoff Wicks improves on Easel to cut pie charts to fit dtp documents or other uses.

THREE Dimensional Pie is a program which allows you to design pie charts for display on the screen or for printing to a dot matrix printer. A special feature of the program is that the charts can easily be entered into documents produced by desktop publishing programmes. Pie charts can, of course, be produced by Easel, but they are rather lifeless. Three Dimensional Pie aims to produce better pies than Easel and with one exception—the program does not support highlighting—is more versatile than Easel.

When you load 3DPie the basic pie appears in the centre of the screen. To the left is a menu window and to the right a status window. Practically all the menus




make use of the function keys, but if you have an averson to this sort of menu, don't panic. Mnemonics are also used, so you can get the same result by pressing the initial letter of the menu item. The mnemonics work with both upper and lower case leters — one of the advantages of the SELect ON keyword.

The main menu F1 (or "I" or "i") is for Input. Inputting can be done in one of three ways and whenyou opt for input you are presented with the input menu:


F1 (or "D" or "d") is for Demo. It uses data contained in lines 9940. You could change these lines to enter your own data. Line 9890 is the number of slices in thepie (maximum 12) and the title line 9900 the labels, and line 9910 the data. Line 9930 is for prefix and suffix if required.

F2 (or "M" or "m") is for Manual. Choosing this option opens a window in the centre of the screen and you are invited to enter the title of your pie. The screen is cleared and you can then enter your first label followed by the data for that label. This process is repeated for a maximum of 12 slices. Should you require



```
4270 ang=ang2:angle:x2=x:y2=y
4280 x3=70+x1:x4=70+x2
4290 IF ang1>=PI AND ang2>=PI
4300 IF x3<70 AND x4<70:x4=70
4310
      IF x3>70 AND x4>70:x3=70
      FOR x=x3+.2 TO x4 STEP .2
4320
4330
        y3=45+height-SQRT((1-((x-70)/xrad)^2)*(yrad)
^2))
4340
       y4=45+height+(x-70)*TAN(ang1-PI)
4350
        y5=45+height+(x-70)*TAN(ang2-PI)
4360
        IF (x1+70<70 \text{ AND } x2+70<70 \text{ AND } x>x2+70) OR (
x1+70>70 AND x2+70>70 AND x(x1+70)
4370
        LINE x,y4 TO x,y5
4380
        ELSE
4390
         IF x < 70
4400
         LINE x,y4 TO x,y3
4410
         ELSE
4420
         LINE x,y5 TO x,y3
4430
         END IF
4440
       END IF
4450
      NEXT X
4460
      IF side$="Outline"
        INK sink
4470
4480
        FOR x=x1+70.2 TO x2+69.8 STEP .2
4490
        y3=45+height-SQRT((1-((x-70)/xrad)^2)*(yrad)
d^2))
4500
        LINE x,y3 TO x,y3-2*height
4510
       NEXT X
      END IF
4520
4530 END IF
4540 IF tempang <> 2*PI:ang1=tempang:tempang=2*PI
4550 IF filcol$="Colour ":change_col:ELSE :change_
4560 INK 7
4570 END DEFine
4599
4600 DEFine PROCedure move_label
4610 Lab$="Manual ":Dat$="Manual
4620 CLS #4
4630 \text{ FOR n} = 1 \text{ TO seg}
4640
     FOR 0 = 1 TO 2
4650
       IF 0=1
4660
        x=1x\%(n):y=1y\%(n)
4670
       ELSE
4680
        x=dx%(n):y=dy%(n)
4690
       END IF
4700
       INK 2:CURSOR x,y,0,0:print_ld
       OVER 1
4710
4720
       REPeat move_ld
4730
        key=CODE(INKEY$(-1))
4740
        SELect ON key
4750
         = 192
4760
          CURSOR x,y,0,0:INK 0:print_ld:x=x-1:INK
2:CURSOR x,y,0,0:print_ld
4770
         = 200
4780 CURSOR x.y.0.0:INK 0:print ld:x=x+1:INK 2:CURSOR x,y,0,0:print_ld
4790
         = 208
          CURSOR x,y,0,0:INK 0:print_ld:y=y+1:INK
4800
2:CURSOR x,y,0,0:print_ld
         = 216
4810
4820
          CURSOR x,y,0,0:INK 0:print_ld:y=y-1:INK
2:CURSOR x,y,0,0:print_ld
4830
         = 32:EXIT move 1d
4840
         = 27: menu
4850
        END SELect
       END REPeat move_ld
4860
4870
       OVER 1: INK
4880
       CURSOR x,y,0,0
4890
       IF 0=1
4900
        PRINT Label\$(n):1x\%(n)=x:1y\%(n)=y
```

SUBSCRIBE TODAY!



For Convenience

To Avoid Disappointment

And Money

NO EXTRA COST*

- we pay the post!

Never again worry about your local newsagent selling out.

Avoid any price increases for the next 14 issues by subscribing.

Take advantage of this offer today, simply fill in the coupon below and send it with your remittance to: M.S.M. Subs. Dept., Lazahold Ltd, P.O. Box 10, Roper Street, Pallion Ind. Estate, Sunderland SR4 6SN.


The first issue of a new subscription to be delivered will be one or two issues after the one you placed your order in.

* Overseas prices include postage

Please send me one year's subscription to Sir of 12). I enclose my cheque/money order for MCPC LIMITED or debit my Access/Visa card	nclair QL World. (14 for the pri r £ made payable d. Offer closes 16th November 199	to
Card No.	Expiry date	
Name		
Address		
Postcode	(Please enter postcode to ensure prompt delivery	1)
Signed	sqlw1190)
U.K.: £21.00: EUROPE: £24.70: MIDDLE FAS	ST: f25 80: FAR FAST: f27.60):

U.K.: £21.00; EUROPE: £24.70; MIDDLE EAST: £25.80; FAR EAST; £27.60; REST OF WORLD: £26.20 or USA: \$45.00

Airmail rates available on request



The new Portfolio from Atari is the world's first pocketsized electronic organiser that is also a powerful PC compatible computer, with a full QWERTY keyboard and scrolling 80×25 character display.

Portfolio includes everything you would expect from an electronic organiser - an address and telephone book, time manager, diary and sophisticated calculator.

Portfolio also includes several functions that you would not expect - a spreadsheet for your personal budget and expense records, as well as a text processor for typing memos and letters.

And, because Atari's Portfolio is PC compatible, it can communicate with your desktop PC at home, or in the office. You can transfer files from one to the other, to enable you to update your reports and figures with the Portfolio while you are on the move.

FOR INC ONLY VAT

PECIFICATION

- Intel 80C88 at 4.9152Mhz
- : Compatible with MS-DOS 2.11 256K containing BIOS, operating system and applications suite.
- RAM: 128K with an internal RAM disk, configurable from 8K. Externally expandable to 640K RAM.

 Keyboard: 63 keys, QWERTY, IBM PC BIOS compatible.
- Buried numeric pad and function keys. Optional key click
- acter Set: Extended IBM ASCII (255 characters)
- Mass storage: credit card sized memory cards (32K or 64K or 128K RAM).
- Display: Graphics LCD, supertwist technology, MDA compatible, 40 columns x 8 lines, 240 x 64 pixels (with the option to window a full 80 x 25 character display). Keyboard controlled contrast.
- Peripherals: 60 pin expansion BUS to take serial and parallel ports and memory expansion units.

 Size: 8" x 4" x 1" (200mm x 105mm x 29mm).
- eight: 495 grammes (with batteries).

 pplications: calendar and diary, address and phone
 ook, Lotus 1-2-3 compatible spreadsheet, text processor,

 mmunications software.

SOON!

addition to the excellent software built-in to the Portfolio Free Charge (see right), other software and peripheral products, such the sophisticated Pocket Finance package and serial/centronics terfaces are available. And it doesn't stop there. Many manufacters have recognised the potential of the Portfolio and have ready started to design new peripherals and software. Products trrently under development include: Serial interface with built mini modem, Apple Macintosh interface, business, utility and ogramming software plus a range of adventure and battle rategy games. For further free details on the Portfolio range, fill the coupon below and return it to Silica Systems now.

-IN APPLICATIONS

To get you started, Portfolio comes with a suite of five useful functions built-in, all accessible from a simple menu display.

TIME MANAGER

More than just an electronic diary, the Portfolio Time Manager enables you to plan your appointments via a comprehensive calendar and diary. It can even be programmed to sound an audible alarm at specific times to remind you of important appointments

CALCULATOR

Your Portfolio will be invaluable in the office or at home as a powerful pocket calculator. It has a full range of functions, including factorial,

power and root calculations, all with display formats and memories.

ADDRESS BOOK & DIALLER Portfolio has a complete address book facility Hat allows you to store hundreds of addresses and phone numbers. And, at the touch of a button, you can retrieve any one of them, or search for a specific grouping, such as "all Italian restaurants". And, when you are ready to book your table, hold your Portfolio to your telephone nouthpiece and use its special built-in tone dialler to dial the number for you.

TEXT PROCESSOR

The Portfolio's built-in text processor program

string search, in fact most of the functions you would find in a word processor. It handles printer and word processor control codes and allows easy transfer of files between Portfolio and your desktop PC.

SPREADSHEET

For real calculating power, Portfolio has a Lotus 1-2-3 compatible spreadsheet built-in. It has 127 columns x 225 rows and reads/writes Lotus V1.0 and V2.01 files, so you can transfer data to and from Lotus 1-2-3 on your desktop PC. The Portfolio's 256K ROM includes MS-DOS and PC BIOS compatible systems software



MEMORY CARDS



POWER SUPPLY



INTERFACES & PERIPHERALS

SILICA SYSTEMS OFFER

FREE OVERNIGHT COURIER DELIVERY: On all hardware orders shipped in the UK FREE OVERNIGHT COURIER DELIVERY: On all hardware orders shipped in the UK.
TECHNICAL SUPPORT HELPLINE: Team of Atari technical experts at your service.
PRICE MATCH: We normally match competitors on a "Same product - Same price" basis.
ESTABLISHED 12 YEARS: Proven track record in professional computer sales.
ESTABLISHED 12 YEARS: Proven track record in professional computer sales.
ESTABLISHED 12 YEARS: Proven track record in professional computer sales.
ESTABLISHED 12 YEARS: Proven track record in professional computer sales.
ESTABLISHED 12 YEARS: Solid and reliable with maintained growth.
BUSINESS/EDUCATION/GOVERNMENT: Volume discounts available for large orders.
SHOWROOMS: Demonstration and training facilities at our London & Sidcup branches.
THE FULL STOCK RANGE: All of your Atari PC requirements from one supplier.
FREE CATALOGUES: Will be mailed to you with offers and software/peripheral details.
PAYMENT: By cash, cheque and all major credit cards.
CREDIT PAYMENT TERMS: Silica are licensed credit brokers - details on request.

Before you decide when to buy your new Atari Portfolio, we suggest you think very carefully about WHERE you buy it. Consider what it will be like a few months after buying your Portfolio, when you may require additional peripherals or software, or help and advice with your new purchase. And, will the company you buy from contact you with details of new Portfolio products? At Silica Systems, we ensure that you will have nothing to worry about. Silica Systems is a new division of Silica Shop, the UK's leading Afair specialists. This new division has been established to provide a service to the more serious home user, as well as to business and education purchasers. Silica have been established for over 12 years, and have an annual turnover of £13 million. With our unrivalled experience and expertise, we can now claim to meet our customers requirements with an understanding which is second to none. But don't just take our word for it. Complete and return the coupon now, for our latest Free literature and begin to experience the "Silica Systems Service".



MAIL ORDER: Order Lines Open:	Mon Sat	1-4 The N	lews,	Hatherley	Rd,	Sidcup,	Kent,	DA14	4DX	Tel:	081-309	1111
LONDON SHOP:		52 To	ottenha	am Court	Road	, Londo	n, W1	P OBA		Tel:	071-580	4000
Opening Hours: SIDCUP SHOP:		9.30am-6.00									071-323 473 081-302	
	Mon-Sat	1-4 The M 9.00am-5.30	0pm	Late	Night:	Friday ur	ntil 7pm	DATE	Fax	No: 0	81-309 001	7
BUSINESS/EDUCATIO						Sidcup,					081-308	

To: Silica Shop Ltd.	, Dept QLW 11/90-38	3, 1-4 The Mews,	Hatherley Road,	Sidcup, Kent DA	114 4DX

J. Silica Shop Liu., Depi QLVV	11/30-30, 1-4 THE WEWS, Hattle	siley Hoad, Sidoup, Relit DA14 4DA
PLEASE SEND	INFORMATION	ON PORTFOLIO

	Control of the Contro			
Mr/Mrs/Ms:	Initials:	Surname:	 	
Address:				
STREAK.				

		 Postcode:
el	(Home):	Tel (Work):

E&OE - Advertised prices and specifications may change - please return the coupon for the latest information.

Which computer(s), if any, do you own?

Company Name:

```
4910
        ELSE
4920
         PRINT pre\$; num(n); suf\$: dx\%(n)=x:dy\%(n)=y
4930
        FND TF
4940 NEXT O
4950 NEXT n
4960 view_pie
4970 END DEFine
4999 :
5000 DEFine PROCedure print_ld
5010 IF o=1
5020 PRINT Label$(n)
5030 PRINT#4,"LABEL ";n;": ";Label$(n),"x: ";x,"y
: ";y
5040 ELSE
5050 PRINT pre$; num(n); suf$
5060 PRINT#4, "DATA ";n;": ";pre$;num(n);suf$,"x:
";x,"y: ";y
5070 END IF
5080 END DEFine
5199 :
5200 DEFine PROCedure design
5210 WINDOW#0,260,146,129,70:CLS#0:BORDER#0,2,248
5220 AT#0,1,8:PRINT#0,"BORDER",,borcol$
5230 AT #0,2,8:PRINT#0,"EFFECT",,effects
5240 AT#0,3,8:PRINT#0,"SIDE/BASE",side$
5250 AT#0,4,8:PRINT#0,"FILL",,filcol$
                                     ,,effect$
5260 AT#0,6,8:PRINT#0,"LABELS",,Lab$
5270 AT#0,7,8:PRINT#0,"DATA",,Dat$
5280 AT#0,9,8:PRINT#0,"1st DRIVE",d1$
5290 AT#0,10,8:PRINT#0,"2nd DRIVE",d2$
5300 INK#0,7:AT#0,12,5:PRINT#0,"PRESS INITIAL LETT
                                'ESC' TO RETURN": INK#0,
ER TO CHANGE"\"
5310 REPeat loop
5320 key=CODE(INKEY$(-1))
5330
      SELect ON key
5340
       = 27:menu
5350
        = 81,113:STOP
5360
        = 66,98
        IF borcol$="On ":borcol$="Off":borcol=0:EL
5370
SE borcol$="On ":borcol=7
5380
         AT#0,1,8:PRINT#0, "BORDER",, borcol$
5390
         BORDER 1, borcol
5400
        = 69.101
5410
        IF effect$="Solid ":effect$="Shadow":ELSE
:effect$="Solid"
        AT #0,2,8:PRINT#0,"EFFECT",,effect$
5420
5430
        = 83,115
5440
         IF side$ <> "Outline"
          IF side$="Stipple"
5450
           side$="Solid ":bcol=7
5460
5470
          ELSE
5480
           side$="Outline":bcol=0
5490
          END IF
5500
         ELSE
5510
          side$="Stipple":bcol=248
5520
         END IF
5530
        AT#0,3,8:PRINT#0,"SIDE/BASE",side$
        = 70,102
5540
         IF filcol$ ( ) "Outline"
5550
          IF filcol$="Colour "
5560
                              ":fink=248
5570
           filcol$="B/W
5580
          ELSE
           filcol$="Outline"
5590
5600
          END IF
                                                           2nd
5610
         ELSE
5620
          filcol$="Colour ":fink=2:sink=208
5630
         END IF
         AT#0,4,8:PRINT#0,"FILL",,filcol$
5640
5650
        = 76,108
5660
         Datlab$=Lab$:datlab:Lab$=Datlab$
```

less than 12 slices, pressing Enter when you are asked for the label will allow you to leave the sequence. (If you wish to have four segments, enter the label and data for each of the segments but, when asked to input the fifth label, just press enter).

F3 (or "I" or "i") is for Import. This option allows you to import data from the Psion programs. There are two import routines built into 3DP. The program first assumes that you are importing from Easel and tests for this. If the import is not successful it is aborted and a second routine is tried which assumes you are importing from *Abacus* by column. The importing routines have been kept as simple as possible and may not work in every case. If your attempted import fails, use the manual option which is simple and quick.


F2 (or "A" or "a") is for Alter. This allows you to change the design of the pie. On choosing this option you are presented with the alter menu:

F1 (or "H" or "h") to alter the Height. F2 (or "X" or "x") to alter the X-radius. F3 (or "Y" or "y") to alter the Y-radius.


These three options all work in the same way. You alter the value by means of the up and down cursor keys. The altered value can be followed in the status window. When you have the value you require you press Space and the pie is redrawn using your new values. The permitted ranges are:

Height: 0-30 X-rad: 10-50 Y-rad: 5-35

You will need to experiment to get the best values for your pie. Themore "elliptical" your ellipse is, the greater theimpression of depth. Unfortunately although your pie will be, mathematically speaking, correctly sliced, it may not look right. For example a 10% slice may look larger than a 15% slice. The nearer to a circle your 1st



Average gas consumption per quarter.



Average gas consumption per month.

ellipse is, the less distortion there is. It is a question of choosing the best compromise. If you are disappointed with the design in out line mode, persevere. Often the effect is much better when the pie is filled in. It also helps if you keep the height small.

F4 (or "D" or "d") is for Design. When you choose this option a window opens in the centre of the screen in which the Design Menu is displayed. The menu works entirely by mnenomics.

Border switches the border on and off. You will see this happening as you press the key. If you intend to use your pie in a desktop publishing program, you may find it better to switch the border off.

Effect toggles between Solid and Shadow. Solid draws a complete pie. Shadow gives the effect of a floating circle with its shadow underneath.

Side/Base toggles between Outline, Stipple and Solid. Outline uses the same colours for the base and the sides as fill (see below). Stipple colours them in a black and white stipple and Solid in white.

Fill toggles between Outline, Colour and B/W. Outline is the default mode and draws the pie in outline form. Colour fills in the pie in colour and B/W in black and white. The former gives a better result if you want to view the pie on the screen or to photograph it; the latter is better for use in desktop publishing.


Becuse some unusual shapes have to be filled in, the fill routine is the slowest part of the program. You are advised to design your pie first in outline form and add the colour as the last feature. The colouring in is done in either two or three different colours. The choice is made automatically so that no adjacent segments are in the same colour. The one exception is a pie of seven segments where slices one and seven are in the same colour.

Labels and Data both toggle between Inside, Outside, None and Manual. There are a number of labelling possibilities and the detailed use of these options is described in detail below.

One and two allow drive 1 and drive 2 to

```
AT#0,6,8:PRINT#0,"LABELS",,Lab$
5670
5680
        = 68,100
        Datlab$=Dat$:datlab:Dat$=Datlab$
5690
        AT#0,7,8:PRINT#0,"DATA",,Dat$
5700
5710
        = 49,33
5720
        AT#0,9,24: INPUT#0,d1$
5730
        = 50.64
5740
        AT#0,10,24:INPUT#0,d2$
5750
        END SELect
5760 END REPeat loop
5770 END DEFine
5799
5800 DEFine PROCedure datlab
5810 IF Datlab$ (> "Outside"
      IF Datlab$ (>"Inside "
5820
5830
        IF Datlab$="None
         Datlab$="Manual
5840
5850
        ELSE
        Datlab$="Inside "
5860
5870
        END IF
5880
      ELSE
        Datlab$="Outside"
5890
5900
      END IF
5910 ELSE
      Datlab$="None
5920
5930 END IF
5940 END DEFine
5999
6000 DEFine PROCedure import
6010 CLS#4
6020 WINDOW#0, 436,24,39,11
6030 PRINT#0,"LOAD "&d2$
6040 AT#0,0,5:INPUT#0,load$
6050 IF load$="":AT#0,0,10:INPUT#0, load$:load$=d2
$&load$
6060 d2$=load$(1 TO 5)
6070 IF load$(LEN(load$)-3 TO ) (>"_exp":load$=load
$&"_exp"
6080 IF load$=d2$&"_exp":CLS#0:RETurn
6090 Titles=loads(6 TO LEN(loads)-3)
6100 count=0:count1=-1:a$=""
6110 OPEN_IN#7, load$
6120 REPeat in
6130
      key=CODE(INKEY$(#7))
6140
      IF EOF(#7):CLOSE#7:RETurn
      SELect ON key
6150
6160
       = 10
6170
        IF count > 0: num(count) = a$
6180
        seg=count:count = count+1
6190
        IF count (>count1:CLOSE#7:EXIT in
        a$=""
6200
6210
       = 34:IF a$(>"":Label$(count)=a$:a$="":count
1=count1+1
6220
       = 45 \text{ TO } 122:a\$=a\$\&CHR\$(key)
       = 44:a$=""
6230
6240
      END SELect
6250 END REPeat in
6260 count=13:a$=""
6270 OPEN_IN#7, load$
6280 REPeat in
      key=CODE(INKEY$(#7))
6290
6300
      IF EOF(#7):EXIT in
      SELect ON key
6310
       = 10:count=0
6320
       = 34:IF a$<>"":Label$(count-12)=a$:a$=""
6330
6340
       = 45 \text{ TO } 122:a\$=a\$\&CHR\$(key)
6350
       IF count(13:num(count+1)=a$:seg=count+1
6360
       = 44:count=count+1:a$=""
      END SELect
6370
6380 END REPeat in
6390 CLOSE #7
```

```
6400 END DEFine
6599
6600 DEFine PROCedure manual
6610 WINDOW#0,260,146,129,70:CLS#0:BORDER#0,2,248
6620 AT#0,0,1:INPUT#0,"TITLE: ";Title$:CLS#0
6630 PRINT#0,\,,"LABEL",,"VALUE"
6640 FOR n=1 TO 12
6650 PRINT#0, n
6660 seg=n
     AT#0, n+1, 16: INPUT#0, Label$(n)
6670
     IF Label$(n)="":seg=n-1:RETurn
6680
6690 AT#0, n+1, 32: INPUT#0, num(n)
6700 NEXT n
6710 END DEFine
6799 :
6800 DEFine PROCedure save_pie
6810 CLS#4
6820 WINDOW#0, 436,24,39,11
6830 PRINT#0,"SAVE "&d2$
6840 AT#0,0,5:INPUT#0,save$
6850 IF save$="":AT#0,0,10:INPUT#0, save$:save$=d2
$&save$
6860 d2$=save$(1 TO 5)
6870 CLS#0
6880 IF save$=d2$:RETurn
6890 PRINT#0,"INVERSE (Y/N)?"
6900 key$=INKEY$(#0,-1)
6910 CLS#0
6920 PRINT#4, Title$
6930 IF key$=="Y":WINDOW 512,256,0,0:RECOL 7,0,0,0
,0,0,0,0
6940 SBYTES save$, 131072, 32768
6950 IF key$=="Y":RECOL 7,0,0,0,0,0,0
6960 END DEFine
7000 DEFine PROCedure label_pie
7010 ang=ang3
7020 angle
7030 x = 70 + x : y = 45 + height + y
7040 IF ang3 (PI:y=y-4:ELSE:y=y+16
7050 IF ang3>PI/2 AND ang3<3*PI/2:x=x+2:ELSE :x=x-
6
7060 IF Lab$="Inside ":lx%(n)=x:ly%(n)=y
7070 IF Dat$="Inside ":dx\%(n)=x:dy\%(n)=y-4
7080 IF ang3 (PI:y=y+14:ELSE:y=y-20-2*height
7090 IF ang3>PI/2 AND ang3<3*PI/2:x=x-3:ELSE :x=x+
7100 IF Lab$="Outside": lx%(n)=x:ly%(n)=y
7110 IF Dat$="Outside":dx\%(n)=x:dy\%(n)=y-4
7120 END DEFine
7199 :
7200 DEFine PROCedure alter
7210 CLS#5
7220 PRINT#5,;\ "
                   MENU"\\" F1 HEIGHT"\\" F2 X-RA
D"\\" F3 Y-RAD"\\" F4 DESIGN"\\" F5 TITLE"
7230 REPeat loop
7240 key=CODE(INKEY$(-1))
7250
     SELect ON key
7260 = 232, 72, 104:n=height:min=0:max=15:f$="H":ypos=3:EXIT loop
      = 236, 88, 120:n=xrad:min=10:max=50:f$="X":
7270
ypos=4:EXIT loop
       = 240, 89, 121:n=yrad:min=5:max=35:f$="Y":y
7280
pos=5:EXIT loop
       = 244, 68, 100:design:RETurn
7290
       = 248, 84, 116:CLS#4:WINDOW#0,436,24,39,11:
7300
INPUT#0,"
                   "; Title$: CLS#0: RETurn
      = 27:menu:RETurn
7310
7320
       = 81,113:STOP
7330
      END SELect
```



Average gas consumption per quarter.


be changed. The new drive is directly inputted onto the screen. Drive 1 is used for initial loading and loading gprint_prt. Drive 2 for saving. If you wish to change the default drives this can be done by altering line 9620.

When you have completed your design changes you can leave the design menu by pressing ESC.

F5 (or "T" or "t") is for Title. When you choose this option, the present title is erased and you are invited to enter the new title. This title appears precisely in theplace that it will in the finished screen so you can place it accurately in relation to the pie.

We now return to the main menu.

F4 (or "S" or "s") is for Save. The pie is redrawn and at the top of the screen you are invited to enter the filename. The default drive is displayed and if you do not wish to alter this just press enter and then enter your filename. You are then asked if you wish to invert the image. The screen is then aved. Should you wish to use your picture in desktop publishing you should remember that the screens in these programs are smaller than the full QL screen and some experimentation or



Average gas consumption per month.

improvement with a graphics program such as *Eye-Q* may be necessary. It is also advisable to inverse the screen before saving.

F5 (or "D" or "d") is for Dump. The pie is redrawn, gprint__prt is loaded and a hard copy of the pie is made. Should you wish to use a different screen dump then change line 8480 of the program.

"Q" or "q" is for Quit. Its use in thi or in at almost any part of the program allows to leave the program.


"L" or "I" or "P" or "p" is for Label or Prefix/Suffix.

"M" or "m" is for Move.

Both of these options are covered below in the section on labels.

ESC can be used almost anywhere in the program to return to the main menu. If you make a mistake and press the wrong key so that you enter either the import routine or the save routine, you can leave both routines by pressing ENTER twice and then ESC once.

There are two sorts of labels in the



Average gas consumption per month.

3Dpie. In default mode the title of a segment, label, is printed outside thepie and the value of the segment, data, is printed inside. The default options can be changed using the alter menu. The pie can also be drawn without either the data or the label displayed.

You may wish to add a prefix (eg " \mathfrak{L} ") or a suffix (eg " \mathfrak{L} ") to the data. This is done by pressing "L" or "I, for Label or "P" or "p" for Prefix/Suffix. You can then enter the required characters at the top of the screen.


Labels

The printing position of the labels will rarely be correct, although the computer will hazard a guess which in most cases will be approximately right. You can however change the display position: first of all press ESC to access the main menu and then F2 to draw the pie. You then press "M" or "m" to move the labels. The label of the first segment will change from white to red and can be moved around the screen using the cursor keys.


```
7340 END REPeat loop
7350 CLS#5
7360 PRINT#5;\"
                   ALTER"\\"
                               WITH"\\" AND \"\\
    THEN"\\"
                PRESS"\\"
                             SPACE"
7370 REPeat loop
7380
       key=CODE(INKEY$(-1))
7390
       SELect ON key
7400
       = 32:EXIT loop
7410
        = 208:n=n+1
7420
        = 216:n=n-1
7430
       END SELect
7440
       IF n>max:n=min
7450
       IF n<min:n=max
       AT#6, ypos, 8: PRINT#6, "
7460
7470
       AT #6, ypos, 8
7480
       IF f$="H"
7490
       PRINT#6,2*n
7500
       ELSE
7510
       PRINT#6, n
7520
      END IF
7530 END REPeat loop
7540 IF f$="H":height=n
7550 IF f$="X":xrad=n
7560 IF f$="Y":yrad=n
7570 view_pie
7580 REPeat loop
      IF CODE(INKEY$(-1))=27:menu
7590
7600 END REPeat loop
7610 END DEFine
7799
7800 DEFine PROCedure data_in
7810 CLS#5
7820 PRINT#5,;\ "
                     MENU"\\" F1 DEMO"\\" F2 MANUAL
"\\" F3 IMPORT"
7830 REPeat loop
      key=CODE(INKEY$(-1))
7840
7850
      SELect ON key
7860
       = 81,113:STOP
7870
       = 27:menu
       = 232, 68, 100:initialise:demo:view pie
7880
7890
         236,
               77, 109:initialise:manual:view_pie
       = 240, 73, 105:initialise:import:view_pie
7900
7910
      END SELect
7920 END REPeat loop
7930 END DEFine
7999
8000 DEFine PROCedure view_pie
8010 CLS:CLS#4
8020 PRINT#4, Title$
8030 IF Title$="NO DATA LOADED":RETurn
8040 draw pie
8050 tot=0:ang2=0
8060 FOR n=1 TO seg:tot=tot+num(n)
8070 num1=0
8080 FOR n=1 TO seg
8090
     num1=num1+num(n)/tot
      num2=num1-num(n)/(2*tot)
8100
8110
      ang1=ang2
      ang2=num1*2*PI
8120
8130
      ang3=num2*2*PI
      IF filcol$<>"Outline":fill_pie
8140
8150
      slice_pie
8160 END FOR n
8170 IF filcol$ (> "Outline"
      INK 7: FILL 0
8180
      ELLIPSE 70,45+height, xrad, yrad/xrad, PI/2
8190
      IF side$="Outline" AND "Effect$"="Solid "
LINE 70+xrad,45-height TO 70+xrad,45+height
8200
8210
       LINE 70-xrad, 45-height TO 70-xrad, 45+height
8220
8230
      END IF
```

```
8240 END IF
8250 FOR n=1 TO seg
8260 PAPER 0: INK 7: OVER 0
8270 IF Lab$<>"None ":CURSOR 1x%(n),1y%(n),0,0:
PRINT Labels(n)
8280 IF Dat$<>"None
                         ":CURSOR dx%(n), dy%(n), 0, 0:
PRINT pre$; num(n); suf$
8290 NEXT n
8300 END DEFine
8399
8400 DEFine PROCedure choice
8410 REPeat loop
8420 key=CODE(INKEY$(-1))
8430 SELect ON key
      = 232, 73, 105:data_in
= 236, 86, 118:view_pie
= 240, 65, 97:alter
8440
8450
8460
8470
        = 244,83,115:view_pie:save_pie
       = 248,68,100:view_pie:a=RESPR(1400):LBYTES
8480
d1$&"gprint_prt",a:CALL a
8490
       = 27:menu
8500
        = 81,113:STOP
       = 77,109:move_label
8510
       = 76,80,108,112:presuf
8520
8530 END SELect
8540 END REPeat loop
8550 END DEFine
8599
8600 DEFine PROCedure start
8610 WINDOW 454, 240, 31, 10: BORDER 1,7
8620 OPEN #4,scr_: WINDOW#4,448,24,33,11:BORDER#4,6
8630 CSIZE#4,1,0:INK#4, 7
8640 PRINT#4, "THREE DIMENSIONAL PIE", 1989 Geoffr
ey Wicks"
8650 WINDOW 454,240,31,10:BORDER 1,7
8660 draw_pie
8670 END DEFine
8799
8800 DEFine PROCedure menu
8810 OPEN#5,scr_:WINDOW#5, 75,146,48,70:BORDER#5,2
 ,234:CLS#5
8820 CSIZE#5,0,0:INK#5,4
8830 PRINT#5,;\ " MENU"\\" F1 INPUT"\\" F2 VIEW" \\" F3 ALTER"\\" F4 SAVE"\\" F5 DUMP"
8840 OPEN#6,scr_:WINDOW#6,75,146,395,70:BORDER#6,2
,234:CLS#6
8850 CSIZE#6,0,0:INK#6,4
8860 PRINT#6,\" STATUS"\\" Ht:"\" x-rad:"\" y-rad
:"\\" Label:"\" Data:"\\" D1:"\" D2:"
8870 AT#6,3,8:PRINT#6,2*height:AT#6,4,8:PRINT#6,xr
ad: AT#6,5,8: PRINT#6, yrad
8880 AT#6,7,8:PRINT#6, Lab$(1):AT#6,8,8:PRINT#6, Dat
$(1):AT#6,10,5:PRINT#6,d1$:AT#6,11,5:PRINT#6,d2$
8890 choice
8900 END DEFine
8999
9000 DEFine PROCedure angle
9010 ang=2*PI+ang
9020 x=SQRT(yrad^2/((1/COS(ang)^2)-1+(yrad^2/xrad^
2)))
9030 y=SQRT(xrad^2/((1/SIN(ang)^2)-1+(xrad^2/yrad^
2)))
9040 ang=ang-2*PI
9050 IF ang>PI/2 AND ang<=PI:x=-x
9060 IF ang>PI AND ang<=3*PI/2:x=-x:y=-y
9070 IF ang>3*PI/2 AND ang<=2*PI:y=-y
9080 END DEFine
9199 :
9200 DEFine PROCedure slice_pie
9210 FOR slice=1 TO 2
```

Average gas consumption per quarter.



When the label is in the correct position press space and the colour returns to white. The data now changes to red and so the process is repeated for each of the segments until the pie is completed. It is important to bear in mind that in a large pie the position of the label can be outside the



screen and thus cannot be seen.

If this happens do not panic. The position co-ordinates are displayed at the top of the screen and you will see them change with the use of the cursor keys. Eventually the label will be printed in the screen area. When this routine is used the label and data options on the design menu are changed to manual and remain so until changed or until fresh data is loaded. You can leave the routine at anytime by pressing ESC


When put into writing this procedure appears unwieldly and complicated. In practice it is not, and it works smoothly

and quickly.

This, in summary, is the recommended working order:

- 1) Load the relevant data into the programme.
- Alter the height, x-radius and y-radiusAdd the prefix or suffix to the data label
- is required.
- 4) Alter the approximate labelling position if a different one from the default position is required.
- 5) Move the labels to the exact position required.
- 6) Enter the colouring desired.
- 7) Save or printout the screen.

I hope you enjoy using the program as much as I enjoyed the challenge of writing it.



```
9220 IF slice=1:ang=ang1:ELSE :ang=ang2
9230 angle
9240 x=70+x:y=45+height+y
9250 LINE x,y TO 70,45+height
9260 IF ang >PI AND effect$="Solid ":LINE x,y TO x,
y-2*height
9270 NEXT slice
9280 label_pie
9290 END DEFine
9399
9400 DEFine PROCedure draw_pie
9410 IF effect$="Shadow":r=2+INT(height/5):ELSE :r
=0
9420 INK bcol:FILL 1
9430 ELLIPSE 70+2*r,45-height-r,xrad,yrad/xrad,PI/
9440 INK 7: FILL 0
9450 IF effect$="Solid"
9460 ELLIPSE 70,45-height, xrad, yrad/xrad, PI/2
9470
      INK bcol: FILL 1
      LINE 70+xrad, 45-height TO 70+xrad, 45+height
9480
      LINE 70-xrad, 45-height TO 70-xrad, 45+height
9490
9500 END IF
9510 INK 0:FILL 1
9520 ELLIPSE 70,45+height,xrad,yrad/xrad,PI/2
9530 INK 7:FILL 0
9540 ELLIPSE 70,45+height,xrad,yrad/xrad,PI/2
9550 IF effect$="Solid"
9560 LINE 70+xrad, 45-height TO 70+xrad, 45+height
     LINE 70-xrad, 45-height TO 70-xrad, 45+height
9570
9580 END IF
9590 END DEFine
9599
9600 DEFine PROCedure initialise
9610 bcol=0
9620 d1$="mdv1_":d2$="mdv2_":Lab$="Outside":Dat$="
Inside ":pre$="":suf$=""
9630 height=15:xrad=40:yrad=20
9640 Title$="NO DATA LOADED"
9650 DIM num(12):DIM Label$(12,12)
9660 DIM lx%(12):DIM ly%(12):DIM dx%(12):DIM dy%(1
9670 borcol$="On ":borcol=7
9680 effect$="Solid '
9690 side$="Outline"
9700 filcol$="Outline"
9710 END DEFine
9799
9800 DEFine PROCedure demo
9810 RESTORE 9890
9820 READ seg, Title$
9830 FOR n=1 TO seg
9840
     READ Label$(n)
9850 END FOR n
9860 FOR n=1 TO seg
9870
     READ num(n)
9880 END FOR n
9890 DATA 4, "AVERAGE GAS CONSUMPTION PER QUARTER (
1984 - 1988)"
9900 DATA "1st", "2nd", "3rd", "4th"
9910 DATA 47.1,14.8,7.4,30.6
9920 tot=num(1)+num(2)+num(3)+num(4)
9930 suf$="%"
9940 END DEFine
10000 STOP
10001 DEFine PROCedure update
10002 DELETE mdv2_3Dpie
10003 SAVE mdv2_3Dpie
10004 END DEFine
```

MICRO A MICRO A MICRO AI MICRO AD

Xchange, Speedscreen £475. Epson LQ500 24 pin with sheet feeder £175. Founted89, 2488 £45 Text87v3. MetaComco Lattice C £40. All above £695 Tel. Cobham (0932) 64915.

LOW DISTORTION colour differentiated screen dumps: Serial 8056 (£4.99) Serial 8056 (Sideways) (£4.99) Star LC10 colour (£4.99). Send Microdrive(s) plus payment to "Quality Traders" 65 Thurstable Road, Tollgsbury, CM9 8SF.

USER FRIENDLY menu driven progams: Spectragraphqlarsd £14.99 (3D Graphics). Mandqelbrotplus £4.99 (Madelbrot Graphics). Send Microdrive(s) plus payment to "Quality Trader", 65 Thurstable Road, Tollesbury CM8 8SF

QL REAL TIME DIGITIZER

itize moving pictures in real time. Transforms QL into go printer or 3-D image digitizer via a video camera. igitizes in .02 secs.

256x256 resolution in 8 levels

250X250 resolution in 8 levels
Full, 1/4 or 4x 1/4 screen modes
Screen update - 5 or 2.7 frame/sec
1:1 grey level 9-pin printer dump.
Interfaces to QL and multitasks
Runs on unexpanded QL and multitasks
Coat C420 leaf Cate and very leaf

LONDON NW2 5NG TEL: 081 459 1351

* Cost: £123.00 incl. State mdv or flp.
CL SYSTEMS, 403 CHAPTER ROAD, DOLLIS HILL

EUROWORD Text Handler, Type, edit, save, print documents in English, French, German, Spanish, Italian, Polish, Greek Scandinavian, Serbo-croat and RUSSIAN. Easy keying for all characters. Multi-tasking. Prints to Epson compatible 9-pin dot-matrix printers. On 3.5" disc. £15.50. G Jackson, 14 Castle Road, Whitby, YO21 3NJ. Tel. 0497 603839

C.V.L.S.

Tel No: 0742 884183

Open till 11pm

3.5" DS/DD Disks 40p 5.25"DS/DD Disks 30p

Postage and Packing 7p per disk (maximum postage £3.50). Cheques/PO's payable to: C.V.L.S.

92 Firtree Estate, Thurgoland Sheffield S30 7BG

QL ROMS AND SPARES

S, MGE (Spanish, MGF (French), MGG nan), JS (English), £20 each. JM (English),

£10

MDVS. Complete QL MDV Subunit £20, head and chassis £10, Microswitch £2, Motor £6. Rubber & Plastic Roller £2. MDV2 Stand-off spacer + srew £2. ULA £5. Tr 4,5,6,7 set £2. MDV pcb inc, ULA £11. Prices include UK postage. Send SAE for price list of all QL spares. Joe Atkinson, 36 Ranelagh Road, Ealing, London MS ERI (Mail Rolder Disc) London W5 5RJ (Mail Order Only).

PRINTER ribbons re-inked, black £2.00 Multi colour £3.00. Postage on all ribbons 50p each. Payments to J.G. Wilkinson, 5 Peach Rd, Coxford, Southampton SO1

WANTED CST disk interface with manual in good working order. Write or phone 0405 761285. Dennis Clark, 40 Henry Street, Goole DN14 6TG.

FOR SALE, QL Computer with Philips mono monitor, 768K Trump card, 2x5.25' disc drives, centronics interface, computer one assembler, monitor, PCB1, many discs, microdrives, books and magazines offers. Tel (0484) 548951

*** FLIGHTDECK ***

- * The Jet Airliner Simulator the QL has been
- * Machine Code high resolution shaded
- Accurate Database of 25 major UK airports and over 200 navigation beac As Reviewed in "Sinclair OL World".
- December 1989
- New Low Price £15.00 inc P&P on 3.5" Disk or Microdrive

DELTASOFT 11 Dumaine Avenue, Stoke Gifford Bristol, BS12 6XH

MICRO ADS MICRO AL MICRO AD

CLASSIFIED

If you would like to place a Classified Advertisement in the next issue of Sinclair/QL World, address it to:

Jason Newman. Sinclair/QL World, Panini House, 116/120 Goswell Road. London EC1

on a plain piece of paper. Please also print your name, address, and daytime telephone number.

CHO ADS . . . MICHO ADS

... MICRO ADS

... MICRO ADS ... MICRO ADS ... MICRO ADS

The cost of 1-30 words inclusive is £15. Prepayment is not enecessary as you will be invoiced for the sum of £15 following publication. Settlement of the invoice will be required within 30 days of receipt.

a le le Te 12/2

HARDWARE

ABC Elektronic 010 49 521 890381

Care Electronics

0923 672102 General software including Tony Tebby programs

Thor International

010 4533 930305 010 4533 937544

Digital Precision

081-527 5493 Discs, interfaces, drives, keyboards, RAM expansions.

EEC Ltd

0753 888866 QLs, peripherals, accessories

Miracle Systems

0904 423986 Trump Card interface, modems, hard disc drive.

Strong Computer Systems

0267 231246

Sector Software

0772 454328 Peripherals. **TF Services**

01 724 9053 Repairs, spares, peripherals.

TK Computerware 0303 812801

SERVICES

Adman Services 0952 255895

Joe Atkinson 35 Ravelagh Road, London W5 5RJ Roms and spares

Suredata

081-902 5218 Repairs.

QL World

(reader services)

Subscriptions 091 510 8787 (Lazerhold) Microdrive Exchange 0772 454328 (Sector)

Recent back issues: write to editor Old back issues 0802 834765 (TIL)

User Group, support. Hon. secretary, Phil Borman. 0933 460690

Xchange User Group

Freepost Kent BR3 2BR

SOFTWARE

Athene Consultants 0705 511439

ARK Distribution

0983 79496

Archivist, Master Spy and other business and utility software.

Call Us What You Like

55 Greenan, Shaws Road, Belfast BT11 8LX. No telephone. Superspy.

Care Electronics 0924 672102

Tony Tebby software. Miracle hardware, peripherals, utilities.

CGH Services

055934 574 Adventures. QLAF Compware 0270 582301

Task Swopper, Mega Toolbox, Expert System Shell and others.

Creative Codeworks 021 426 5199

Speedscreen.

Digital Precision

081-527 5493

Turbo Basic compiler, Desktop Publisher, Editor, Eye-Q Graphics. Sprite generator, Super Forth, Better Basic, Professional and Super Astrologer, Media Manager, Supercharge, Blocklands, Driodzone, Aracadia, Reversi, Backgammon, Master Bridge Tutor, C-M Emulator, C compiler, Lightning speed enhancer.

DJW Software

0256 881701 Home Banker

Eidersoft

089283 2552

Games utilities, Ice. Pyramide.

ImaQLate Software 42 Albion Street, Broadstairs, Kent CT10 1NE. Biograph.

PDQL

021 200 2313

General business and utilities applications.

QL Supersoft

0256 475992 Home Budget, Superdraw.

Rob Roy Software

94 Teignmouth Road, Clevedon, Avon BS21 6DR. Rob Roy and Palantir.

Sector Software

0772 454328 Flashback and other utilities. Peripherals.

SD Microsystems

0462 422897 **Business software including** General Ledger. Small Traders' Pack/Invoicer and Stock Accounting.

Software 87

33 Savernake Road, London NW3 Text 87 and updates.

Talent Software 0303 813883 Utilities, games.

Thornado Systems

010 062 577244 Thor systems, software, support.

TK Computerware 0303 812801 Add-ons, spares, software.

WD Software 0534 81392

C- Commodore AMIGA. For the more serious or professional applica-tions user, Commodore have a selection of systems based around the expandable Amiga 2000, at prices from £1295+VAT. The A2000

The Commodore A500 Batman Pack must surely rank as one of the most popular computer packs ever! The pack features the Commodore Amiga 500 computer with mouse controller and TV modulator, plus four top software titles. The software includes: 'Batman The Movie' - Rid Gotham City of the cunning joker, in Ocean's top selling title based on the blockbuster Batman film; New Zealand Story - high quality conversion of the leading arcade game: selling title based on the blockbuster bat-man film; New Zealand Story - high quali-ty conversion of the leading arcade game; Interceptor - Dogfight with two F-16's in this leading flight simulator; Deluxe Paint II - top quality Amiga graphics package which set the standard for others to follow. Return the coupon for further details.

PACK INCLUDES:

A500 Computer & Mouse	£399.99
A520 TV Modulator	£24.99
Batman The Movie	£24.95
New Zealand Story	£24.95
Interceptor	£24.95
Deluxe Paint II	£49.95
	0540 70

TOTAL RRP: £549.78 Less Pack Saving: £150.78 PACK PRICE: £399.00

PACK INCLUDES:

A500 Computer & Mouse £399.99 A520 TV Modulator £24.99 Deluxe Paint II £49.95 Escape/Robot Monsters £19.99 Rainbow Islands F29 Retaliator £24.95

TOTAL RRP: £544.82 Less Pack Saving: £145.82 PACK PRICE: £399.00

FOR FURTHER DETAILS OF THE AMIGA RANGE, COMPLETE THE COUPON AND RÉTURN IT TO SILICA SHOP THE UK'S No1 AMIGA SPECIALISTS

SILICA SHOP YOU

VERY: On all hardware orders shipped in the UK. Team of Amiga technical experts at your service. MATCH: We normally match competitors on a "Same product - Same price" basis.

LISHED 12 YEARS: Proven track record in professional computer sales.

LISHED 12 YEARS: Proven track record in professional computer sales.

LISHED 12 YEARS: Proven track record in professional computer sales.

LISHED 12 YEARS: Proven track record in professional computer sales.

LISHED 12 YEARS: Proven track record in professional computer sales.

ROOMS: Demonstration and training facilities at our London & Sidcup branches.

LIL STOCK RANGE: All of your Amiga requirements from one supplier.

CATALOGUES: Will be mailed to you with offers and software/peripheral details.

NT: By cash, cheque and all major credit cards.

T PAYMENT TERMS: Silica are licensed credit brokers - return coupon for defails.

Tougleside when to huw your new Amiga computer we suggest you think year, carefully about WHERE.

an to buy your new Amiga computer, we suggest you think very carefully about WHERE hall it will be like a few months after buying your Amiga, when you may require additional , or help and advice with your new purchase. And, will the company you buy from contact products? At Silica Shop, we ensure that you will have nothing to worry about. Silica have ver 12 years, and have an annual turnover of £13 million. With our unrivalled experience mow claim to meet our customers requirements with an understanding which is second



MAIL ORDER: Order Lines Open:	1-4 The M Mon-Sat 9.00am-6.00	News, Hatherley Rd,	Sidcup, Kent, DA14	4DX Tel: 081-308	309 1111 0608
LONDON SHOP: Opening Hours:		ottenham Court Road			
SIDCUP SHOP: Opening Hours:	1-4 The M Mon-Sat 9.00am-5.30	lews, Hatherley Rd, Late Night:	Sidcup, Kent, DA14 Friday until 7pm	4DX Tel: 081-309	
BUSINESS/EDUCATION Order Lines Open:	ON: 1-4 The M Mon-Fri 9.00am-6.00	lews, Hatherley Rd, Closed on	Sidcup, Kent, DA14	4DX Tel: 081-3 Fax No: 081-308	08 0888

To: Silica Shop Ltd., Dept QLW 11/90-32, 1-4 The Mews, Hatherley Road, Sidcup, Kent DA14 4DX

PLEASE	SEND	INFORMATION	ON	THE	AMIGA

Mr/Mrs/Ms:	Initials:	Surname:
Address:		

Postcode: Which computer(s), if any, do you own? A2000 [



Sector Software

The best programs and peripherals for the QL

QZ/QL to Z88 File Transfer

Software and cable to connect the Z88 and QL and transfer any files between them. Includes Archive to Pipedream and back conversion routines. £25

Amiga to Z88 File Transfer

Software and cable to connect the Z88 and Amiga and transfer any files between them

Spellbound

A spelling checker that checks your spelling AS YOU TYPE. Based on a 30,000 word dictionary, works with Quill or The Editor V1.17 onwards on the expanded £30

Taskmaster

A brilliant multitasking front end system which lets you use the OL as a serious machine. Multitask many programs at once.

Files 2

File handling utility with scores of features. Written by Peter Jeffries. Ideal enhancement for Taskmaster users

Write Turn

Turn spreadsheets and documents on their sides with this excellent utility, works on Epson and compatible printers.

QL World Index

A complete index to the contents of QL World from its start to May 1988. Find articles and reviews in seconds, 160K+ of data compressed to fit into a 128K QL.

Flashback

A very fast and slick database which has very few limitations. Will also convert Archive files. £25 Flashback Special Edition is a greatly advanced version with lots of extra features including report generator, mail merge, label printing, etc. £40

Touch Typist

Excellent typing tutor that works. 200 lessons, graph of your progress, adjustable difficulty levels.£12

Ferret

Find lost files fast with this file search utility which will read all your files on disk or mdv looking for a match with your search text.

STD Index

This index to all the dialling codes in the country executies from disk in 15 seconds. Know the place and it will tell you the number, know the number and it will tell you the place!

[Expanded OL only.]

Page Designer 2

This is a full feature desktop publisher that has to be seen to be believed. Ask for full details of this system and its support programs.

Phillips CM8833 Colour Stereo Monitor

A stereo monitor for the QL, Amiga, ST or almost any computer. £260

5th Northern Home Computer Show

(Christmas Special)

Saturday 1st December 1990

Stokes Hall Church Road Leyland Lancashire

This is the fifth show organised by Sector Software with 100's of bargains for the computer user from around 30 exhibitors. We are planning to make the best we have organised in the North West. Meet Sector Software, Digital Precision, Miracle Systems, EEC, as well as your other favourite OL companies all under one roof for a great day out. If you have a computer then you cannot afford not to be there.

Stokes Hall is about 2 miles from Junction 28 of the M6 (Leyland turnoff) or from Leyland Train Station, local sign posts will mark the way. Admission for adults is £1.50, children £1.00 and under 10's free. Bar and restaurant facilities will be available as usual throughout the day.

Ring Sector Software on 0772 452414 for more details and a free map of how to get there. Stalls are available for £50.00 or £65.00 if electricity is required.







Sector Software





Unit 13, Centurion Way Industrial Estate, Farington, Leyland, Lancs. PR5 2GU Tel: (0772) 454328/452414 (2 lines), Fax: (0772) 454680