SINCLAIR
WORLD

ALIAS


Take a new name!
That's the key. . .

ARCHIVE ANSWERS

Tools for numbers

PSION
SOLUTIONS
Quill Bugs

NOVEMBER 1991 £1.95



Dilwyn Jones Computing

41 Bro Emrys, Tal-y-Bont, Bangor, Gwynedd LL57 3YT Tel: Bangor (0248) 354023

DJC HOPES TO HAVE A STAND AT THE QUANTA QL WORKSHOP IN BRISTOL ON 17th Nov. 1991. WE ALSO ATTEND THE "ALL FORMATS" SHOWS FROM TIME TO TIME - CHECK WITH US.

SEND SAE OR IRC FOR A COPY OF OUR CATALOGUE CONTAINING FURTHER DETAILS OF OUR RANGE OF SOFTWARE

SOFTWARE DISCOUNTS

Buy 2 programs together CLAIM 5% OFF
Buy 3 or more programs CLAIM 10% OFF
Vision Mixer Plus and PictureMaster packages
described below count as ONE program for this
discount offer.

SLOWGOLD by Norman Dunbar £5.00 Slow down routine for programs that run too fast for comfort on a Gold Card (or standard QL if required). A bargain at £5!

PROGS (Professional & Graphical Software)
THE PAINTER £25.00 THE PAINTER
Superb painting program for the QL (512k)
THE CLIPART
Substitution of Clipart. (128k)
DATA DESIGN version 2
Programmable database (512k)
QRACTAL
Substitution and Substitution of Control of Control

100% machine code Fractals program (512k)

ROB ROY QL BARGAIN SOFTWARE PACK on 3 microdrive cartridges £14.00
INKWELL DELUXE - 100's of print styles from Epson
compatible 9 pin dot matrix printers. Font editor + 20
extra fonts

INKWELL DELUXE TYPER - Typewriter style extension to Inkwell Deluxe

CUEWELL 1 + CUEWELL 2-front end utilities

ADDRESS LABEL PRINTER by J.H. Ree£15.00 On microdrive cartridge £15.00 (384k, RAMdisk required)
100 ADDRESS LABELS on printer roll for use with Address Label Printer £2.00

add 50p postage per roll (max £2.50) by Joe Haftke £12.00 On microdrive cartridge Dates reminder program (128k)

QL. GENEALOGIST by Chris Boutal £19.50 128k version on cartridge Expanded version on 2 cartridges Family trees etc. (128k or 384k versions)

SUPER DISK LABELLER
On cartridges if required
Print labels for floppy disks, can show the filenames on disks in columns. (256k)
ROLL 100 DISK LABELS for above
£2.50

add 50p postage per roll of labels

SUPER DISK INDEX Imre Dominik £12.00 On microdrive cartridge £12.00
Catalogue and index your disks as a database, with search, sort, print, etc. facilities. (256k)

DISCOVER by Dave Walker £20.00 QL/PC/ST disk file transfer (256k, disk only)

MULTI DISCOVER by Dave Walker £30.00
As discover, also transfers to BBC DFS/ADFS,
CPM (many formats) and UNIX CPIO formats (256k,

by Dave Walker £15.00 Text file conversion utility, e.g. for use with Discover above. (256k, disk only)

QUICK POSTERS by Dilwyn Jones £10.00 on 2 microdrive cartridges £12.00 Star printers text poster maker (128k)

by Dilwyn Jones £10.00 BASIC REPORTER on microdrive cartridge
Super BASIC programming aid (128k)

SCREEN ECONOMISER by G. Estournet £10.00 on microdrive cartridge £12.00
Screen protection and blanking utility - turns off the QL display if no key is pressed for set number of minutes.(128k)

TRANS 24 by Ralf Rekondt £10.00 e £12.00 on microdrive cartridge 9 - 24 pin printer graphics dumps conversion utility (128k)

by Peter Jefferies £12.00 on microdrive cartridge
Comprehensive popup files utility. (128k)

SPELLBOUND by Peter Jefferies £30.00 on microdrive cartridge £30.00 Check spelling as you type, 30,000 word dictionary, expandable by the user. (256k)

SPELLBOUND SPECIAL EDITION not available on microdrive cartridge
Larger dictionary, turns back on automatically at start of new words. (512k)

UPGRADE, SPELLBOUND TO SPELLBOUND Return Spellbound master disk/cartridge

FLASHBACK by Peter Jefferies £25.00 on microdrive cartridge £25.00 Excellent fast, versatile database (256k)

FLASHBACK SPECIAL EDITION not available on microdrive cartridge Enhanced version of Flashback - new commands, report generator, etc. (256k)

TASKMASTER by Peter Jefferies £25.00 on microdrive cartridge £25.00 Front end utility for the QL (384k) Hard disk users - ask about the version of Taskmaster for hard disks

WINBACK by Norman Dunbar £25.00
Miracle hard disk backup utility. (256k, Toolkit 2, available on disk only)

THE GOPHER by Norman Dunbar £12.00 on microdrive cartridge £12.00 File finder utility. WIN or FLP (128k)

QUESTION MASTER by on 2 microdrive cartridges by C.B. Storey £10.00 lges £12.00 Question/answers quiz and revision system. Quiz editor included (128k) General Knowledge quiz Classical music quiz QLestions - quiz on the QL itself!

FILEMASTER by Joe Haftke £12.00 on microdrive cartridge £12.00
File care utility, directory display in columns, disk labelling. (512k, RAMdisk)

by Joe Haftke £20.00 on microdrive cartridge
Personal income tax calculator (UK) plus domestic bills and accounts system (128k)

by Dilwyn Jones £10.00
on 2 microdrive cartridges
Screen pictures video effects display, as reviewed in QL
World Jan 1991 (384k)
VISION MIXER PLUS
available on dick activities.

available on disk only More features than version 1, even easier to use. (256k) Upgrade VISION MIXER 1 TO VISION MIXER PLUS-

outer serial number)
PICTUREMASTER
by Joe Haftke £15.00
available on disk only (256k)
Screen making utility for Vision Mixers.
VISION MIXER PLUS + PICTUREMASTER - both teacher: serial 20%. together, save 20% PICTUREMASTER + the upgrade £24.00

COCKTAILS WAITER by Imre Dominik £10.00 on 2 microdrive cartridges £12.00 Cocktail drinks recipes (over 400 supplied!) database £12.00

MIX 2 - hundreds of extra recipes £5.00

MIX 3 - even more recipes, includes many nonalcoholic recipes £5.00 MIX 2 or 3 on microdrive cartridge

DI-REN PRODUCTS
FLEET TACTICAL COMMAND II £49.95 PLEET TACTICAL COMMIAND II
on microdrive cartridge
DATA PRINT UTILITY for FTC II
FLEET TACTICAL COMMAND I
THE FUGITIVE text adventure
QL NETWORK PROVER hardware
MINI PROCESS CONTROLLER hardware £56.95 £9.95 £29.95 £9.95 £3.50 £59.95 6 relay switches, controlled by simple commands via the QL serial port.

MPC UTILITY software

Control program for process controller. Includes tookit of BASIC extensions for writing your own controller software. Leads and PSU's for the MPC also stocked. nd SAE or international reply coupon for a copy of the DI-REN catalogue.

WE WOULD LIKE TO THANK OUR CUSTOMERS FOR YOUR SUPPORT DURING OUR FIRST YEAR OF ADVERTISING IN QL WORLD, AND WE LOOK FORWARD TO BEING ABLE TO SERVE YOU AS LONG AS THE QL MARKET IS STILL VIABLE.

SUNDRY SUPPLIES

Brand new microdrive cartridges	£2.50	100 address labels on roll, 3.5" wide	£2.00
Roll 100 cartridge labels	£2.00	Disk storage boxes for 3.5" disks:	
3.5" DSDD unbranded disks + labels	£0.45	10 disks (Slimpak boxes)	£1.20
20 or more	£0.40	40 disks, clear, lockable hinged lid	£5.00
3.5" Sony branded disks + labels	£1.00	80 disks, clear locakable hinged lid	£7.00
pack of 10	£9.00	160 disks, POSSO box, drawer style	£17.00
5.25" DSDD unbranded disks + labels	£0.35	Disk box subject dividers, per set of 20	£3.00
Extra disk labels, roll 100	£2.00	Monitor stand	£15.50
100 disk labels on printer roll	£2.50	Printer ribbons – ask!	

SOFTWARE POSTAGE: UK - Software sent post-free in UK except Fleet Tactical Command, for which you should add £2.50. ABROAD - add £1.00 per program for postage and packing. For Fleet Tactical Command, you should add £3.50. SUPPLIES POSTAGE: UK - add £2.50 postage for disks, stands, boxes, DI-REN hardware and any other bulky items. Rates for labels and ribbons listed above. Blank microdrives sent post free in UK. ABROAD - add standard rate £3.50 postage, except for airmail outside Europe, where you should add 10% to order value, minimum air mail charge £3.50. PAYMENT - In British currency (Pounds Sterling) only, please. Examples of valid forms of payment are Sterling cheque drawn on UK bank or building society, Eurocheque, Draft, International Postal or Money order - your bank or Post Office may be able to advise you on how to pay us in British currency. Make cheques etc. payable to DILWYN JONES COMPUTING. In cases of difficulty contact us first to arrange details. We hope to have credit card payment facilities before the end of the year, please check with us by phone before ordering if you wish to pay by this means to see when this service will be available. Goods remain the property of Dilwyn Jones Computing until paid for in full.



Editor Helen Armstrong

Production Controller Jayne Penfold

Designer Jeff Gurney

Advertising Manager Jason Newman

Magazine Services Yvonne Taylor

Advertising Production Michelle Evans

Group Advertising Manager Lynda Elliott

Group Editor John Taylor

Publishing Director Wendy Palmer

Group Deputy Managing Director Ray Lewis

Group Managing Director Peter Welham

Sinclair QL World Panini House 116-120 Goswell Road London EC1V 7QD Telephone 071-490 7161 ISSN 026806X

Unfortunately, we are no longer able to answer enquiries made by telephone. If you have any comments or difficulties, please write the The Editor, Open Channel, Trouble Shooter, or Psion Solutions. We will do our best to deal with your problem in the magazine, though we cannot guarantee individual roulies.

though we cannot guarantee individual replies. Back issues are available from the publisher price £2 U.K., £2.75 Europe. Overseas rates on request. Published by Maxwell Consumer Magazines, A Division of MCPC Ltd., Sinclair QL World is distributed by IPC Market force, King's Reach Tower, Stamford Street, London SEI 9LS. Subscription information from: MCM Subscription Dept, Lazahold Ltd., PO Box 10, Roper St, Pallion Ind. Est., Sunderland SR4 4SN. Tel: 091 510 2290 UK: £21.00, Europe: £32.00, Rest of the World: £38.00. Please include your subscriber number with any queries.


Typesetting by Ford Graphics, 8-10 Whitsbury Road, Fordingbridge, Hampshire. SP6 1BR. Tel: (0425) 655657 Printed and bound by BPCC, Colchester. Covers printed by Spottiswoode Ballantyne, Colchester. Sinclair QL World is published on the third Thursday preceding cover date.

© COPYRIGHT SINCLAIR QL WORLD – 1991

CONTENTS


NOVEMBER 1991

- 4 TROUBLESHOOTER Perfection and disk software
- 6 CLUB ACCESS
- 11 SOFTWARE FILE Solitare
- 13 QL SCENE Expansion board from Falkenburg
- 14 OPEN CHANNEL The QL and the Sorcerer
- 16 SOFTWARE FILE Vision Mixer and Picture Master
- 22 QL SCENE EEC has new disk drives
- 23 PERSONAL OPINION New series
- 24 CLUB ACCESS
- 25 THE NEW USER GUIDE Part 9 Computer logic
- 29 DIY TOOLKIT ALIAS, CODEVEC and INVERSE
- 34 PSION SOLUTIONS Quill bugs
- 38 ARCHIVE ANSWERS Tools for numbers
- 42 NOTICEBOARD
- 43 SUBSCRIPTION INFORMATION
- 44 ARCHED Part 2
- 51 INSTANT ACCESS



NEXT MONTH

As well as our regular featurs, waiting for the off we have a review of PROSPERO PASCAL for programmers, PART 5 for followers of database DBQL, the second instalment of SYSTEMATIC MACHINE CODE PROGRAMMING, a ONE MAN'S SYSTEM about Archive, lots of reviews and some programs.



igital Precision are pleased with the initial reaction to their new word-processing program, Perfection. There have been quite a few complimentary letters from proud new users. What criticism there has been appears, mostly, to relate to misunderstandings about the use of the program. As with almost any program, there will be many second thoughts after the initial release, some resulting from user feedback, others from the producers' own experiences during long-term use of the program. It is something of a truism in the micro world that no program is fully functional until version 3, but Perfection works well at version 2.

One thing that confused me was the mechanism for saving SuperBasic files. There is no problem loading them - just use the normal Load command - but the fact that they are 'plain text' means you cannot use the Save command if you want the SB program to run. Using the Export File command is the answer, but it may not appear to be so in some circumstances. If changes are made to the file, but the ENTER key is not used during the making of them, all should be alright. However, use of the ENTER key introduces a code into the file which will prevent subsequent running of the SB program. You can see if codes are present by using CTRL-H to display them. The remedy is simple switch the Line Wrap function off before loading. Additional comment on this is likely to be put into updates to the instructions.

Cut and Paste

One function which seems to be missing from the QL utility scene is a routine for doing Cut and Paste operations on text, from program to program. For example, copying a database record complete with format from, say, Archive to text⁸⁷ while both programs are loaded in the QL, during the same session. Flashback can do the paste part, but it really needs a program which 'sits above' the other programs to be able to both cut and paste. This is done in various forms on the PC and could presumably be implemented on the QL too. The 'ideal' form is where the two programs are linked, so that the required section is actually copied from program to program, and any alteration in the original data is reflected in the copied data, in the other

Bryan Davies tries out Perfection, and Phil Borman's SUB routines

program. This function has come to be called DDE (Dynamic Data Exchange) and must be something many users have dreamed of. A much simpler, but generally adequate, method is to copy the screen and transfer that. This works well when the screen contains text, but is not good for graphics. The mechanism is to make the source program the current job, activate a Mark function, and use the cursor - now tied to the supervisor program - to mark an area of text, by pressing ENTER at top left, then bottom right. You then switch to the target program, call up the supervisor program, and direct it to transfer the marked screen area. The text from the marked area then appears at the cursor point, and is inserted character by character, rather like being typed in; it looks very much the same as entering text from an ALTKEY, KeyDefine, or such.

My problem with printing on a laser printer from *Professional Publisher* now seems to have vanished, without the reason being apparent. Printing a full page from 1- to 3-pass, is now successful; the output is no longer spread over several pages. One possible reason is that the printer may previously have been set to Landscape instead of Portrait. On the laser, there doesn't appear to be anything to be gained from using more than one pass, and five passes still cause a print to be spread over two sheets. Since the FX80-emulation mode has to be used, the image quality is generally much the same as with a dot-


matrix printer, although it should be appreciably better on areas of solid black.

While on the subject of printing, another improvement in my screen dumps has come about through a little more reading of the Trump Card instructions. The Epson GQ-5000 laser can emulate the LQ-2500 24-pin dmp, and it seemed reasonable to try the toolkit command <SDP_SET 6,3,0,0> for selecting the printer type and resolution. The resolution for these settings is 180 dots/inch (maximum for the laser is 300) and 180 lines/inch. The improvement in screen dumps was quite marked. The horizontal white lines we normally have to put up with in all-black areas are gone (see the illustration of a Perfection screen). Apart from using the LQ-emulation mode, the printer was set to print Landscape, to avoid the edges being chopped off the image. How applicable these setting are to other users' printers is another matter. If you have a GQ-3500 or -5000, or an actual LQ-2500, or something that can - or might - emulate it, it's worth a try. The dumps can take a long time though. The previous best settings for my 9-pin dmp were <SDP SET 1,3,0,0>, which are for the Epson MX80 'or similar'; the resolution for this is 120 dots/inch and 72 lines/inch.

SUB for hard disk

The collection of utility routines for hard disk assembled under the heading of SUB by Phil Borman of Quanta is proving very useful with the Miracle hard disk. It would be no exaggeration to say they have transformed operations with the drive. Several programs can now be run, from their own sub-directories, using a further level of sub-directories for their data files. Switch-

A sample screen from *Perfection*.



SHOOTER *

ing between them involves no more than using CTRL-C - there is no need to reacquaint each program with its default directories. Memory permitting, it is possible to run text⁸⁷, The Editor, Quill and Perfection together. With text87 and Perfection, there appeared at first to be no problem, since they can both be configured to accept device names which are long enough to allow for sub-directories. In their cases, the program directories used are WIN1_TXT87_ and WIN1_PERF_, and the data directories are WIN1 TXT87 DOCS and WIN1 PERF DOCS . The abbreviated names are used because subdirectory names are actually only file names and there can be some confusion between program files and sub-directories if the latter are called 'TEXT87' etc.

Accomodating

In practice, it was found that text⁸⁷ would accept its directory names, but proceeded to delete the characters between the last two underscores and then could not find its data files. The other two programs are less accommodating, perhaps because they were written before hard disk was much talked about on the QL scene. As long device names are unacceptable to the configuration routines of Quill and The Editor, the default program devices were set as SUB7_ and SUB5_ respectively, and the data devices as SUB8 and SUB6_. In view of the slight problem experienced withtext87, it also was treated in the same way, the defaults being set to SUB3 and SUB4_. The SUB routine itself translates SUB1_ to SUB8_ into specified subdirectory names.

In this case:

SUB1_ is equivalent to WIN1_PERF_
SUB2_ is equivalent to
WIN1_PERF_DOCS_
SUB3_ is equivalent to WIN1_TXT87_
SUB4_ is equivalent to
WIN1_TXT87_DOCS_
SUB5_ is equivalent to WIN1_EDITOR_
SUB6_ is equivalent to
WIN1_EDITOR_DOCS_
SUB7_ is equivalent to WIN1_QU_
SUB8_ is equivalent to
WIN1_QU_DOCS

These equivalences could be produced by making the statements:

SUB_USE 1, 'PERF_'
SUB_USE 2, 'PERF_DOCS_'
SUB_USE 3, 'TXT87_'
SUB_USE 4, 'TXT87_DOCS_'
SUB_USE 5, 'EDITOR_'
SUB_USE 6, 'EDITOR_DOCS_'
SUB_USE 7, 'QU_'
SUB_USE 8, 'QU_DOCS_'

but the SUB routine makes it unnecessary to issue these statements. The program file SUB_BIN can be configured to be aware of what SUB1_SUB8 represent and, from there on, the user doesn't have to bother about typing-in the sub-directory names for each program. This may sound complicated, but it is much preferable to not being able to use the hard disk as a proper sub-directory device. Trying to sort out which files belonged to which program when they were all dumped together in the Root Directory was a real pain.

There are several useful commands and programs provided in the SUB collection, but it is available only to Quanta group members at present. Although I've not checked it yet, all the foregoing comments on SUB should apply equally to the high-density disks with the *Gold Card* as they have the same sub-directory structure.

The following report comes indirectly from two other users, and is not something I have been able to check yet. It is said that, when a system has both the Gold Card and the Miracle hard disk connected, the file WIN_REXT must be deleted from the hard disk. Miracle advise only that the file is not necessary, but that advice would appear not to be strong enough, as there is a risk of all hard disk files becoming read-only if that particular file is present during boot-up. The file is incorporated into the Gold Card rom.

There is an oddity in the instructions with the Gold Card, on the second sheet, where the command <FORMAT "MIRACLE*H"> is given an explanation with some surplus words in it. It will actually format a disk to high density (1.44 MB), with the label "MIRACLE".

Hardware gaps

Various Quanta members are active in trying to plug QL hardware gaps. The group itself is producing the Qimi mouse interface (as designed by QJump), and an

IDE interface for hard disk is under development by one member. The Rebel hard disk units look as though they may reappear also. The interface part of the latter would be of particular interest to people who have, or can get hold of, cheap hard drives with the standard ST506 interface, because it should be possible to connect them directly to the Rebel interface. Some improvements have been made to the drive software recently; from accounts of users, the drive access speed with the Rebel unit is higher than that of the Miracle unit. The IDE interface should provide much better data-transfer rates than we have seen so far, but it does not support standard ST506 drives. There are a fair number of IDE drives available on the PC market at reasonable prices, though.

With the Qimi mouse now seeming to have no serious competition, could it become the 'standard' for the QL? There must be a fair number of them around. from the previous sales activities of QJump. Care and Jochen Merz. One obvious problem is that Turbo-compiled programs are apparently not compatible with Qimi. This would mean that Professional Publisher, for instance, could not utilise the Qimi mouse properly. This is perhaps the most important program in need of a standard mouse interface; it can be used with the Smiling Mouse, but there are not many of them around. It will also be important for Qimi and the Gold Card to be fully compatible; one would expect Qimi owners to be likely buyers of both the Gold Card and Professional Publisher. Miracle have recently made changes to the Gold Card rom to avoid possible trouble with Qimi interface. The borrowed GC I am using at the moment works alright in two of my QLs but not in the owner's QL with Qimi installed; there have been problems which appeared to be traceable to the Qimi installation previously, so some further experimentation is called for, and a later rom may be fitted to the GC shortly also.

It was encouraging to find that a particular JS QL, which locks up within about 20 minutes when a Trump Card is installed, doesn't seem to be having any trouble with the Gold Card, during all-day sessions. How touchy some of our machines are... It would suit me if the JS could be put back into use again (it went into a drawer once the Trump Card made it unusable), as the JM that has been used since then causes

TROUBLESHOOTER

quite some extra work during program-review sessions. There are a few features of the JM which don't matter in normal use but which bring work to a halt fairly often when new programs are loaded after the system boot has been run. It may be that some of the stoppages are caused more by careless programming than by the Qdos version. One regular fault is for a programmer to use a runtime Turbo toolkit without bothering to make sure the version of it that is supplied is compatible with the version of Turbo used during compilation of the program.

The chances are that a program was developed on a JS (JSU if written in the USA), and never checked on a JM, and something that can be got away with on the former causes a halt on the latter. Try this boot for size — can you spot why it doesn't run on a JM with Trump Card but runs without murmur on a JS with Gold Card?

WINDOW #0,480,23,15,229:BORDER #0,1,7:PRINT #0,">>> One moment...": SDP_KEY'p':SDP_DEV SER1:SDP_SET 6,3,0,0:

_base=RESPR(5632):LBYTES flp1_RUNTIME_EXTS,_base:CALL base

PAUSE 100:CLS #0:PRINT #0,">>> Loading 3D_TERRAIN...":

LINK_LOAD "PLOT", "PARAMETERS", "SHAPES", "LIBRARY": END CMD

In the boot file, this is actually one end-

less line of commands, with everything – apart from what is shown above as the second line – being in the original boot file. In the original form, the boot runs on both JS and JM, but the apparently-innocuous set of three commands to permit dumping of the screen cause the message 'bad name' to appear when the modified boot is run on a JM; on a JS, it still runs normally. Using the NEW command after the runtime extensions have been called, then typing-in the remaining commands, solves the problem.

Suppliers' letters

Note the change, for this month only. As I haven't had my next batch of readers' queries yet, but a bundle of letters has arrived direct from DP, it seems sensible to report a few comments from the other side of the fence. Summed up, what DP is saying is: 'Why don't customers check what they did when they placed an order, before complaining about non-delivery of the goods?' The mistakes made by customers when placing orders look easy to spot — afterwards — but we all have our blind spots when re-reading what we have written:

- 1) Incorrect supplier address. In DP's case, the obvious mistake is putting "22" instead of "222" in the street address.
- 2) Failing to put your own address on letter or envelope.
- 3) Not giving *all* the digits of a credit card number.
- 4) Not specifying the size and format of

disk a program should be supplied on. 5) Calling and not leaving a message on the answerphone (then complaining that nobody called back!).

It's worth noting here too that the *QL World* editorial office often receives enquiries, changes of address or even cheques from subscribers who don't quote their subscriber numbers, and which would in any case have been better sent directly to QLW's subscription agent (see the small

print on page 3).

If he has not written again, perhaps the customer who wrote to DP from Spain on 9th July about a problem using a 24-pin printer with Professional Publisher would contact them again, and give his name and address this time. In regard to his printing problem, it may be caused by his new Epson printer not being compatible with his old Epson one; specifically, it may use increments of 1/180 inch instead of 1/ 216 inch when up-spacing. The measurements of his two samples show the 1.2:1.0 line spacing one would expect from this, although the actual characters are larger too. Don't expect all Epson printers to be 'Epson compatible'. My Epson laser printer has two emulation modes for other Epson printers, as well as its 'native' mode, because Epson chose not to make newer printers completely compatible with the old FX80. For instance, the LQ-2500 can print in 9- or 24-pin mode, and it may be compatible with the FX80 in 9-pin mode, but it certainly isn't fully compatible in 24pin mode.

ARCHIVE YOUR QL COLLECTION

Now you can keep your Sinclair QL World magazines safe and clean. No more dog-eared covers or missing copies . . . You can protect your magazines in this high quality, specially-created binder. This Sinclair QL World binder will comfortably hold a complete year's issues of your favourite Sinclair magazine. It is a high

quality product, British-made and comes with full binding instructions. It is manufactured in a rich, deep blue with genuine gold blocked lettering. Enhance your Sinclair QL World Magazine collection now for only £5.95 (inc.P&P!) Send for one today! The QL World binders also make an ideal gift for other Sinclair users too!

TO: QL WORLD MAGAZINE, PRINGLE STREET, BLACKBURN, LANCS BB1 1SA Please send me QL World binders – I enclose £5.95 for each binder including VAT. postage & packing. Readers outside the UK and Eire please add £1.50 for surface overseas mail.					
Please make cheques payable to M.C ACCESS VISA account: Name	.P.C. Lla			Expiry date:	
Address	Postcode		Tel No		

■ DIGITAL PRECISION LTD

GREATER SPEED make it an ideal upgrade. There are hundreds of detailed changes — to give but one: paragraphs do not need to have a blank line between them in order to distinguish them any more. There remains an area, however, where Editor Special Edition remains supreme — the editing of "non-printable" data, the ability to handle the entire ASCII character set from codes 0 to 255. So if you are a technical or semi-technical user and do not have either Editor Special Edition or PERFECTION, your best buy is the two programs together (they can interact, coexist, work simultaneously and have fully-compatible file formats). You will then get Editor Special Edition at HALF PRICE (Special Offer — limited duration).

The characteristics of a good database are its ability to Store, Retrieve and Manipulate information rapidly. By this criterion, this word processor makes an ideal database system too, as it is blindingly fast and flexible. Forward and backward 'Search' takes at most a couple of seconds, even when you have a document that fills an 896K Trumpeard system to the brim' Cursor navigation is also unbelievably fast and smooth, with an accelerating rate of scrolling if you indicate impatience. And there are macros, programmability and more for the more advanced user. If you have been unhappy with the speed or complexity or non-programmability of your existing database, PERFECTION will solve your problems. And if you want full desktop publishing capabilities (the use of fonts that your printer does not possess, and graphics) interlinking PERFECTION with revenue and manipulating, and "pour" the result into Pro Publisher.

But first and foremost PERFECTION is a user-friendly, familiar user-interface, stand-alone WYSINYG dual-control (menus or direct commands) word processor of enormous power and blistering speed, which (for the first time) makes output to printers hassle-free. There is nothing else like it or even remotely as good as it on the QL or on anything else. PERFECTION is our best yet. PERFECTION costs just

NEW!

read through!). PREFECTION PLUS comprises PREFECTION plus the dedicated Spelling checker with dictionaries and costs just fill 9.95.

TECHNICAL INFORMATION ON PERFECTION YOU don't actually need to read or understand this.

PREFECTION gets its superb speed from two sources. Firstly, PREFECTION unlike virtually any other word processor — is written entirely in 100% hand-written machine code. This gives us a considerable speed advantage over compiled alternatives. Had we written PREFECTION in a high level language it would have been 4 times slower, 6 times bulkier and taken us a great deal less time to produce. You reap all the benefits of our hard work. The other source is design. There are two formats for internal data storage for character handling programs. Many store data serially, in a long stream of characters. Ones like Editor store data as lines scattered through RAM, with a table of pointers to the lines — a far more advanced method. The first format has the advantages that it is cheap to program — the user pays the cost in terms of performance, with sluggish block-defining/moving, navigation and insertion. The second format has advantages including instant random access to any line and quick insertions and deletions — the disadvantages may include heap fragmentation that will result from repeated grabbing of small chunks of space (garbage collection may be required periodically if space is short). Both formats share the disadvantage that "global" changes made to a part of the document — say a switch to bold at the top—will take a long time to filter down through the system to become visible on-screen at lines at the bottom—PREFECTION uses a variant of the second format that does not have its disadvantages. Data is stored in RAM in optimally-sized chunks — a chunk being roughly the size of several screens. Each chunk has a control information area within it about the number of lines etc within it, the display status at the start of it (say bold on, italics/underline etc off). Whenever you are editing, th

speed and power advantages to our system. There is one big disadvantage — it is an absolute nightbare to design and implement! Fortunately for you, you don't have to know anything about it — it just works like clockwork, automatically and behind the scenes.

Other elements of PERFECTION design to enhance performance include lazy screen (when you keep a key pressed in order to get somewhere, we stop updating the whole screen and instead just scroll the line your cursor is on) and lazy attributes (where in a huge document of hundreds of pages you do a long jump — say from near the top to near the bottom, in one go, and we have not yet resolved the attribute status (say underline on) of the area you want to get to, we don't hold up the display for even one hundredth of a second while we are computing attributes, but display the new area immediately without any pause — the attributes will 'catch up' a second later: you will only see this if your document is very very big and you navigate in huge leaps). Also, there is a garbage job running all the time in the background, doing whatever internal tidying up and optimising is needed when you are not doing anything (with PERFECTION's speed, even if you are typing at 200 wpm the program is sitting twiddling its thumbs for 90% of the time as it awaits input!). Consequently, PERFECTION's internal tables are always in a PERFECT state. Both lazy screen and cursor acceleration are user-configurable, incidentally.

There are dozens of other more localised ways in which PERFECTION performance is obtained. For example, PERFECTION has built-in knowledge of statistical distribution of occurrence frequencies for the various alphabetic characters in English and other European languages, it uses this data as follows: if you ask PERFECTION to search for the word 'praxis' in your document, we won't look for the 'p' first. Instead, we automatically look for an 'x' (less occurrences of 'x') and having found 'x' then resolve whether it is embedded within an occurrence of praxis' (if not,

lightning special edition

Until the autumn of 1989 the fastest way of speeding up your QL display was to buy Lightning, which greatly accelerated QL text printing, graphics and maths. Without affecting compatibility at all. NOW you can buy Lightning Special Edition, which is significantly faster than Lightning and does a lot more! Lightning Special Edition is simplicity litself to use. Once it is loaded ALL programs will AUTOMATICALLY benefit from the enhancements it provides. If you are using a QL without Lightning you are probably a little pale (quote from John Norton of Sector Software), you should get out and about more... Go to some QL shows or meetings where you will see Lightning in action — or take our word for it. If you don't have Lightning you are WRONG. Lightning Special Edition works by automatically (I know we keep using the word, but it is the only one that is really correct here) and instantly replacing QL ROM code (or Minerva code, for that matter — Minerva and Lightning complement each other superbly) that has usually been optimised for space, with extremely high speed routines written by us that do the same job but much faster. Screen output speed gets accelerated by factors from over 1.5x to over 10x (about 2x-4x is representative), graphics are drawn twice as fast (points are plotted 5 times faster) and internal maths is speeded up by 2x-5x (you can even vary the precision). There is virtually no cost in RAM (for example, you can still run Quill with a fairly large document on an unexpanded QL with Lightning Special Edition is supplied on EPROM plus disk/cartridge; if you already have something precious plugged into the QL's EPROM socket (at the rear), there is no problem — all the EPROM's functionality is duplicated on the other medium! Lightning Special Edition provides more than acceleration—you can dynamically adjust channel parameters — like ink, paper, font, screen position, use over 80 fonts, a null device, a character drain and all sorts of other interesting gadgets. Lightning Special Edition in supplied to

PC CONQUEROR WITH DR-DOS V5.0 PC CONQUEROR

PC COMOURION

Terrific though we know the QL to be, we do feel the pressure to be "PC compatible" in today "s world. There is increasing demand to be able to bring home and run the programs we use at work for the other way around!), and to have access to the vast storehouse of PC software: word processors, databases, spreadsheets, expert systems, accounts and financial modelling packages, vertical market applications. Visualisation aids, graphics/CAD/PCB dispersed, languages/compilers, operating systems, environments, type readily available for the PC. And thousands of shareware/PD programs too, most for the cost of a blank disk plus postage. If you buy PC Conqueror, you will be able to run these programs! To boot up PC Conqueror takes 10 seconds from the FI/F2 prompt: thereafter your QL is a HGHLY compatible PC clone (indeed, more continued). The programs is no comparison and the program of the programs is no comparison and the program of the program of the case of the program of the case of the program of the

PROPESSIONAL PUBLISHER

There is context sensitive, on-screen help too. When you get wore experienced with the program, you may select Command mode (using the Enter key) and choose operations directly, bypassing the menu system. PP is more user-friendly than any page-making program we have ever seen on any computer, period.

Let us talk you through how you might choose to produce a page or produce a page of the produce of the produ

PROFESSIONAL PUBLISHER TOOLBOX

For Professional Publisher users — this useful addition not only supplies several man years worth of beautiful high definition fonts — including familiar types like Roman and Universal — but also contains many smaller fonts, more clipart and programs to load Sector Software clipart, filter text before importing into Professional Publisher, save parts of Professional Publisher pages as screens (for importing into any graphic program — like Eye-Q — or manipulating via SuperBASIC) etc. Excellent value.

PONT EMLARGER

For Professional Publisher users - loads of large fonts are automatically created by this multitasking utility, as and when you need them (or in advance), by enlarging existing smaller smaller fonts from PP itself and from Lightning Special Edition and hordes of other sources: with this there is NO jaggedness at all. A font editor for small and large (hdf) fonts is included.

GRAFIX

Scaleable output for all our desktop publishers on 9- and 24- pin printers: a useful alternative to the built-in drivers.

RYR-O

There is no way to describe Eye-Q except as the best graphics program for the QL. This master is now four years old, and we have never felt the need to change anything. Its use is characterised by absolute simplicity, speed and power - it has that indefinable precision "feel" that is just right. All the expected manipulations are provided. Whether your needs are technical drawing, labelling, design, illustration, freehand work, copying - or just having fun, Eye-Q will not disappoint. Of course it is menu driven with context-sensitive help. The system takes 5 minutes to learn. The variable zoom and fill facilities, anti-fingerslip measures, cursor acceleration and so on make Eye-Q a classic in its own time.

THURAPRIOTI

To get the best printer output from Eye-Q or any other graphics program from any other source, Ultraprint delivers. An amazing 22 styles to choose from: enhance contrast (for line output) or gradation (for pictures) and vary magnification... A printer without Ultraprint is no printer at all.

WEDIA WANAGER SPECIAL EDITION WEDIA WANAGER

MMSE is a joy to use. Whether something has gone wrong with a disk or tape ("Not found", "Not a valid Quill file", "Bad or changed medium", "Read/write failed" etc) or whether you want better control over your programs and data, MMSE should be to hand. Virtually any calamity can be recovered from automatically: all permutations (accidental deletion or part-overwriting, part-formatting, errors yielding: bad map but OK directory. bad

directory but OK map, bad map and directory, OK map and directory but bad file sectors, unknown fault, power glitch corruption and so on) have been carefully thought through and catered for If nothing is wrong, but you just want to explore and understand more about your system, you can potter to your heart's content assisted by the clear and packed with-facts manual. Dozens of different diagnostic printouts can be produced. The whole system is menu-driven, with context-sensitive, on-screen help for every option. The speedy Sector Editor is a positive delight; the collector file facilities, bulk recovery, auto-navigation, skipping through the medium in physical, file (if map), logical (if no map) or uncollected/logical (if destroyed map, and because of "chequered" history with lots of overwriting/deletions no one-step recovery available) sequences must all be experienced to be believed. MMSE is extremely simple to operate, and assumes no advance knowledge whatsoever.
Alternatively, if you wish to tidy up your disks or cartridges, MMSE allows you to change volume format names, sort directories into alphabetic, date or size order, analyse file contents and histories, change case of filenames, move data/programs to/from alien-format disks, introduce or break copy-protection systems (illegal use prohibited!), MMSE can and will deliver the goods. It is absolutely superb.

The standard Media Manager is much less powerful, and less easy to use. It is only for those on a tight budget.

TOOLKIT III WITH ROM

Virtually everyone with a disk system has Tony Tebby's fine TK2 Supertoolkit on board (usually built into the disk interface). Toolkit III — which works whether or not you have TK2 — takes off where TK2 ended, adding about 70 new commands and enhancing many existing QL and TK2 commands. TK3 is for everyone with a QL. You can get this system on cartridge/disk, with or without a plug in ROM cartridge in addition. The documentation is complete and very comprehensive. Some of the added commands are: ADIM * ADIMN * AND L * ATYP * BASREF * BV BASE * CHANNELS * CH BASE * CINT * CLOSE% * DEVLINK * DIR USE * DITS * DIV L * EOR L * EXTRAS * FACC * FLP_SEC * FLP_START * FLP_TRACK * FLP_USE * FRAC * ISFLT * ISINT * KEYS * LARRAY * LOWERS * MEMCOPY * MEMOWAP * MJOB * MJOB W * MOD L * NTS USE * ODD * OM LINT ONPIPE * OR L * PEEK F * PEEKS * PEND * PIPE * POKE * POKE F * REPLACES * RESET * RJOB A * ROUND * SARRAY * SEARCH * SETDIR * SETDIR A * SETHOST * SETNOT * WSETSYS * WSETUSER * WSETHOST * WSETNET * WSETRO * WSETRW * WSETSYS * WSETUSER WHETHOR * WSETRET * WSETRO * WSETRW * WSETSYS * WSETUSER * WSETHOST * WSETRET * WSETRO * WSETRW * WSETSYS * WSETUSER * WSETHOST * WSETRET * WSETRO * WSETRW * WSETSYS * WSETUSER * WSETHOST * WSETRET * WSETRO * WSETRW * WSETSYS * WSETUSER * WSETHOST * WSETRET * WSETRO * WSETRW * WSETSYS * WSETUSER * WSETHOST * ON TO NOT * SETWET * SETONOT * WSETRET * WSETRO * WSETRW * WSETSYS * WSETUSER * WSETHOST * ON TO NOT * SETWET * WSETRET * SETWET * SETWET * SETWET * SETWET * WSETRET * WSETRO * WSETRW * WSETSYS * WSETUSER * WSETHOST * ON TO NOT * SETWET * WSETRET * WSETRET * SETWET * SETWET * SETWET * SETWET * SETWET * SETWET * WSETRET * WSETRET * SETWET * WSETRET * WSETRET * WSETRET * SETWET *

OFLICA CARD INDEX SYSTEM

Few users actually require all the facilities of a complicated database like Archive. **QFlick** presents a very convenient alternative — a very fast, simple to use card-file database, with easy to learn, snappy search and navigate commands and clean file-handling. You can move Archive data to/from **QFlick**. You can run multiple copies of **QFlick**. And **QFlick**'s data is organised so it is easy to program from SuperBASIC, even for tyros!

PRRFECT POINTER TOOLS

This excellent program gives you an on-screen pointer (arrow) environment of incredible smoothness, and 6 utilities with it. To explore the world of QPtr, Things, Hotkeys, Window Manager...

OKICK HULTITASKING SYSTEM

A pull-down menu controlled multi-tasking front-end, ideal for running in the background and giving you notepads, file-handlers, quick backup, clock, diary, mini-database, calculator etc etc.

DISKTOOL WITH QUICKDISK

An exciting way to accelerate disk access by upto 30%, add password protection to disks and to optionally increase disk storage capacity by 36K to 1512 sectors! All this works while maintaining full compatibility and normal disk control...

DIGITAL C SPECIAL EDITION DIGITAL C COMPLIER

Superb C compilers these - fast in execution, they produce extremely speedy and concise code. No-nonsense documentation is included. The Special Edition has many more features, including pointers, long pointers, structures, >64K code sizes, direct access to traps and vectored utilities, and is twice as fast because of its more efficient C/QDOS libraries.

TURBO BASIC COMPILER - TOOLKIT

This state of the art system will automatically convert ordinary SuperBASIC programs—the sort you buy, write yourself or type—in from magazines —into machine code, the language of the 68008 CPU, the brain of the QL. Such pure machine code programs run "directly", without the need to be interpreted by any intermediary system. This direct execution makes them MUCH faster in execution than BASIC. Turbo also adds a host of useful high-speed commands (called "toolkit" extensions" if you are found of Jargon). Here are some timings, all carried out on a JS Trumpcard QL, to give you a taste of just how much Turbo a improve things:

of Jargon). Here are some timings; all carried out on a JS Trumpcard QL, to give you a taste of just how much Turbo can improve things:

Iterations SuperBASIC Turbo'd Speedup Empty FOR...END FOR Loop 30000 49 sec 1.3 sec Empty REPEAT Integer Loop 30000 151 sec 2.4 sec 63x String concatenation 30000 448 sec 0.4 sec 110x Search through memory 300000 1410 sec 1.5 sec 900x Turbo's automatic conversion process, called compilation, is as simple as this: (1) Boot up with the Turbo disk (2) Load in or type in your BASIC program (3) Enter the word CERAGE, and watch the friendly front-end menu pop into view (4) Choose a flename for the machine code task that is to be generated and (5) Press the SPACE bar. Turbo does the rest! Compilation is a one-off process, and is very fast too - it takes little more time than LOADing the original program did! Once compilation is finished, you have a machine code version of the original program start this with EXEC, just as you used to invoke the original program with LRNUs. besides the tremendous difference in running speed, you will notice that the program loading time is cut down to a few seconds at most (big SuperBASIC programs can take half an hour or more to load). The EXEC mechanism also allows you to multitake programs, something impossible with SuperBASIC, as well as manipulate their time-priorities, link them together, exchange data and even share parts of their code while executing. If you are an advanced user, Turbo's numerous fire-tuning facilities, 200-command toolkit (a terrific complement to the famous Supertoolkit) and 300+ page manual will be irresistable. If you are a beginner, you will wonder how you ever did without Turbo's program diagnoses and auto-correction.

Turbo is more than a very clever optimising compiler. Turbo is magic. If you do not have it, you can have no conception of the experience you are missing and the power you are forfeiting.

SOLUTION WITH DR-DOS V5.0

This program transforms your QL into a pretty compatible - albeit not fast - PC clone. Solution will run over 95% of the "big name" PC software you have read about, missing out only on programs that make illegal use of the PC's operating system. Solution works solely from software so you don't have to worry about ripping your QL to pieces to fit anything, or have anything hanging out of the back, Just boot up the Solution disk and you will be using a PC, which will then ask for a copy of DOS (any) (just as it would if you were using a "real" PC). End of story-you are now using a PC. There are very few restrictions; both mono and colour CGA graphics are supported. 479K is available for PC software on a 640K machine and 667K when using Trumpcard-more than you will get on a PC or XT! Speed can be increased by using Lightning Special Edition but in final analysis just can't compare with Conqueror's speed). Because your newly aquired PC is really a QL you can multitask two or three PC programs (try doing that on a "real" PC!). You can also run QL programs alongside PC programs (DON'T try that on a "real" PC!). Converting files (data in either direction) between QL and DOS is no problem and you can re-configure the QL keyboard if you wish.

PROFESSIONAL ASTROLOGER PROFESSIONAL ASTRONOMER

Dur use of the term "Professional" in the name of an application program does mean that the quality achieved will meet or surpass the highest professional standards for that application. The term loes NOT mean that you have to have the knowledge of a professional in order to get the best out of the programs. Astrologer teaches you astrology from scratch, and enables you to produce reams (if you are short of paper, you can choose exactly how much) of narrative printout giving a person's horoscope, personality delineation, year-to-year life overview, detailed day-to-day (in fact minute-to-minute!) predictions, as well as two-person compatibility interpretations. Also provides all the technical readouts, charts and zodiacal wheels you would expect. It is extraordinarily fast (there is a great deal of very clever maths within it) and it performs the whole computation in under a second. The author of the manual is the author of this advert, so you can expect a lucid and humorous read! Whether or not you believe in astrology - indeed, especially if you do not - this program is one that you cannot afford not to have. Scores of detailed readouts for famous people are supplied, incidentally -very interesting reading they make too... Discover Mrs Thatcher's secret yearnings, explore yourself, play the Stock Exchange... Astronomer is an extremely efficient solar system computer, with planetarium views, planet faces (with shadows/eclipses), five different co-ordinate systems, isec-lday cinerama, etc.

Astrologer + Astronomer is supplied at a very low combined price.

ACT SPECIAL EDITION

The Adventure Creation Tool is for every programmer or putative programmer. Whether or not you have any interest in adventures, you will find something useful here. Animated graphics, data compression, language design and parsing, maps, object-oriented control and much more, with an excellent educational manual too.

3-D PRECISION CAD SYSTEM

2-D and 3-D design and manipulation, at a speed sufficient to permit real-time animation! Whether or not your interest is serious, 3DP will change the way you look at the world around us. The variation of viewpoint, perspective and magnification is very smoothIn addition to dot-matrix output, plotters are catered for.

SUCCESS

Run CP/M programs on your QL! What more is there to say, other than that after the PC family, no more common system exists than ${\sf CP/M}$, with thousand of cheap programs... And Success is fast!

THE EDITOR SPECIAL EDITION THE EDITOR

If your needs are for a technical Editor, or for full access to the entire ASCII character set (to handle machine code or compressed data files), or if your budget cannot stretch to PERFECTION, then this is the program for you. Editor is command-line driven and programmable. The Special Edition version is certainly better than the standard version: that is because the standard one contains only as many features as we could get to fit into an unexpanded QL. Both are fast and flexible, and very powerful indeed in the hands of the intelligent. Not a word processor, Editor's a way of life.

SPECIAL DESITOP PUBLISHER DESITOP PUBLISHER

Both these MYSINYG ("What You See Is What You Get" dtp systems are excellent in their own rights — it is only when you compare them with the stunning Professional Publisher that you become aware of their shortcomings. You won't get fonts as large or smooth as with PP, or wrap-around graphics, or as sophisticated a printer driver or text/graphics file import facility. You will get a very workmanlike tool, capable of producing output that the computer press described as fantastic and superb... The standard edition is the ideal if you do not have a disk drive: if you do have one, go for the Special version, which correspondingly has more features including textures, large windows, better drawing and improved command entry. All upgrades are possible, and there is only a £10 penalty for doing it in two stages. So if you simply cannot afford PP, one of this pair is certainly for you.

Superforth competer with reyerst

Why not learn FORTH, the most logical computer language of all? This superb FORTH-83 compiler produces stand-alone multi-tasking code of speed comparable to C. SUPERFORTH source is even portable to other machines! The manual teaches you the language.

TOIS SPECIAL EDITION

Machine code (from other people's programs, toolkits and the ROM) is unintelligible until you put it through IDIS, the intelligent disassembler. IDIS Special Edition automates everything it possibly can, and requires no human intervention. It even sorts out subroutines, replaces addresses with names, untangles data from code and so on. Standard IDIS contains as much as we could pack into an unexpanded machine, and is nearly as automatic. If you want to find out how computers work, buy one of these two!

Never be short of a four for Bridge again. Superb bidding tutor included, based on random hands dealt with lightning speed. Manual a masterpiece. Understands and obeys ACOL and much more.

SUPERCHARGE SPECIAL EDITION

If you have an unexpanded QL, or cannot afford Turbo, but want SuperBASIC programs to go faster, Supercharge is the answer. It has about half the speed of its big brother, is not as tolerant of badly-written programs, and lacks many of Turbo's features (like linking, program sizes >64K etc): nonetheless, it is the compiler about which we recieved over ONE HUNDRED happy letters from satisified users all using the word "Excellent" to describe it — and hundreds more who used other equally complimentary terms. The only gripe was about the Lenslok copy-protection, long since removed by us. So now Supercharge is wonderful....

SUPER SPRITE GENERATOR

SSG moves things about the screen rapidly, at machine code speed, directly from simple SuperBASIC. Any number of sprites (each with upto 16 frames for smooth realistic motion), 256 speeds, 256 planes, collision detection and dozens of special effects.

Super Astrologer

A cut-down version of the Professional Astrologer - smaller horoscopes and manual, no interpretations for forecasting or compatibility testing. A marvellous buy at the price!

Better Basic expert system

SuperBASIC is a super BASIC. If you want to improve your programs automatically, and learn as you do this, get Better Basic.

<u>transper uttlitty</u>

Copies files between devices, performing translates as it goes. Needs a ramdisk to run. Can move your microdrive material onto disk, so programs run from disk but you still have access to microdrives.

MONTELOR

Check dynamic operation of programs - IDIS's ideal companion.

TERMS AND CONDITIONS

**Our non-game programs are very comprehensively documented with A4 manuals averaging about seventy pages in length (the largest is 325+). They are 4-hole punched for easy binding and storage.

**UK purchasers - the quoted figures are all-inclusive. For the rest of Europe, add 5% (rest of the world, 10%) to the quoted figures to arrive at the VAT-free total (exports are zero-rated for UK VAT), inclusive of all freight and documentation charges.

**Acceptable forms of payment are sterling cheque drawn on a UK branch of a bank or building society, sterling postal order, Eurocheque made out in sterling, international money order in sterling, VISA/ACCESS/EUROCARD/MASTERCARD (specify expiry date), foreign currency cheque (add 10% conversion charge), cash, direct funds transfer (notify us in writing, and ensure that all charges are paid your end, or add 5%) to A/C 50327808 DIGITAL PRECISION LTD at Barclays Bank PLC (Branch code 20-79-44). South Chingford Branch, 260-262 Chingford Mount Rd, Londone E4 8JN.

**To upgrade from one version of a program to a superior program, send us the cartridge/disk. Except in the case of upgrades between program versions both with the same name, send the manual too. The cost of an upgrade is £10 plus the difference in current advertised price between the two programs. So the upgrade from DIGITAL C to SPECIAL EDITION DIGITAL C costs £30, and you would need to return the old manual as the program same are different. PERFECTION is not an upgrade to EDITOR, but SE EDITOR owners are allowed to claim a £5 reduction when ordering PERFECTION.

**Our programs are all user-transferable between cartridge and disk, are all free from ALL copy protection, and all work with all drives, toolkits, RAM add-ons and disk interfaces (except for early MCS interfaces, to which the emulators and media managers object). Users of the Microperipherals interface are recommended to buy the OFLP ROM upgrade from Care. ST/QL Emulator owners will benefit from a C2.7x speed increase on our softw

PRICE LIST

PC CONQUEROR WITH DR-DOS V5.0 169.95 PERFECTION PLUS WITH SPELL CHECKER 119.95	
	eT
PERFECTION PILIC WITH SPELL CHECKER 119 95	
THE COLUMN WITH DD DOC US O	oT.
THE SOLUTION WITH DR-DOS VS.U	eı
PC CONQUEROR 89.95	el
PROFESSIONAL PUBLISHER 89.95	cT
PERFECTION	dT
TURBO BASIC COMPILER + TOOLKIT 79.95	аТ
PROFESSIONAL ASTROLOGER WITH ASTRONOMER 60 05	Te
PERFECTION PLUS WITH SPELL CHECKER 119.95 THE SOLUTION WITH DR-DOS V5.0 119.95 PC CONQUEROR 89.95 PROFESSIONAL PUBLISHER 89.95 PERFECTION 79.95 TURBO BASIC COMPILER + TOOLKIT 79.95 PROFESSIONAL ASTROLOGER WITH ASTRONOMER 69.95 PROFESSIONAL ASTROLOGER 59.95 LIGHTNING SPECIAL EDITION 49.95 MEDIA MANAGER SPECIAL EDITION 49.95 MEDIA MANAGER SPECIAL EDITION 49.95 3-D PRECISION CAD SYSTEM 49.95	aT.
TRUFESSIONAL ASTROLOGER	al
LIGHTNING SPECIAL EDITION 49.95	+al
DIGITAL C SPECIAL EDITION 49.95	aT
MEDIA MANAGER SPECIAL EDITION 49.95	dT
3-D PRECISION CAD SYSTEM	Th
3-D PRECISION CAD SYSTEM	hT
THE EDITOR CRECIAL EDITION 40 05	dT
ACT COECIAL EDITION	u1
ACI SPECIAL EDITION 49.95	eı
TOOLKIT III WITH ROM	+a
IDIS SPECIAL EDITION 39.95	dT
EYE-0	aT
THE SOLUTION 39 95	eT
SDECTAL DESKTOD DURI ISHED 20 05	of
CIDEDENDED CONDITED WITH DEFENCE	-7
ACT SPECIAL EDITION	aı
MICROBRIDGE	d_
PROFESSIONAL PUBLISHER TOOLBOX 29.95	eT
TOOLKIT III	a
OFLICK CARD INDEX SYSTEM	a
PERFECT POINTER TOOLS 29 95	a
SUPER SPRITE GENERATOR 20 05	2
CIDEDCUADGE CDECTAL EDITION 20 05	a
DDOCECCIONAL ACTIONAL EDITION	er.
PROFESSIONAL ASTRONOMER	II
THE EDITOR	at
DIGITAL C COMPILER 29.95	at
GAMES COMPENDIUM (ALL FIVE GAMES) 29.95	a
OKICK MULTITASKING SYSTEM 24.95	a
OKICK MULTITASKING SYSTEM 24.95	a
OKICK MULTITASKING SYSTEM	at
SUPERFORTH COMPILER WITH REVERSI 39.95 MICROBRIDGE 34.95 PROFESSIONAL PUBLISHER TOOLBOX 29.95 TOOLKIT III 29.95 OFLICK CARD INDEX SYSTEM 29.95 PERFECT POINTER TOOLS 29.95 SUPER SPRITE GENERATOR 29.95 SUPER SPRITE GENERATOR 29.95 SUPERCHARGE SPECIAL EDITION 29.95 SUPERCHARGE SPECIAL EDITION 29.95 THE EDITOR 29.95 THE EDITOR 29.95 DIGITAL C COMPILER 29.95 GAMES COMPENDIUM (ALL FIVE GAMES) 29.95 GAMES COMPENDIUM (ALL FIVE GAMES) 29.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95	a at aT
QKICK MULTITASKING SYSTEM	a at aT f
OKICK MULTITASKING SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95	a at aT f
OKICK MULTITASKINĠ SYSTEM	a at aT f d a
OKICK MULTITASKING SYSTEM . 24.95 IDIS INTELLIGENT DISASSEMBLER . 24.95 LIGHTNING . 24.95 SUPER ASTROLOGER . 24.95 DESKTOP PUBLISHER . 24.95 MEDIA MANAGER . 24.95 BETTER BASIC EXPERT SYSTEM . 24.95	a at aT f d a aT
QKICK MULTITASKING SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95	a at aT f d a aT eT
QKICK MULTITASKING SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH OUICKDISK 19.95	a at aT f d a aT eT b
QKICK MULTITASKING SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 DISKTOOL WITH QUICKDISK 19.95	a at aT f d a aT eT b
QKICK MULTITASKING SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 ULTRAPRINT 19.95 MONITOR 19.95	a at aT f d a aT eT b aT
QKICK MULTITASKING SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 ULTRAPRINT 19.95 MONITOR 19.95	a at aT f d a aT eT b aT aT
QKICK MULTITASKING SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 MONITOR 19.95 TRANSFER UTILITY 9.95	a at aT f d a aT eT b aT aT b
QKICK MULTITASKING SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 ULTRAPRINT 19.95 MONITOR 19.95 TRANSFER UTILITY 9.95 GRAFIX 9.95	a at aT f d a aT eT b aT aT b eT
QKICK MULTITASKING SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 ULTRAPRINT 19.95 MONITOR 19.95 TRANSFER UTILITY 9.95 GRAFIX 9.95 SUPER BACKGAMMON GAME 9.95	a at aT f d a aT eT b aT aT b eT f
QKICK MULTITASKING SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 ULTRAPRINT 19.95 MONITOR 19.95 TRANSFER UTILITY 9.95 GRAFIX 9.95 SUPER BACKGAMMON GAME 9.95 REVERSI GAME 9.95	a at aT f d a aT eT b aT aT f f
QKICK MULTITASKINĠ SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 ULTRAPRINT 19.95 MONITOR 19.95 TRANSFER UTILITY 9.95 GRAFIX 9.95 SUPER BACKGAMMON GAME 9.95 REVERSI GAME 9.95 ABCADIA GAME 9.95	a at aT f d a aT eT b aT aT f f f f
OKICK MULTITASKINĠ SYSTEM IDIS INTELLIGENT DISASSEMBLER LIGHTNING SUPER ASTROLOGER DESKTOP PUBLISHER MEDIA MANAGER BETTER BASIC EXPERT SYSTEM 24.95 BETTER BASIC EXPERT SYSTEM 24.95 BOUT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 ULTRAPRINT 19.95 WONTOR TRANSFER UTILITY 9.95 SUPER BACKGAMMON GAME 9.95 REVERSI GAME ARCADIA GAME 9.95 BILOCKI ADNES GAME	a at aT f d a aT eT b aT aT f f f f f
QKICK MULTITASKINĠ SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 ULTRAPRINT 19.95 MONITOR 19.95 TRANSFER UTILITY 9.95 GRAFIX 9.95 SUPER BACKGAMMON GAME 9.95 REVERSI GAME 9.95 ARCADIA GAME 9.95 BLOCKLANDS GAME 9.95 DDOLUZONE CAME 9.95	a at aT f d a aT eT b aT aT f f f f f
OKICK MULTITASKINĠ SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BEITER BASIC EXPERT SYSTEM 24.95 FONT ENLARGER 19.95 DISKTOOL WITH QUICKDISK 19.95 ULTRAPRINT 19.95 MONITOR 19.95 TRANSFER UTILITY 9.95 GRAFIX 9.95 SUPER BACKGAMMON GAME 9.95 REVERSI GAME 9.95 ARCADIA GAME 9.95 BLOCKLANDS GAME 9.95 DROIDZONE GAME 9.95	a at aT f d a aT eT b aT aT f f f f f f
SUPER ASTROLOGER 24.95	f d a aT eT b aT aT f f f f f
SUPER ASTROLOGER 24.95	f d a aT eT b aT aT f f f f f
QKICK MULTITASKINĠ SYSTEM 24.95 IDIS INTELLIGENT DISASSEMBLER 24.95 LIGHTNING 24.95 SUPER ASTROLOGER 24.95 DESKTOP PUBLISHER 24.95 MEDIA MANAGER 24.95 BETTER BASIC EXPERT SYSTEM 24.95 BOLSKTOOL WITH QUICKDISK 19.95 ULTRAPRINT 19.95 MONITOR 19.95 TRANSFER UTILITY 9.95 GRAFIX 9.95 SUPER BACKGAMMON GAME 9.95 REVERSI GAME 9.95 BLOCKLANDS GAME 9.95 DROIDZONE GAME 9.95 L As well as a cartridge or disk, you get a ROM ! Available either on cartridge or disk ! Available only on disk	f d a aT eT b aT aT f f f f f

Available only on disk Minimum 512K RAM:only available on disk Minimum 256K RAM:either cartridge or disk Minimum 256K RAM:only available on disk cd Available only on cartridge Compatible with THORs including the THOR XVI Compatible with all THORs except the THOR XVI T

LIMITED PERIOD: SPECIAL DEALS ON OUR PROGRAMS

UPGRADES COUNT AS PROGRAMS FOR COMPUTING SPECIAL DEALS DR-DOS (NOT BEING OUR PROGRAM) MUST NOT BE COUNTED

Poor Moderate Good Excellen		
Installation	A	
Ease of use	A	
MS-DOS compatibility	A	
Use of PC's features	A	
Punctionality	A	
Documentation	A	
Twortal	Yes	
Value for money	A	



*We can now supply the amazing new DR-DOS

*We can now supply the amazing new DR-DOS

*So, normally sold for £119,95+VAT+P&P =
£144, for £80 all inclusive (when bought
with Conqueror/Solution, or by MSDOS users
(who can at the same time send in the old
conq/Sol disk for a free upgrade) - else
£90! This best DOS has 600+ page manuals
viewMAX. Cache, online Help, screen Editor,
command-line History, passwords, Files(I.4Mb),
top compatibility & DR technical support.
or compatibility & DR technical support.
The Conqueror

Conqueror

AND THE COUNTED

**We can now supply the amazing new DR-DOS

**We can now supply the amazing new Das All Inclusive new lands

**We can now supply the amazing new Das All Inclusive new lands

To:	DIGITAL	PRECISIO	N LTD
222 TH	E AVENU	E, LONDO	N E4 9SE

ORDER COUPON

Or telephone 081-527 5493

Please send me:		是一篇中间中型 (A. 2011年) 12 (A. 2011年)	
Name:	Address:	计算数据文本的	
		Postcode:	
Enclosed: CHEQUE/PO/	CASH/VISA/MASTERCARD/ACCESS/EUROCARD for £	Signature:	
Card No.	Evoing		

Luse: (QL/THOR) (MDV/3.5' DISK/5.25' DISK) (360/720/1440 SECTORS)

ADIGITAL PRECISIONLE

OFTWAREF OLITA

INFORMATION

Program: Solitaire V 1.01

£15.95 (includes air mail charges, but check current price before ordering. Visa and Master Card ac

cepted).

Supplier: Sharp's, Box 326, Mecĥanicsville, Virginia 23111, USA. Tel: (USA) (804) 730 9697. Fax: (USA) (804) 746 1978

olitaire is a standard game for computers, but it doesn't seem to have attracted as much attention on the QL as some other games, such as Othello. Maybe the problem of making acceptable images of playing cards puts programmers off. The writer of Solitaire has made a commendable job of the cards, and their 'pips'. Lack of a standard QL mouse makes it necessary to write such games for keyboard use, or restrict them to the very limited market of one type of mouse, or write different versions for several types of mouse. The latter two options make no sense for a supplier with a small market, so this version is played from the keys. It is compiled with QLiberator and

Bryan Davies takes some time to be alone with his computer.

there are no serious delays in operation.

Instructions are in a Quill_DOC file, and are quite straightforward, taking up a little more than one page. The boot file serves only to put up the initial screen, and EXEC_W the program file. You can alter this to EXEC and multi-task the program, but there is only one point at which a cursor is displayed, so you need to be there when switching to other programs. The first actual program screen is a list of high scorers, to give you something to aim at. The lowest score on there is 150, the highest 1550 quite a range. There are two levels of play, with the lower one being the easiest and scoring only half the points of the higher one. My first attempt netted 650, with the half-points level, so neither disgrace nor a prize looked likely.

Once the game gets going you

are aware of one of the OL's big weaknesses, namely the lack of colours in high-resolution mode; text is displayed in white on a green background, which is not a very visible combination on my Cub screen. Apart from this, the cards and but this one interested me enough to want to play it again and again. Maybe it is a function of simplicity, or some Luddite streak in me. Whatever the reason, Solitaire kept me at it for several dozen tries, after which my score had finally exceeded the highest on the default list by a sufficient margin for me to retire gracefully. It reminded me a bit of the 'battleships' game tested




their markings are well done, and the overall layout is clear. Ten keys are used to signal the moves you wish to make. You press a key to identify one of the seven columns into which the cards are initially dealt, one to move a card to the 'foundations' (the four piles onto which the suits are assembled by you), one to move a card from the deck (the remainder of the cards, not in the columns or foundations) and one to turn cards from the deck three at a time (only one at a time for Level 1). The program appears to trap 'illegal' moves (but no attempt was made to try all the possibilities for this).

Games tend to leave me totally cold, especially if they concentrate on eating or acquiring treasure of some form, some while ago, which seemed to retain interest by virtue of its sheer simplicity, and some good touches on the display.

A very minor fault is that when y is selected in answer to the question 'Another game?', the y sometimes turns up as the choice for the next option, 'Please select level 1 or 2'. Since the y is ignored if you key in 1 or 2 and press ENTER, no disruption to the flow of the games need occur.

This is a good little game to have around for some light relief from serious computing. Reasonably-priced, it's easy to learn and play. You are unlikely to make the maximum score, so there's always a target to aim for. Not too taxing for us simple folk!



		Z 88
EaZy Money	£71.00	Centronics Interface £31.00
Z-Base	£71.00	128K Eprom Pak£53.00
Z-Tape	£51.50	128K RAM Pak£53.00
Z-Term	£51.50	Z88 Computer£236.00
ThinkZ	£51.50	512K Ram Pack £202.00
Superchip 4	£154.00	256K Eprom Pack £58.50
Golf	£25.50	1Mgb Ram Pack £237.50
Spellmaster	£60.50	Squeeze 88£48.00
Cambridge Topper	£10.50	Superchip 3£133.50

PSION ORGANISI	R
Model XP2£113.00	Psion Printer£236.00
Model LZ£154.00	Spelling Checker £30.00
Model LZ 64£195.00	32K Datapak£36.00
Centronics Interface	128K Datapak£102.50
£41.00	32K DRam£57.00
Comms Link£61.50	



COMPUTERWARE

the QL stockist

Tel: 0303-81-2801

HARDWARE	DESCRIPTION OF THE PERSON
AMERICAN STREET, THE STREET, S	0000 50
768K Trump Card	
256K Trump Card	£138.50
768K Trump Card and Dual 3.5" Di	
	£384.50
256K Trump Card and Dual	
3.5" Disk Drives	£292.00
256K Trump Card and Single	
3.5" Disc Drive	£215.50
Centronics Interface	£30.00
Disk Card	£102.50
Keyboard-90 Interface	£77.00
QL Scanner	£143.50
QUIMI Interface with mouse	£101.50
Tandata OCOM sot	601 00

CDADEC	The state of the s
SPARES	
Keyboard Membrane	£8.50
JS ROM set	£31.00
ZX 8301	£15.50
ULA ZX8302	£10.50
MAB 8049	£7.50
2G 007E	10.50
MC 68008	£26.50
M/drive assembly-(complete)	28.00
Microdrive Assembly (exchan	ge)£21.50
Voltage regulator (high output	£5.00
QPower Regulator	£25.50
QL Test kit	£14.50
Repairs	phone

SUNDRIES	
VDU cleaning kit	£7.50
Disk Cleaning Kit 3.5"	
10 Microdrive cartridges	
Microdrive Cartridges - 4	
100 Microdrive labels	
Discs 3.5" 10 DSDD (branded)	£26.00
Discs 3.5" 10DSDD (unbranded)	£11.50
Power Clean Mains Filter	£24.50
Joystick + adaptor	£18.50
Psion 2.35 Set	£23.50
QL Dustcover	£6.00
Printer Ribbons	

THE PROPERTY OF THE PARTY OF TH		20
BUSINESS Cash Trader £61.50 Project Planner £30.00 Sales Invoice £20.50 Small Traders Pack £25.50 Stock Accounting System £41.00	Forth £31.00 IDIS £25.00 IDIS Special Edition £40.00 Macro Assembler - GST £25.00 Macro Assembler - Talent + £20.50 Pro Fortran - 77 £101.50 Pro Pascal £101.50	Prof. Astr Snooker Strip Pok Super As Super Ba Type 22
TEXT	QMON 2£20.50	Aguanau
Master Spy £31.00 Page Designer 2 £36.00 Perfection £80.00 Perfection + £125.00 Professional Publisher £90.00 QTYP 2 £31.00 SPY £15.50 Turbo Quill Plus £14.00 The Editor £30.00 The Editor Special Edition £50.00	Lightning Special Edition £60.00 Locksmith £15.50 Mailfile £15.50 Media Manager £25.00 Media Manager Special Edn£50.00 QFlash Ramdisc + t'kit £19.50 QFlash Ram Eprom £25.50 QFlash Ram Utilites £10.50 QPAC 1 £23.50 QPAC 2 £51.50	Arcanoic BJ in 3D Brain Sm Crazy Pa Crown of Deathstr Firebirds Hopper Hoverzool Jungle E Karate
The Editor Operial Edition 200.00	Q Top£46.00	King
FINANCE Home Finance [Buzz] £22.50 Investment Monitor	RPM £15.50 Sidewinder Deluxe £20.50 Super Toolkit 2 (Eprom) £30.00 Super Toolkit 2 – Reconfigurable	Land of I Lost Pha Mortville Stone Ra
CAD	£30.00	Super Ar Vroom
Eye Q£40.00 GraphicQL Plus£25.50	Success	
PCB 1 £102.50 PCB 2 £51.50 TechniQL £51.50 Technikit £25.50 The Painter £51.50 3-D Designer £39.00	Touch Typist £12.50 Ultraprint £20.00 XRef 2.00 £20.50 4 Matter £15.50	Archivist Archivist ArchRTM Cartridge Conquer Conquer
3D Precision£50.00	LEISURE Bridge Player 2£15.50	Conquer
PROGRAMMING Assembly Workbench £25.50 Basic ally £20.50 Better Basic £25.00 Digital C £30.00 Digital C Special Edition £50.00	Stridge Flayer 2	Discover Lightenir Super Fo Super Sp Supercha

	SOFTWARE
00	Prof. Astronomer£40.00
00	Snooker £13.50
00	Strip Poker£15.50 Super Astrologer£25.00
00	Super Backgammon 3 £13.50
0	Type 22£18.50
0	GAMES
0	Aquanaught 471£19.50
00	Arcanoid
0	BJ in 3D land£12.50
0	Brain Smasher£18.50 Crazy Painter£13.50
00	Crown of Sorkinen£18.00
00	Deathstrike£15.50
0	Firebirds£15.50
0	Hopper
50	Jungle Eddy £15.50
0	Karate£15.50
00	King£13.50
0	Land of Havoc£19.50
50	Lost Pharoah £15.50 Mortville Manor £15.50
00	Stone Raider £13.50
	Super Arcadia£10.50
00	Vroom£13.00
00	
00	UTILITIES
00	Archivist£31.00
50	Archivist MP £41.00 ArchRTM+ArchDEV £20.50
50	Cartridge Doctor£18.50
	Conqueror £100.00
	Conqueror MS-DOS 5.00 £180.00
	Conqueror with DR-DOS 5.00
50	£180.00 Discover £31.00
0	Lightening £30.00
0	Super Forth + Reversi£40.00
00	Super Sprite Generator £31.00
50	Supercharge Special Edition£25.00
00	Turbo £80.00

• Please telephone for details of other products not listed here •

licrodrive Cartridges – 4£13.50	THE REPORT OF THE PARTY OF THE	NATIONAL PROCESSOR AND A STREET OF THE PROCESSOR AND A STREET OF T
00 Microdrive labels	BOOKS QDOS Companion £9.00 Assembly Language Prog £9.00 Z88 Dabhand Guide £16.00 Z88 Ref Manual £16.00 Z88 Magic £16.00	Z88 Pipedream £16.00 Using Your Z88 £10.00 Z88 Computing £10.00 Z88 Software DLV Guide £40.00 Using Psion Organiser £10.00 Psion Handling Book £15.00

ALL PRICES INCLUDE VAT. U.K. POSTAGE £2.50 PER ORDER. - WE EXPORT WORLDWIDE Phone for details of other QL products OR send SAE for our latest catalogue. Credit card phone orders accepted, or send cheques, postal orders, Eurocheques, to:

TK COMPUTERWARE, STONE STREET, NORTH STANFORD, ASHFORD, KENT TN25 6DF

TELEX 966676 PMFAB G













FAX 0303 812892

CL S C E N E

Expansion board from Falkenburg

Jurgen Falkenburg (Computer Technik) has produced a new expansion board for the QL. Falkenburg reports that the QL-ROM-Card 'allows for the first time access to the complete QL memory range for several applications'. He recommends it for both unexpanded QLs and models with current ram expansion and disk drives. It can be used to expand rom or ram memory. With the additional power-protected MOS-RAM-Disk, it supports the installation of a reset and powerfailsafe, write-protectable RAM_Disk (mos1_ to mos8_), with up to 256 KB for the QL with two ROM-Cards installed. Selection between different applications is done with an

address range selector and other features of the expansion board.

Four memory banks are available on the board, each with a type-selector to choose between the sram and eprom available.

The board's integral battery backup and write protection switch all the use of static rams to replace eproms, so that an external eprom programmer is not necessary. The buffered rams are designed to hold their contents for more than six months before the batteries have to be recharged.

With the addition of the MOSdisk driver available, the MOS-Ram-Disk can be installed. This is recommended by Falkenburg as 'ideal for users working only with microdrives'. Frequent use programs can be copied to the ramdisk and can then be started from the MOS-Disk. Rommable software like Quill can be run directly from the MOS-Disk memory, leaving ram space free for data.

More than one ROM-Card may be used simultaneously, depending on the number of other peripherals in use with the QL. The free selection allowed from each memory socket allows a variety of combinations which are explained in the user manual. Basically, the different memory types may be expanded with a QL-ROM-Card depending on base address selected and the type

and size of memory installed. The QL may be expanded to 1008K of memory with a maximum of 368 K rom, 896 K ram and 256 K MOS-Disk.

The QL-ROM-Card cannot be used alongside the TrumpCard with 738 K ram, or the Gold Card.

The export price of the QL-ROM-Card is DM 157 (£52) or DM 210 (£70) including the MOS-Disk driver and static rams.

The fact sheet from which this information is drawn is available from Jurgen Falkenburg, Thanweg 36, D-7359 Ersingen, Germany.

MORE ON QIMI

Quanta has contacted QL World with further information about the *Qimi* mouse and interface (*QL Scene*, September 1991). Manufacture of the Qimi interface board in the UK has been commissioned by Quanta, who are therefore able to offer the board (to Quanta members only) free of commercial overheads at the considerably reduced price of £25 plus £2 post and packing.

Bill Richardson of EEC has told Quanta that he will no longer be selling the imported interface board, but still has a stock of Qimi Mice available for sale. The UK-manufactured board will be available to nonmembers from Data Systems for £35 plus £4 post and packing.

Says Quanta Chairman Phil Borman: 'Some of our members misunderstood the report and assumed that Quanta must be buying its boards from Jochen Merz. This is not the case.'

Data Systems man Chris Gregory can be contacted on 0272 513653 during social hours.

Changes in Spain

The Spanish QL users' club in Madrid is now named *QLiper*, and publishes a 3.5 inch diskbased magazine bi-monthly. QLiper welcomes any owner

of a computer running a Qdos compatible operating system.

Contact Marcos Cruz, Acacias 44, 28023 Madrid, Spain.

All Formats dates

Dates booked for the All Formats Computer Fair for the remainder of the year are: London Horticultural Halls, Westminster, November 3; Midlands, National Motorcycle Museum, opposite the NEC, November 10; Scotland, City Hall, Candleriggs, Glasgow,

December 1; London Horticultural Halls, Westminster, December 14; Leeds, University Sports Centre, December 15. The organisers write: 'Tip: Come after lunch, when there are no queues, stallholders are more accessible and prices are often even cheaper.'

Advance tickets and information from John Riding, tel: 0225 868100.

Toolkit errata

Two printing errors appeared in DIY Toolkit in last month, for which we apologise.

The listing one on page 38, one line is missing from the bottom of

the listing. This should read: bne.s check chan

The seventh paragraph in the first column of page 39 should read: 'The Turbo-Toolkit variant has the most comprehensive checks. Listing two detects most errors, but may stop if you run out of memory. . .'

OPENCHANNEL

Open Channel is where you have the opportunity to voice your opinions in *Sinclair QL World*. Whether you want to ask for help with a technical problem, provide

somebody with the answer, or just sound off about something which bothers you, write to: Open Channel, Sinclair QL World, 116/120 Goswell Road, London EC1V 7QD.

Sorcerer

I was recently shown a copy of *Sinclair QL World* by a friend of my daughter. He owns a QL (several, in fact) and is currently working on a very high resolution graphics board for the QL with a lot of success.

The copy in question was the May 1990 issue, and contained a Printer Report in which three contributors described their experiences when linking three different printers to the QL.

One of your contributors,

John de Rivaz, tells of his efforts to link a NEC P2200 to his QL and to his Exidy Sorcerer, and of his need for some kind of reset feature.

I do not own a QL but I do own a Sorcerer (several, in fact) and have had similar problems linking it to an Epson MX80F/

Concerning his reset problem, I have fitted a neat looking pushbutton (single pole) to both my Epson and my Star. This pulls the INIT signal line (activelow) at Centronics input pin no. 31 down to 0V ground

when I want to clear the printer buffer of rubbish. This method does not cause the Sorcerer to crash as switching off the printer does.

I find his remarks about the Sorcerer and his word processor very interesting because I too had similar problems. The word processor program I use is one originally produced by Exidy and Testan Scientific together and supplied to Sorcerer users in a Rompac. I have a similar program on tape and on disk which I have modified to enable the wordprocessor program to control an Epson printer via codes embedded in the text. If his word processing program is similar to mine in having the output to the printer fed via a vector address, then he could insert this patch into the output chain quite easily by changing the vector address to point to the patch.

The patch I have is in Z80 code (a cpu that Sinclair long ago abandoned!) but the algorithm could be used on the QL so if anyone is interested I will reply to any comments or queries I get.

I am particularly curious about the set-up that Mr de Rivaz has with his Sorcerer and wordprocessor and would be grateful if you could put me in touch.

Jack Swain Hitchin Herts

ASSESSED SESSESSES

Editor's Notebook

This month sees the end of the 'mainly for beginners' section of the *New User Guide*, and we know from the letters we have been receiving that new and not-so-new users have found the guide helpful in clarifying and supplementing the original Sinclair QL User Guide (pages 25 to 28).

But fear not! We continue next month with the second part, on SuperBasic and the QL keywords. Author Mike Lloyd compares the 'beginners' section to getting ready for a driving test. Now we can get out on the road.

As a footnote to comments by Digital Precision's Freddy Vachha in Troubleshooter this month, reader Grigoriadis Stathis wrote to us to ask advice on importing QL hardware to Greece. Our first hint is: give your full address. If he writes to us again with his full address, not only will we write to him, we will forward his enquiry to experienced exporters Miracle Systems. We also have a packet for Erling Jacobsen, thanks to fellow reader GM Pheasant, but not his address.

Please write, Erling.

Gold Award

Digital Precision Ltd. only praises when praise is due; consequently we don't praise other people's products very often! However...

Gold Card is fantastic, terrific and superb, and is both strongly recommended and endorsed by Digital Precision Ltd. It is excellently designed and engineered. It is quite a bit faster than its manufacturers claim (about eight times faster than a 'standard' QL and about five times faster than the most common Trumpcard). It is very reliable, and, perhaps most importantly, it is very compatible – compatibility with most programs (and all of ours, as far as we know) is perfect.

Miracle Systems are to be congratulated for Gold Card and castigated for the overmodesty of their advertisement for it: Gold Card is far better than they make out!

Many Perfection users have told us they think Perfection is the QL product of the year. Digital Precision disagrees – pride of place goes to Miracle for Gold Card (with Perfection a close second). Bravo, Miracle! Long live the QL.

Freddy Vachha Managing Director Digital Precision Ltd

Precision

Ibought my first QL in January 1987 after reading a review in that month's edition of QL World of a new word processor by Digital Precision called *The Editor*. The description indicated that the program was efficient, fast and very flexible. So it proved to be, with further extensions in scope as it was developed into *The Editor Special Edition*.

Over a period of time, one becomes attached to a word processor as proficiency and familiarty increases. To contemplate change involves quite a wrench, but in May 1991 I again read in QL World a glowing report of a new word

processor by Digital Precision, this time called *Perfection*. Clearly much had happened in the period between the two programs, and I decided to purchase it.

The program has a precision feel to its operation, continues the tradition of flexibility and is very fast. It seems designed to give equal satisfaction to occasional users who can mainly implement commands via the menus and regular users who have the opportunity to use the faster commands.

I have no connection with Digital Precision and its design team, but I offer them my congratulations on a major development for the QL.

R E Copland Ryhope Sunderland SR2 0HT

QL and Mac

I am an ex-QL user (largely) but would like to suggest to QL owners and Amstrad that Amstrad make a cheap CE-1 computer that could run Mackintosh software and be QL-compatible.

Such a machine with a 68020 or 30 processor could be upgraded to 68040 in future for real QL power.

By the way, I have some QL software and blank cartridges. If any QL owners in Australia would like a list of titles, please write to me.

Wayne Mocrellini PO Box 309 Gordonvale Q 4865 Australia

Registered

For years I've borne, with irritation, the fact that Quill and my printer have never reliably kept continuous pages in register. Now I have finally got the solution. First, the preamble in the printer data has to be extended using Install_bas to cancel the automatic perforation skip of the printer. On my Epson-style printer this is done by adding 27.79 (ESC, capital 0). Second, the lines per page in the printer data has to be changed to 70 for A4 paper (presumably 72 for 12 inch paper). Thirdly, using 'Design' on the Quill document, the

upper and lower margins are set to zero and the lines per page to 61. The 70 is essential, since it fixes the pitch of the page. The upper margin is set by where you set the page in the printer before starting. The lower margin is set by the 61, since this number fixes how much of the page is printed, counting from the first printed line to the 'page n' which Quill prints three lines below the last line of text on the page. The number of lines actually printed per page is therefore 58. Choice of 61 gives a fourline clear margin at the foot of the page. This means that this number can be set to anything up to a maximum of 65

None of the above information is obtainable from the original documentation, which specifically states that the default settings of both 'Design' and the printer data are for A4 paper. The 'page n' mentioned above, and the spacing between it and the text, is a default setting of the 'footer', a fact which also is not stated in the manual, and which it might take the casual baffled user, who never has use for a footer, a year to find out. The setting can be changed using the 'footer' instruction.

> Walter Stanners Over Cambridge

Underlined

In the May edition of *QL World*, Beryl Crawley described a problem with *Quill* which had the effect of underlining all her screen output. I also had a similar problem, but it disappeared some time ago and I am not sure why. I suspect it might have to do with the *QL* overheating, in which case I

recommend Care Electronics' QPower Regulator, which I found simple to fit (I am not an engineer). The only other 'modification' I have carried out on the QL is to buy a mains interference suppressor, available from most electrical shops.

G W J Daniel Heath Cardiff

Basics

QL users are staunch supporters of Qdos and SuperBasic. The operating system is without doubt an excellent one, but though SuperBasic is powerful there remain possible enhancements which can be found in other Basics. There are times when I look enviously at the Basic of Acorn computers, which have such things as VAL and OLD, or for that matter CHAIN, which allows one Basic program to call another and pass parameters to it.

I also like some of the Basic constructs of the SBASAG extension Research to Machines' RMBasic, written for the RM480Z machine by Software Production Associates. It is not difficult to utilise SuperBasic keywords to emulate all of these, indeed, LOOP... ENDLOOP/REPeat. . END REPeat and CASE. . .ENDCASE/SELect. . . ON. . . . END SELect are equivalents, but the availablility of the WHILE...DO...ENDWHILE and IF. . . THEN. . . ELIF. . . ELSE. . . ENDIF constructs would be an enhancement to SuperBas both would improve the readability of programs by avoiding the need for additional nested conditional IF... END IF or SELect... END SELect constructs.

I particularly like ELIF, which would read better in its unabbreviated form of ELSEIF or ELSEIF. For those unfamiliar with SBASAG, the specimen here shows the use of the SBASAG keyword ELIF.

Much neater, don't you agree? Perhaps some enterprising reader could, in the interests of portablility of software and of general flexibility, write some SuperBasic extensions to emulate these to save the chore of amending such software. For the RM480Z machine, SuperBasic's EDIT, CLS with parameter and WINDOW would also be welcome USR additions.

Other readers may know of other desirable extensions to SuperBasic that exist on other Basics. Simon Goodwin occasionally requests suggestions for toolkit extensions. I wonder if he, or any other contributor, would consider writing some articles showing alternative ways in which the construction that exist in other Basics could be emulated on the QL using existing keywords, and also write some machine code extensions for the more useful ones.

Perhaps you would consider commissioning a series in the format of the old monthly Keyword page. This would serve the purpose of enhancing our own Basic and making it easier to port Basic programs written on other computers over for use on the QL. I recall that this was the justification for having some of the interior Basic constructions such as the FOR. . . NEXT loops, GOTO and GOSUB in the OL rom. We still have these, but wouldn't it be even better to have their extras also?

> Ron Allpress Thwaite Suffolk

THE ULTIMATE PERSONAL DIGITAL DIARY



IT'S A ...

TELEPHONE DIRECTORY

CALCULATOR MEMO-PAD

CALENDAR SCHEDULE KEEPER

SECRET FILE PLUS SO MUCH MORE

Only £69.95 (plus p&p)

The Casio Digital Diary will organise your personal and business data at a stroke. The large liquid crystal display screen offers you simple and easy viewing.

A built-in 199 year calendar lets you enter a date to recall the calendar for the entire month to the display. You can even recall any month up to the year 2099. Simply enter a time and description and your daily appointments are automatically stored and displayed in chronological order.

All your daily schedules are indicated by marks that appear on the one-month calendars for quick monthly reviews. Each schedule item



has a 55-character capacity which allows you to include the who, what, when and where of each appointment made. Just a stroke of a key, whisks you into the Telephone Directory where 1500 numbers can be easily stored.

CUSTOMER SERVICE TEL: 0795 532109 9am-5pm Monday-Friday Up to 96 characters for each name and 96 characters for each number — all in alphabetical order. With a useful Memo Function, Calculator Facility plus a Secret File to protect your information from prying eyes — This must be one of the best pocket-size digital diaries around.

The Casio Personal Digital Diary is yours for only £69.95 plus p&p — All we ask is that you don't leave home — without one!

Post the coupon — Today!

SINCLAIR QL
DEPT KSQL, 118 WEST STREET, FAVERSHAM, KENT ME13 7JB

	P	RI	0	RI	T	Y	0	R	D	ER	1
Т	ATT.		_	1016					т		

SINCLAIR QL Dept KSQL 118 West Street, Faversham, Kent ME13 7JB PLEASE SEND ME THE CASIO PERSONAL DIGITAL DIARY

Name	BLOCK LETTERS PLEAS
Address	consists by the
76.18	
	Post Code
Tel No: (in case of queries)	
I have enclosed my Cheque/P	ostal Order made payable to
R&PD READER ACCOUNT for £additional £2.50 postage	
Allow 28 days delivery	
No claims for loss in transit of	can be made after 60 days



OFTWAREFILE


INFORMATION

Program: Vision Mixer Plus. Needs min. 256K ram, and monitor display.

Supplier: Dilwyn Jones Computing, 41 Bro Emrys, Tal-y-Bont, Bangor, Gwynedd, LL57 3YT.

Price: £22.50. $3^{1}/_{2}$ or $5^{1}/_{4}$ in disks only.

ision Mixer Plus is a natural improvement on the video effects program Vision Mixer by Dilwyn Jones, which I reviewed in QL World, January 1991. The enhancements now include 50 wipe effects (many new), the number of screens is no longer limited by the available ram, mode 4 and mode 8 can be mixed and a few other



VISION MIXER PLUS

small benefits. The main applications, as before, are seen to be in lecturing, business presentations, advertising and entertainment. Indeed they have been used very successfully at Quanta workshops, notably in Portishead.

The program comes with an easy-to-follow 16-page manual which contains all the information needed. A special section is added to show how the user can run from a hard disk setup.

This upgraded program allows the construction of more screens and sequences than was possible with *Vision Mixer* and requires only 128K of memory expansion. This is because *Vision Mixer Plus* does not require the whole sequence of screens to be pre-loaded into the computer's memory. Only one screen at a time is loaded just before it is due to be displayed. Two key characteristics follow directly from this:

John Shaw mixes it . . .

Firstly, the maximum number of screens which can be placed in a display sequence is not a function of the size of memory, but of disk drive capacity – 44 screens for a twin 3¹/2inch drive using 1440 sector disks, 88 for four such drives (22 per disk), many more for a hard disk.

Secondly, the medium on which the screen images are stored must be available for constant access when the display sequence is running. Floppy disks holding the screen images must remain in one or more of drives flp1_, flp2_, flp3_,flp4_(or the screens must be stored in Ram2_). A hard disk directory Win2_ holding such screens must be similarly accessible.

The peak memory required by the suite is about 100K, leaving a similar amount free even with only 128K of memory expansion. The main program MENU shows the free memory, updated each time the MENU is displayed. The program now permits very long sequences of screen images to be presented with, or without human intervention.

It includes a selection of effects for use in the transition from one screen to the next (wipes). In the random WIPE and random colour mode, the program not only offers many hundreds of different interscreen effects, but it also provides for the WIPE colour to be fixed and/or specific WIPEs to introduce specific screens.

Users with larger memory expansions have the option of copying some, or all of the screens of a sequence onto a ram disk (RAM2_) before running the program (subject to available free memory). This

facility can be used to supplement disk storage capacity, or to prevent excessive drive wear when running the program for long periods on a regular basis. A program, RAMLOAD_EXE is included on the disk to help facilitate this.

The time interval for the display of each screen is at the user's choice and can be very easily changed, as can be the choice of screens in a sequence, the order of their presentation, the allocation of WIPEs to particular screens and the WIPE colour.

Examples of some of the 110 wipes which are now included on the disk are:

- 1 Venetian Blind Down
- 2 Venetian Blind Up etc.
- 3 Diagonally Split Blockout
- 4 Venetian Blind in Halves Down& Up
- 5 Blockout in Halves Down & Up

6 Multi-split Venetian Blind Up & Down

7 As Wipe 6, but solid blockout 8 Two-colour Venetian Blind Down & Up

9 Vertical Venetian Blind 10 Wipe 1 Plus Wipe 9 – two colours

11 Wavy Front Blockout 12 Two wide "snake" Blockout with gaps

13 Multiple Blocks with horizontal gaps

14 Multiple Blocks with vertical gaps

15 Wipe 14 plus Wipe 13 16 Wipe 8 plus Wipe 15 17 Vertical Venetian Blind –

wide gaps 18 Wipe 9 plus Wipe 17 19 Four narrow "snake" Blockout with gaps

20 Two-colour Concentric Circle Blockout

All of these screen sequences, and indeed the other ninety, can be SAVED and re-LOADed automatically for immediate use on another occasion.

Users of the original *Vision Mixer* will have to change their methods when using *Vision Mixer Plus*. The much higher overall speed and screen sequence capacity of the latter coupled to its much smaller memory consumption and ease of making changes should allow the imagination to run riot.

Screen

The Vision Mixer screen images fill the whole screen, as do the wipes. In Vision Mixer Plus the bottom window (channel #0) is used to show the message, or screen title, forming an inherent part of the saved Screen and is not affected by the wipes. This deliberate difference stems from the need to have a set space and format for descriptive text when it is used for lectures, or advertisements.

So here we have the natural progression to *Vision Mixer*, a Rolls-Royce program with the versatility and scope needed to give a much more professional presentation.

A companion program, *Picturemaster*, by Joe Haftke, also available from Dilwyn Jones Computing, allows for the generation of many more new screen images, creating captions, shadowed lettering and drawings, and producing some intriguing screen manipulation effects.

INFORMATION

Program: Picturemaster.

Supplier: Dilwyn Jones Computing, 41 Bro Emrys, Tal-y-Bont, Bangor, Gwynedd, LL57 3YT.

Minimum 256K ram required. Monitor display preferable. $3^{1}/2$ or $5^{1}/4$ in disks.

Price: £15.00

creenmaster is a comprehensive utility designed to make screens for use with Vision Master or Vision Master Plus. These screen images can be 'pictures', or text, or a combination of the two.

Text can be produced in a variety of styles, and visuals can be generated using lines, rectangles, circles and ellipses. The figures can be moved, rotate and have their size varied without any limitations and in any QL colour in mode4 and mode8.

Menu

Included are 30 ready-made procedures for making different screens by a simple choice from a menu. Most employ the use of random numbers, resulting in a much larger

PICTURE MASTER

... and gets into the picture.

selection of screens than the 30 basic designs would suggest. They are as follows:

1. Star 2. Tapes 3. In_sets 4. Twirl 5. Flying Sign 6. Logo 7. Spirals 8. Flowers 9. Fans 10. Vortex 11. Icons 12. Colours_4 13. Colours_8 14. Kite 15. Pumpkin 16. Clover 17. Collage 18. Dart 19. Ant 20. Tent 21. Cones 22. Off_sets 23. Kaleido 24. Fish 25. Printsize_4 26. Printsize_8 27. Bookmark 28. Desert 29. Ellipses 30. Objects.

These and others can be dumped to a suitable printer, with the aid of the user's own copy of "gprint_prt" (a part of Psion Easel). The most important feature of the program is that it is deliberately made available in SuperBasic so that users can modify it.


You can generate a large

number of pre-programmed, attractive screen pictures or adapt your own screens to the *Vision Mixer Plus* format with text captions or make text screens in a variety of colours, size and style combinations, very simply and fast.

Similarly, you can generate a variety of geometric figures and patters and create/enhance screen images, using any combination of the above.

If you prefer, you can QUIT the program and use its many PROCedures as direct commands. Used in this mode, the program still offers all the capabilities of the formal options, but allows the user the freedom to modify parts of the program, experiment and improvise.

The program is supplied with a comprehensive manual which is well laid out and easy to follow.





CARTOON CLASSICS PACK NEW!

HARDWARE: 512K AMIGA 500 £329.99 A520 TV MODULATOR £99.99 A501 RAM EXPANSION SOFTWARE - ENTERTAINMENT

BART SIMPSON......CAPT PLANET & PLANETEERS £25.99 LEMMINGS ... £25.99

PLUS! 16 NIGHTS FREE HOLIDAY ACCOMMODATION

SOFTWARE - PRODUCTIVITY DELUXE PAINT III

PLUS! FREE FROM SILICA ARCADE ACTION PACK. PHOTON PAINT 2.0 £89.95 TOTAL RRP: £906.67

YOU SAVE: £507.67

SILICA PRICE - INC VAT + FREE DELIVERY



STAND-ALONE

• 512K AMIGA £329.99 TV MODULATOR FREE FREE

 MOUSE CONTROLLER ... **PLUS!** - FREE FROM SILICA

 ARCADE ACTION PACK £229.78 PHOTON PAINT 2.0 £89.95

TOTAL RRP: £649.72 YOU SAVE: £320.72

SILICA PRICE: £329

PLUS! FREE HOLIDAY ACCOMMODATION

SILICA PRICE - INCLUDES VAT + FREE DELIVERY

The new Arcade Action Games Pack is THE software compendium for Amiga owners, featuring ten top titles with a variety of different types of games for you to enjoy. Each title is packaged in its own plastic case, with a colour sleeve and full instructions. The Arcade Action Pack is FREE! when you buy your Amiga 500 from Silica.

PHOTON PAINT GRAPHICS PACKAGE

Every Amiga 500 from Silica Systems comes with a FREE Photon Paint 2.0 (RRP £89.95), one of the most advanced art packages available for the Amiga. With it, you will be able to harness the extraordinary graphics power of the

Amiga and produce inspirational pictures in minutes. With 4096 colours, your pictures will reach lifelike appearance. These can be animated in real-time using a vast range of graphical effects, including blending colours and dithering, stencils, shadowing, contour mapping and surface mapping. surface mapping.



16 NIGHTS HOLIDAY HOTEL ACCOMMODATION

Every Amiga from Silica comes with a FREE 72 page, full colour brochure with accommodation vouchers. These vouchers entitle 2 people to stay up to 16 nights in one hotel (or any number of hotels to a total of 16 nights) with

accommodation FREE (you could take up to six nights for four people, or other options). Choose from the 250 hotels featured in the catalogue. All you have to pay for are your meals (prices are listed in the brochure). Reduced rates in top London hotels and hotels in France are also featured.



ARCADE ACTION PACK - £229.78: Asterix - By Coktel Vision £24.99 Chess Player 2150 - By CP Software £24.95 Drivin' Force - By Digital Magic £24.95 Live & Let Die - By Elite £19.99 Onslaught - By Hewson £24.99 Pipe Mania - By Empire Software £24.99 Rick Dangerous - By Firebird £24.99 Rock 'n' Roll - By Rainbow Arts £19.99 Skweek - By US Gold £19.99 Trivial Pursuit - By Domark £19.95

ART PACKAGE - £89.95:

Photon Paint 2.0 - By Microlllusions £89.95

TOTAL RRP: £319.73

PLUS! FREE HOLIDAY ACCOMMODATION

SILICA SYSTEMS

- FREE OVERNIGHT COURIER DELIVERY: On all hardware orders shipped in the UK.

 TECHNICAL SUPPORT HELPLINE: Team of Amiga technical experts at your service.

 PRICE MATCH: We normally match competitors on a "Same product Same price" basis.

 ESTABLISHED 12 YEARS: Proven track record in professional computer sales.

 BUSINESS + EDUCATION + GOVERNMENT: Volume discounts available for large orders.

 SHOWROOMS: Demonstration and training facilities at our London & Sidcup branches.

 THE FULL STOCK RANGE: All of your Amiga requirements from one supplier.

 FREE CATALOGUES: Will be mailed to you with offers and software/peripheral details.

 PAYMENT: By cash, cheque and all major credit cards.

Before you decide when to buy your new Amiga computer, we suggest you think very carefully about WHERE you buy it. Consider what it will be like a few months after buying your Amiga, when you may require additional peripherals or software, or help and advice with your new purchase. And, will the company you buy from contact you with details of new products? At Silica Systems, we ensure that you will have nothing to worry about. We have been established for over 12 years and, with our unrivalled experience and expertise, we can now claim to meet our customers requirements with an understan-ding which is second to none. But don't just take our word for it. Complete and return the coupon now for our latest Free literature and begin to experience the "Silica Systems Service".





MAIL ORDER: Order Lines Open:	Mon-Sat	1-4 The Mew: 9.00am-6.00pm	s, Hatherley	Rd, Sidcup, ate Night Open	Kent, DA14	4DX Te Fax No:	081-309 081-308 0608	
LONDON SHOP: Opening Hours:	Mon-Sat	52 Totter 9.30am-6.00pm	ham Court Late	Road, Londo Night: Thursda	n, W1P 0BA y until 8pm		: 071-580 : 071-323 4737	
LONDON (SELFRIDG Opening Hours:	ES): Mon-Sat	1st Floor, 9.30am-6.00pm	369 Oxford Late	Street, Lond Night: Thursda	on, W1A 1A y until 8pm	B Te Ask for e	1: 071-629 extension 3914	
SIDCUP SHOP: Opening Hours:	Mon-Sat	1-4 The Mews 9.00am-5.30pm	s, Hatherley	Rd, Sidcup, Night: Friday u	Kent, DA14	4DX Tel	: 081-302 : 081-309 0017	

To: Silica Systems Ltd, Dept. QLW 1191-60, 1-4 The Mews. Hatherley Rd, Sidcup Kent, DA14 4DX

		4-414 41446	# - M # M # # # # - # # #

Mr/Mrs/Ms:	Initials:	Surname:
Address:		

Postcode: Which computer(s), if any, do you own? ...

MIRACLE SYSTEMS





QL GOLD CARD

£375 inclusive (£330 export)

- 2 year warranty
 14 day money back guarantee
- The GOLD CARD is the ultimate expansion for the QL. It speeds up program execution by a factor of about four, increases the memory to 1920K bytes and enables the QL to interface to 3.2M Byte disk drives (as well as 720K and 1.44M).
- There is a battery backed clock so that the QL powers up with the correct time and date.
- · We offer part-exchange for old expansions:

Part Ex. Item	GOLD CA	ARD price
TRUMP CARD 2	£225.00	(£200.00 export)
TRUMP CARD 768K	£275.00	(£241.00 export)
TRUMP CARD 256K	£300.00	(£263.00 export)
EXPANDERAM	£325.00	(£284.00 export)
DISK CARD	£325.00	(£284.00 export)
RAM + DISK I/FACE	£325.00	(£284.00 export)
Other Expansion	£350.00	(£305.00 export)

- All the functions on the TRUMP CARD, i.e.
 TKII, printer buffer, screen dump, RAM disk
 and memory cut, are carried over to the
 GOLD CARD.
- The floppy and RAM disk drivers now support sub-directories.

JOIN QUANTA!

QUANTA is the independent QL user's club. If you have not already joined then consider the following:

- QUANTA stands for "QL Users and Tinkerers Association" and provides a forum for users to get together.
- Members requiring guidance on software and hardware can seek out expertise from fellow members.
- Local sub-group meetings are regularly held throughout much of Britain.
- There are also workshops where we and others demonstrate our wares. Members have access to a large software library and can often find spare parts and second hand bargains at QUANTA meetings and can see new products.

The £14 (£17 overseas) subscription includes an informative monthly magazine. Most of all, though, it is good fun so contact the Membership Secretary, Bill Newell, 213 Manor Road, Benfleet, Essex, SS7 4JD, or telephone (0268) 754407 now!

Tel: (0904) 423986

To place an order by phone please have your credit card ready. For overseas customers we charge the prices shown in brackets.

To order by post, please fill in the form opposite or write to us quoting your credit card number and expiry date, or enclosing a cheque payable to MIRACLE SYSTEMS Ltd.

I O: MINA	York, YO1 3BG, U.K. Tel: (0904) 423986
Please send	me
I enclose a c	heque to the value of: £
Or debit cred	lit card
в в	xpires
Name Address _	Signature
- -	- BASE AND RESERVED TO THE RES

MIRACLE SYSTEMS





QL 3.2 Megabyte Dual **Disk Drive**

New standard for the QL

£175 inclusive (£155 export)

2 year warranty
 14 day money back guarantee

The 3.2M byte DUAL DISK DRIVE together with the GOLD CARD brings the QL system right up to date. The drive contains 2 mechanisms each able to store 3.2Mb on an ED diskette. ED actually stands for 'Extra High Density' and refers to the rate at which data bits are read from and written to the disk. ED disks transfer data at 1 Megabit per second whereas HD (High Density) transfers at 500K bit/s and the old QL standard DD (Double Density) at 250K bit/s. Please note that these are instantaneous rates and that to work out file transfer times other factors must be considered.

The drive is fully backward compatible in that it can read and write both DD and HD diskettes with any type in either drive. The DD, HD and

We are exhibiting at:

3 Nov:

All Formats Computer Fair Royal Horticultural Hall

Graycoat Street

Victoria

LONDON

17 Nov: Bristol QUANTA Workshop

(Consult QUANTA for details)

ED diskettes are all the same physical size known as the 3.5" form factor. The HD and ED diskettes have an extra hole in their casing, in different places, so that the drive can detect which type of diskette has been inserted. This means that there is no need for the user to tell the QL of the diskette type in use. For example, if you format a DD it will format to 720K. whereas an ED would format to 3.2M.

The drive is fully cased with cable and integral 220/240V power supply and comes with 10 ED diskettes.

OTHER PRODUCTS:

(more details about our products may be found in the QUANTA Magazine)

ITEM	PRICE	केमानु 🖟 कामीना 📗
QL CENTRONICS	£29.00	(£28.00 export)
QL 40M HARD DISK	£449.00	(£405.00 export)
* TRUMP CARD 768K	£100.00	(£89.00 export)
* TRUMP CARD 2	£150.00	(£130.00 export)
* EXPANDERAM 512K	£50.00	(£46.00 export)
5.25" DISK DRIVE	£95.00	(£88.00 export)
DISK ADAPTER	£15.00	(£15.00 export)
* reconditioned product		

MIRACLE SYSTEMS Ltd, 25 Broughton Way, Osbaldwick, York, YO1 3BG, U.K. Tel: (0904) 423986

CE CENE

WINBACK AND VISION MIXER UPGRADES

Dilwyn Jones Computing has upgraded its hard disk backup utility, Winback, as a result of the review in QL World September 1991. Some minor (and obscure) bugs have been fixed, and the problem associated with large files such as the MSDOS partition has been sorted out - the user now has the option of missing out this file and proceeding with the remainder of the backup. An upgrade to the program, which is now at version 1.10, can be obtained by sending the Winback master disk to DJC. The upgrade is free, but please include return postage.

The Vision Mixer Plus program has also been upgraded to make it compatible with the Miracle Systems Gold Card interface. Upgrades for this program are also available free of charge when the master disk is sent with return postage enclosed. The fix is required because the program previously crashed if the amount of free memory available was greater than 999,999 bytes (ie more than six digits long) and users had to resort to cutting the amount of free memory available with the RES SIZE command on the Gold Card toolkit.

Further information and returned masters to Dilwyn Jones Computing, 41 Bro Emrys, Tal-y-Bont, Bangor, Gwynedd LL57 3YT, UK. Tel: 0248 354023.

'Universal' Drives from EEC

Following the demise of MGT, EEC Ltd purchased the entire stock of 'lifetime' disk drives, for which they found a ready market, and they are now producing a 1MB and 2MB replacement to be known as the 'Universal' disk drive.

The drive, with the appropriate lead, is compatible with the BBC range of micro computers, the Archimedes, QL, Spectrum, CPC, Atari ST and the Amiga, as well as the PC XT and AT, and most PC compatibles including the Amstrad 1512 and 1640. It can be used with the Spectrum, using a Datel Plus D disk and printer interface, and with the OL using one of the Miracle expansion units, also available from EEC. The Universal drive is in a neat grey metal case with mains switch, lead and 13 amp plug. Selection for different computers is done by external dip switches, and the unit is supplied with a dust cover and comprehensive instruction and



installation manual covering the listed micros.

The basic unit has an Amphenol-type socket on the back, similar to a Centronics printer socket, and leads are provided for the various options.

The price of The Universal disk drive is £75.00 inclusive of VAT and any one lead. Leads for the other micros are also available ex stock for £9.95. If a

double drive is required, two units can be supplied for stacking side by side or on top of one another with a special lead for a total of £135.00 inclusive of VAT. Carriage in each case is £9.00, with delivery ex stock while stocks are available.

For further information contact EEC Ltd. 18-21 Misbourne House, Chiltern Hill, Chalfont St. Peter, Bucks SL9 9UE. Tel. 0753 888866.

SQLUG celebrate

It seems like only yesterday when Scottish QL Users Group SQLUG were celebrating their first year together. Actually, it was last September. Being as it has lately been this September - SQLUG are celebrating their second year together. To mark the event, alongside their monthly four-page SQLUG Newsletter, they have produced a Second Anniversary Special Edition Newsletter, with 16 pages (A5), an encouraging report of the year's activities, and two useful articles, a general one on upgrading QL systems, and another on repairing damaged disk sectors.

"We are keen to recruit new members, so we would be grateful if you could mention our continued support for QL users," writes Secretary Alan Pemberton. "For the £6 annual subscription, we offer help and advice at meetings or over the phone, a regular newsletter and access to our large public domain library (bigger even than Quanta's!) In fact, given all our benefits, I'm surprised we haven't attracted more QL users."

No sooner said than done, and many happy returns of the Special Edition. Contact SQLUG through Alan at 65 Lingerwood Road, Newtongrange, Midlothian EH22 4QQ.

Quantem go International

Quanta's East Midlands subgroup, Quantem, have announced that their two-day workshop on the 12th and 13th October will be the first International QL Meeting in the UK. The meeting is being held at the Sherwood Community Centre in Nottingham, which was also the venue for the Quanta AGM. The venue was chosen for its central position in the UK and with regard to ports from Europe.

Personal Opinion

In the first of an occasional column, Eduardo Fairbanks, a long-time user and recent subscriber to QL World, puts forward his hope for the QL in the futiure.

he fact that the QL has not been produced since 1985 only reduced the strength of the QL scene a little instead of killing it. This is for two main reasons: first, because the QL and its Qdos are very powerful and friendly; second, because QL users and suppliers made a great effort to support the QL. Personally, I think that its long life is due to the genius of Sir Clive Sinclair, Tony Tebby and a few other brilliant people: thank goodness for having them.

Development

Reading specialized magazines we can find people who continue to develop hardware, peripherals and software for QL, and a number of them seem to be very good.

I only recently got a Quanta membership and a *QL World* subscription, but I have been reading about Sinclair micros for a long time. I have been a Spectrum user since 1982 and I have a very good system with eight networked Spectrums and all sort of peripherals. What always catches my eye in the magazines are the differences between European and American users' desires, both for the QL and the Spectrum.

On the subject of software most British users prefer word processors and spell checkers, desk-top publishing, tax accounts programs, and so on. American ones prefer to develop graphics systems, cad and drafting programs, and robotics.

On the other hand, Europeans early on developed interfaces for printers, joysticks and midi. Due to their software preferences Americans buy mice, massive memory cards, I/O and A/D interfaces.

Differences

I remember that in the earlier age of the Sinclair ZX80 and ZX81, one could already find in drugstores I/O interfaces to drive robotic models, speech synthesisers and speech recognition units. They also had disk drives for the ZX81!

Turning back to the aim of this text, I disagree with some people who have written that there are few things more to do on QL developments, now that it already has all a user could want. I recently read about some upgrades for QL users: in Italy Mr Innocenti has developed QL graphics so that he can put up to 32 real colours in mode 4. Mr Delsanti wrote a routine to animate screens and gave it the significant name of QLFilm. I know that some people are now working on hidden line and shading routines for cad packages. We have cad packages for IBM PCs.

Still in Italy there is Mr. Del Bello's say_italian routine running into a speech synthesiser, and Mr Santachiara's music manager. I recently heard about the new video digitizer on the market, from CL systems. Some other articles tell about expansion boards, real time clocks, robot control and so forth.

Increasing

As we can see, the list of new QL features is increasing much faster than one could think for a micro which hasn't been produced for a long time. We can also see that the differences between British and overseas users I pointed out in the beginning is decreasing.

The generality and the versatility we are now going towards necessitate the development of motherboards to multiply the expansion port and the eprom connector, as well as the improvement of the internal voltage regulator and heat sink in order to attach more interfaces. By the way, I already had that problem with my Spectrum system; today my eight Spectrums are powered by four IBM switched power supplies (with fans) giving them the right voltage and current direct to their pcbs, so I took out their heat sinks and voltage regulators, and they run at room temperature.

It is not a good thing to be powering the computer on and off to change peripherals every time you change jobs. It would be wonderful to have them all connected at once. Best would be an expansion board capable of switching each one or several

on or off at our wishes without the need to unplug them. A chip switch should be provided to avoid system crashes when powering the peripherals on and off. The chip switch should be triggered both mechanically and from the software.

The dream

For myself I would connect the Trump card, trackerball, scanner, dot matrix printer, plotter, speech synth, modem, eprom programmer and whatever else is forthcoming. At that level of the dream, one could also design several switchable eprom ports!

Of course, this QL would have a lot of memory, like the old ABC Elektronic's 4 megabyte ram card, or even more. We know that the 68008 can address up to 16 MB of memory, and the Japanese chips are growing faster in capacity while falling down in price. So I think that very soon we could have a 16 MB ram board. An example of what I say is (once more) my Spectrums: I had one of them upgraded by VideoVault from 48 K to 128 K (people always said that could not be done, but it was) and I also have another Spectrum with a co-processor (4 MHz) and 512 KB dram! As we can see, things go on and on and almost anything is possible with electronics and creativity.

Another leap

I have been reading some articles about how we could upgrade the QL to perform another leap on it. Some people wish to have more memory, others more speed, others want to have more graphics resolution on screen, like the Atari and Amiga do. I really don't know how to improve the screen resolution, but a good look into the Macintosh circuitry would give a good idea. The speed is easy; we know that the 68008 runs by four steps of eight bits to perform its 32 nominal bits due to the economy of eight tracks instead of 32. Nowadays the price of a pcb containing 32 or 8 tracks is the same. One could also use

PERSONAL OPINION

the 68030 or even the 68040, much faster than ours.

Do something!

Some people write articles upon this subject and call their project one name or another. Names apart, all of them want to upgrade their systems to the Quantam Leap Mark II because they love the QL and Qdos, and are not happy working with Atari, Amiga and IBM sets. When they have to do this, they use on these machines a QL emulator. Those people really want to do something in the near future, and I'm of a like mind.

Nevertheless some other people advise against this type of project on two counts: firstly, Amstrad's rights over Sinclair and the Quantam Leap; secondly, cost.

Well, the QL Mark II would have a rom like Minerva and an enhanced Qdos. Some people have written (and they are right) that the project would cost a lot in planning, design, production and marketing. They say that if established people and corporations in the market don't have interest in producing it, how can a group of users do it from the bottom?

Well, I have some ideas on how: great

corporations and users have not exactly the same targets; they have profits to care for (that is their business), and we only want a product that fits well. But we have something that they cannot allow for: there are a lot of us.

We could combine our purposes and share the costs of the enterprises. I heard that in Quanta alone there are 2,000 users, still growing.

I also think that Spectrum users should be involved too; a lot of them would love to upgrade to QL. We could collect hardware projects that individual users had developed, and mix them to produce the major design. Of course main suppliers should be invited to combine with the whole group, sharing (selling?) experiences and technology, and supplying parts. Their quotes must have a different value and return rates, because of their financial needs.

Available

The design should employ parts already available in the market, like power supplies, keyboards, video encoders and so forth, to reduce the costs of small scale production of new parts. The project also must be concieved with the possibility of

extending the equipment so people could afford some modules at a time.

Then a new worldwide enquiry would have to be carried out, to tell people what the new Mark II will be, what the versions would cost, and asking for membership payment.

I wish I could give some ideas to improve the QL scene, and I'd like to hear about others' improvements on that.

> Eduardo Fairbanks Brazil

If you have an informed view of how the QL has developed during its history and where it should go from here, and want to offer it for publication, please write to the Editor for an information sheet, or submit a double-line-spaced text of no more than 2000 words if you prefer. Personal Opinions should concentrate on the development of the QL in the light of personal experience. Responses to a published Personal Opinion intended specifically for the author will be forwarded; please say whether or not you are willing to have parts of your response quoted in Open Channel. Sorry, we cannot forward confidential mail. Short letters to QL World in response to Personal Options will be considered for Open Channel in the normal way.

a Ce Le go Bo

BELGIUM

Club Sinclair BruQsL (Belgium) Contact: Jaques Tasset, Aarlenstraat 104, 1040 Brussels, Belgium

SWEDEN

International QL Conference bulletin board system (Swedish and English). Contact: Michael Cronsten, System Operator, Jamten-TCL, SSoere 1073, 83030 Lit, Sweden

USA

New England Sinclair QL User Group (USA) Membership Secretary: Sherm Waterman, PO Box 8763, Boston, MA 02114 8763, USA. Magazine: NESQLUG News. Editor: Peter Hale, 195 Central Ave., Chelsea, MA 02150, USA.

NORWAY

Norwegian All Sinclair Association (NASA) Contact: P Monstad, NASA, N-5580 Oelen, Norway. Magazine: Sinclair Magazine.

ITALY

Qitaly Club Chairman: Roberto Orlandi, Via Brescia 26,25039 Travagliato (BS), Italy. Tel. (local) +39 30 6863311. Magazine: Qitaly Magazine. Editor: Dr Eros Forenzi, Via Valeriana 44, 23010 Berbenno (SO), Italy. Tel. (local) +39 342 492323.

TURKEY

QL Qlub (Turkey). Contact: Bulent Artuz, Prof. Sitesi B/1 D/5, Etiler 80600, Istanbul, Turkey.

ENGLAND

Quanta (UK) Membership Secretary, Bill Newell, 213 Manor Road, Benfleet, Essex SS7 4JD. Magazine: Quanta. Editor: Bill Fuggle, 20 Widnes Avenue, Selly Oak, Birmingham B29 6QE.

Bristol sub-group: Roy Brereton, 94 Teignmouth Rd, Clevedon, Avon BS21 6DR.

Essex sub-group: Dave Walker, 22 Kempton's Mead, Potters Bar, Herts EM6 3HZ.

London sub-group: Jeremy Davis, 6 Elmcroft Crescent, Harrow, Middlesex HA26HN.

Northern Ireland: Billy Turkington, Fairyhill, Rostrevor, Newry, Co., Down BT34 3BB.

Qubbesoft PD library. Contact: Ron Dunnett, 38 Brunwin Rd, Rayne, Braintree, Essex CM 75BU.

SCOTLAND

Scottish QL Users Group Contact: Alan Pemberton, 65 Lingerwood Rd., Newtongrange, Midlothian EH22 4QQ. Newsletter.

HOLLAND

Sin_QL_Air(Netherlands) Membership Secretary: Bob Visser, Snelrewaard 6, 2904 SN Capelle, a/d Ijssel, Netherlands. Magazine: *Quasar*. Editor: C H M Biemans, Elzenstraat 5, 5461 CL Veghel, Netherlands.

GERMANY

Sinclair QL User Club eV (Germany) Foreign Contact: Franz Herrmann, Talstrasse 21, d-W5460 Ochenfels, West Germany. Magazine: *Quasar*.

SPAIN

Qliper Editor: Marcos Cruz, Acacias 44, 28023 Madrid, Spain. Magazine: *Qliper*.



THE NEW USER GUIDE

In this, the final part of the Beginner's section of the Sinclair QL World User Guide, Mike Lloyd examines the all-pervasive influence of computer logic.



long with all other computers, the Sinclair QL gets its fair, or unfair, share of the blame for 'computer errors'. It is extremely convenient to be able to instruct a machine to carry out a task and then blame it for doing what it was told to do, instead of doing what it was expected to do. The widespread introduction of computers has thrown into sharp relief the human propensity for being vague. My university tutor was always exalting the virtue of being roughly correct over being precisely wrong. Computers do not have that luxury.

Often, computer users first meet this insistence on absolute accuracy when their machine rejects a mis-spelt command. But then, to a computer, a word is either a keyword or it isn't. There are no

half-measures, shades of grey or room for doubt.

This yes-no world is underpinned at the very heart of the computer by its binary counting system. A computer circuit is either on or off, which can be an analogue of true or false, yes or no, right or wrong, up or down. If two circuits are compared with each other, they reveal a surprisingly rich diversity of information depending upon how they are compared.

Let us imagine that a circuit is switched on if it is raining and off if it is dry, and another circuit is switched on if you intend to go out and off if you intend to stay in. These two circuits can be used to determine under what circumstances you might put on a coat. If it is dry and you intend to stay in (represented by OFF and ON respectively) you will not need a coat, nor would you if it were dry and you intended to go out (OFF and OFF). If it was raining and you intended to stay in (ON and OFF) a coat is still unnecessary, so only if it was wet and you intended to go out (ON and ON) would you reach for your coat.

The logic of this situation can be reduced to a set of statements along the lines of 'If it is wet and I intend to go out I will wear a coat'. Mathematically, this can be stated by a simpler 'YES and YES equals YES'. The logical statement 'If it is dry and I intend to go out I will not wear a coat' can be restated as 'NO and YES equals NO'. Once the underlying logic of the situation has been prised out it can be applied to no end of similar situations: 'If I have the money and the time I will go to the cinema'; 'If the tide is right and the sails are set the ship will go to sea'; 'If the lights are green and the road is clear, motorists may proceed'.

Taking the last example, the QL can quickly be programmed to give good road safety advice:

Binary logic

1	00	REPeat loop
1	110	INPUT "Are the lights green? (Y/N)", greenlight\$
1	120	INPUT "Is the road clear? (Y/N)", clearroad\$
1	30	IF greenlight\$(1) == "Y" AND clearroad\$(1) == "Y"
1	140	PRINT "You may proceed."
1	150	ELSE CONTROL OF THE PROPERTY O
1	60	PRINT "Do not proceed."
1	70	ENDIF
1	80	END REPeat loop

Notice that the double equals signs mean that either an upper case or lower case Y will be interpreted as Yes and that any other character will be assumed to mean No. The use of subscripts in the IF statement allows the user to get carried away and write Yes instead of Y and still obtain the right answer.

Truth tables

Four logical statements can be constructed from the interplay between two conditions to form what is known as a 'truth table'. Each column of the table is headed by the condition, which is often framed as a question (Is it raining? Are the lights green? etc.). To conserve space, the column headings below are simple statements.

AND

RAINING		GOING OUT	W	EAR A COAT
NO	AND	NO	=	NO
NO	AND	YES	=	NO
YES	AND	NO	=	NO
YES	AND	YES	=	YES

The most important element of the truth table is the character of the link between the two logical states. In the above example the link is an 'AND', which implies that only when both states are true will the result be true. This need not always be the case. Imagine that there is an additional circuit linked to temperature and that we intend to wear a coat if it is raining or if it is cold. Assuming that we will now only test this circuit and the 'raining' circuit when we are going out, the following truth table can be constructed:

OR

RAININ	IG	COLD	W	EAR A COAT
NO	OR	NO	=	NO
YES	OR	NO	=	YES
NO	OR	YES	=	YES
YES	OR	YES		YES

Now it appears that only if it is dry and warm will we do without a coat. Once again a computer program can be written to simulate the situation, this time with an IF statement along the lines of:

130

IF raining OR cold THEN PRINT "Wear a coat"

There is a third logical operator which has more use in computing than it does in real life. Should we decide to go out if it's raining or it's cold, but not if it's both, then our decision to wear a coat will go along the following lines:

XOR

	RAINING		COLD	WEAR A COAT	
	NO	XOR	NO	5 8 E	NO
	YES	XOR	NO		YES
(m)	NO	XOR	YES		YES
ZN e	YES	XOR	YES		NO
51172					

XOR is a bit of computerese meaning 'exclusive OR'. In other words, if one thing or the other is true then the result is true, but if both are true or both are untrue then the result is false.

The mathematical expression of logic, you might suppose, grew out of the relatively recent study of computing. However, the truth tables and the logic behind them were first developed in the middle of the last century by an English mathematician called George Boole. His fame rests on two publications, *A Mathematical Analysis of Logic* published in 1847 and *An Investigation into the Laws of Thought* published in 1854. His name lives on in the term we use to describe computer logic:

Another surprising feature of truth tables is their use in the QL's colour display. In physical terms, the colours on your computer monitor are produced by three 'guns' firing streams of electrons at the reactive surface of the monitor screen. There is a red gun, a green gun and a blue gun, hence the description 'RGB monitor'.

All eight colours in the full QL colour set are formed by different combinations of output from the guns. At the points on the screen where none of the guns strike the colour is black; where all three guns strike is white. Monochrome monitors use only one gun, which is why they are cheaper and smaller. Also, because focusing is more accurate with only one gun, monochrome monitors tend to produce sharper images which are easier on the eye for extended periods of work.

Consistent with its obsession with binary digits, the QL likes to represent the use of the colour guns by 1s and the absence of a colour gun by 0s. With three bits to represent green, red and blue (in that order) a total of eight combinations can be made with values ranging from 0 to 7. The following table should come as no surprise to anyone familiar with the PAPER and INK commands in SuperBasic:

Boolean algebra

QL colour

COLOUR VALUES GUNS USED COLOUR None Black -- = 000 = 0-B = 001 = 1Blue only Blue Red only Red -R-=010=2-RB = 011 = 3Red and Blue Magenta (purple) Green G - = 100 = 4Green only Green and Blue Cyan (light blue) G-B = 101 = 5GR - = 110 = 6Green and Red Yellow Green, Red and Blue GRB = 111 = 7 White

Incidentally, when the QL is in four-colour mode the blue gun is used only to produce white. The final binary digit of each colour value is otherwise ignored, producing the well-known combination of black, red, green and white. Check the table above to see how the QL converts the unavailable colours into Mode 4 colours.

Computer designers face a small dilemma when trying to fit this three-bit concept into eight-bit bytes. It is anathema to waste valuable memory space, so the bytes in the computer's screen map would never contain just three used bits preceded by five unused bits. Most computers devote half a byte of memory to each pixel, so the first four bits define one pixel and the next four define its neighbour. The lower three bits of each half-byte (which are affectionately known as 'nibbles') correspond to the colour guns of the monitor. The leading bit is often used to denote brightness or, as is the case with the QL, flashing. Sadly, the QL's designers compromised on functionality in favour of cost-effectiveness in this decision: sixteen colours would have been much more useful than the ability to flash colours, but would have added to the QL's manufacturing costs.

SuperBasic has some interesting operators which allow us to use Boolean algebra directly on binary digits. These are known as the bitwise operators and are listed below:

AND &&
OR ||
XOR ^^

Let us take the SuperBasic value for magenta (011, or 3) and perform a bitwise AND with the value for cyan (101, or 5). Where the corresponding binary digits are both 1 then the result is 1, otherwise the result is 0. The product of 'magenta AND cyan' is 001, or blue, the only primary colour they have in common. The SuperBasic command PAPER 3 && 5 is therefore a long-winded way of saying PAPER 1.

If the sum were changed so that an OR was performed the result would be white: 011 OR 101 = 111. Neither AND nor OR are particularly useful with screen displays because AND has a 75% chance of removing a primary colour while OR has a 75% chance of adding a primary colour. The results therefore tend towards being black or white.

The XOR operator is different because it produces a similar colour-richness to the colours being mixed. When a colour is XOR'd with white it produces a complimentary colour, so that black becomes white, blue produces yellow and so on. This is demonstrated by the following code snippet:

100 MODE 8: CSIZE 3,1: CLS
110 FOR background = 0 TO 7
120 PAPER background
130 INK background ^^7
140 PRINT "The Sinclair QL"
150 END FOR background

Using one of the QL's special screen display modes colours can automatically be added together using the exclusive-or (XOR) truth table to produce other colours from the colour set. The command which puts the screen into this mode is OVER -1. If you want OVER to apply to a window other than the default window the command should contain a channel reference (eg OVER#5, -1). To see the effect which OVER -1 has, run the following short routine:

100 MODE 8: OVER -1 110 PAPER 0: CLS 120 FOR X = 0 TO 7 130 INK X: FILL 1 140 CIRCLE 50, X*20, 30 150 END FOR X 160 OVER 0: FILL 0 Bitwise operators, Boolean logic and colour.

Fill bug

Note the careful resetting of the screen mode back to the default of OVER 0: the effects of changing this setting can sometimes be confusing and lead you to believe there is something wrong with the computer. The FILL 1 command is deliberately set into the FOR...NEXT loop precisely because there is something wrong with the computer: a bug in most QL Roms means that subsequent circles are not properly filled unless the FILL command is re-issued.

A more practical use of logical values is to use INK colours as a quick way of identifying negative values in an accounts program. It relies on the way in which the QL can assign a true/false value to any expression it evaluates. A 'true' expression, such as '7 > 3', is given a value of 1 whereas a 'false' expression, such as '7 = 4', is given a value of 0. If negative account balances are to be written in red ink the expression to be tested will be something like 'balance <= 0'. The following program fragment explains how it might be used:

3100 REMark Print account balance 3110 INK 7-5* (balance <=0) 3120 PRINT balance

KEYROW

Another way to make use of logical values is to test for keypresses. INPUT and INKEY\$ are familiar keywords, but the *New User Guide* has not yet covered KEYROW. The main value of KEYROW is that it can detect multiple keypresses. This is important, for example, in arcade-style games where players might want to move right and fire their laser weapon at the same time. KEYROW is completely unconnected with Ascii character values and it divides the keyboard into eight sets of eight keys on a fairly random basis.

Somewhere in the QL's memory there are eight bytes dedicated to representing which keys are being pressed. Each keypress makes its associated bit turn on. As soon as the key is released the bit turns itself off again. KEYROW gives access to these byte values and it is up to the programmer to work out which keys are being pressed. Logical expressions come in very handy.

The first step is to read a KEYROW value. KEYROW(1) reads the byte which reveals whether the solidus, Enter, space, Escape, or cursor keys are being pressed. If the Enter key is pressed it sets the lowest bit in the byte, equating to a value of one. However, if Enter and the left cursor key are pressed simultaneously the KEYROW(1) value is three. In fact, any odd value between 1 and 255 indicates that, amongst other keys, the Enter key is being pressed. Using conventional IF...THEN statements quickly becomes impractical.

What is needed is a single IF statement which will reveal whether or not the Enter key is being pressed regardless of how many other keys are being pressed simultaneously. Only a logical expression, namely a bitwise AND, can do this. Here is a small routine to prove it:

```
100 REPeat loop
110
       key = KEYROW(1)
120
       AT 2,0
130
       IF key && 1: PRINT "Enter ";
       IF key && 2: PRINT "Left ";
140
150
       IF key && 4: PRINT "Up ";
       IF key && 8: PRINT "Escape ";
160
170
       CLS<sub>4</sub>
180 END REPeat loop
```

Each IF statement tests a particular bit and, if it is set to one, prints the key it represents. To save space, only the first four bits are tested here. The CLS 4 command in Line 170 clears the remainder of the cursor line. Try it out by pressing any combination of the four tested keys. Provided that you press the keys simultaneously the screen read-out will correctly identify which keys you are pressing.

Where To Now?

Next month

This article completes the Beginner's Section of the *New User Guide*. Rather like the driving test, it simply prepares you to learn on your own. There are plenty of good books on the subject of SuperBasic programming, the best being by Jan Jones. Next month the New User Guide continues with its detailed and definitive descriptions of the complete SuperBasic vocabulary.

his DIY Toolkit project extends QL SuperBasic in three ways. ALIAS, CODEVEC and INVERSE have been tested with Minerva, Argos and Turbo tasks. They should suit all Qdos systems and compilers.

The simplest new command is INVERSE, which swaps the foreground and background colours used to display text in a window. Many computer displays support 'inverse video', showing dark characters on a light background, rather than the reverse. It is a good way to highlight selections, whatever the colours in use.

The name comes from the ZX Spectrum print attribute INVERSE, but the QL implementation swaps INK and STRIP colours at every call; ZX BASIC INVERSE 1 and INVERSE 0 turned colour swapping on and off. The optional channel parameter defaults to #1.

You can do the same with INK and STRIP commands, but then you need to read the 'previous' colours with DIY functions like CHBASE and CHAN B%. Unless you are careful you end up with both colours set to the same value, and invisible text!

INVERSE is simple, easily reversable, and preserves the original contrast. It is a great way to add emphasis in menu displays and prompts.

ALIAS lets you give new names to QL commands and resident functions, like this.

ALIAS "INVERSE" TO INVERT ALIAS 'EXECUTE_A' TO TRY ALIAS "SEARCH MEMORY" TO SCAN ALIAS 'CODEVEC' TO VECTOR ALIAS 'OPEN' TO OUVRE

Users unaccustomed to English can translate much of SuperBasic into French, German, Spanish or whatever; the only restriction is the 26 character Ascii alphabet common to all QLs, which prohibits the use of accents in resident names.

ALIASed names survive NEW and LOAD. They work at exactly the same speed as the names they mimic, since they use the same code. They are permanent, and consume no extra ram apart from eight bytes in the Name Table and the characters and length in the Name List. You can get rid of them with FORGET.

ALIAS forms a set with the resident function-creators SET and ALTER, the FOR-GET routine in DIY Toolkit Volume B, and Task Commander, the Resident Procedure generator presented last month. It is another way of expanding the QL Name Table to make the system easier to use and program. The Name Table is an efficient mechanism that can cope with up to 64K of names with no less of speed, once lines are tokenised.

ALIAS only works on resident procedures and function names, so it cannot provide substitutes for all the words in QL programs, but it can be convenient if you find yourself mistakenly typing commands for



Simon Goodwin shows how to change the names - and colours - of keywords, and then track them down.

other computers while using the QL or an emulator. Why teach yourself, when you can teach the QL on your behalf? For instance, SAM and Spectrum users might

ALIAS "DELETE" TO ERASE ALIAS 'DIR' TO CAT

Other substitutions will suggest themselves to those who use several computers. Some, like the Amiga CLI, match the QL commands quite closely already, though the QL is idiosyncratic in its use of names up to 36 characters long, replete with underscores!

The syntax of ALIAS may seem odd at first, but mimics COPY, RENAME and ALTER. The first name corresponds to an existing resident procedure or function. It appears in single or double quotes, while the second, new name is not quoted. Thus the code can alias any existing function name, without fetching its value instead, and the string to be matched may be an expression.

Each name may consist of up to 255 digits, underscores, small or capital letters (considered equivalent). The second parameter must be an unset name. The QL reports Bad Name unless the first name corresponds to a resident procedure or function.

Other values can move around, allocated and de-allocated on the variable values heap inside SuperBasic; it would be dangerous to ALIAS such names, as you might end up with an invalid pointer to space that had been re-used.

ALIAS works fine with the hundreds of names resident in every QL Rom, DIY Toolkit, SuperToolkit, and common extensions in disk systems. A few QL names are implemented as 'keywords', rather than resident procedures or functions; these include DEFINE, LOCAL, NEXT, EXIT, WHEN, and variants of ON, END and GO.

If you try to ALIAS these you get a Not found error because those names do not appear in the name table. The same goes for the separator TO, and operators like INST. OR and MOD. The only way to change these is to replace your rom.

The ALIAS command should not be used inside Supercharged or Turbo programs,

as they contain no name list, but ALIAS works fine declaring names that are expected by compiled tasks. If a task reports 'name is redefined', type NEW to clear out the name list, and try again. NEW, LRUN and CLEAR do not discard ALIASed names

ALIAS can be useful when running tasks compiled for some other system. A task expecting the Thor SYS_ VARS function stops, reporting 'SYS_ VARS is not defined' if run on a normal QL. It would be tricky or tedious to re-compile or patch the file to remove the reference. It is easier to load the DIY equivalent SYSBASE, and type:

ALIAS "SYSBASE" to SYS VARS

Eureka! You can use the same principle to emulate missing commands with functional equivalents from other Toolkits.

The majority of names can be ALIASed in compiled programs without trouble, but you may miss out on updates or optimisations unless you are careful in your choices.

Turbo and Supercharge replace calls to some 'standard' resident procedures and functions with optimised routines from the compiler library. They identify the keywords to be optimised by name and position in the name table, so you may get odd results if you use unconventional names.

An alias of the PRINT command will work, but the rom routine is slower and displays only seven digits of precision, rather than the nine digits of the compiler library routine. Likewise MOVE_MEMORY, BLOCK, CODE, CHR\$, LEN, PI, PEEK and POKE are optimised, so your task will go more slowly if you use ALIASed equivalents.

RUN, INPUT, READ, EOF, CLEAR and DIMN work differently in compiled tasks, so you should expect strange results if you

call them by new names.

STOP and NEW will have no effect if you use aliased equivalents in a compiled program. These commands normally work by setting a 'stop code' at offset 140, BV.STOPN, among the SuperBasic Variables; the interpreter checks this word after interpreting each statement, but compilers don't do anything so silly; they

DIY TOOLKIT

recognise the names, and substitute special code for STOP and NEW.

An aliased version of OPTION_ CMD\$ will always return a null string. You need the original name to get the desired result. The same goes for other Turbo directives like REFERENCE, IMPLICIT%, PROCEDURE, FUNCTION and RETRY_HERE.

Compilers replace calls to RESPR with library code to allocate Common Heap memory. An ALIAS of RESPR will not be replaced, so it will give a 'not complete' error if called from a task. Minerva roms fix this by using heap space automatically if the RESPR area cannot expand.

You may come across a few programs where alternative names like SINE and LOG will use the new code if you issue the ALIAS commands after loading. The new names will use the standard rom routines if you use ALIAS before any maths routines are loaded.

The function CODEVEC returns the address of the machine code routine that performs any resident SuperBasic procedure or function. You can use this address to disassemble the routine, or to set a breakpoint, allowing you to intercept calls to the keyword and step through the code.

Which is easier to type? CODEVEC ("ED") or BPEEK_ L (BPEEK_ L (24) + LOOKUP% ("ED") * 8 + 4)? This function could be replaced by a succession of calls to existing DIY Toolkit functions, but I find it useful and expect it to save typing for anyone exploring new resident code.

CODEVEC is short for CODE_VECTOR; you can of course ALIAS it to anything else you like. To save more typing, ALIAS 'CODEVEC' TO CV! I chose the name CODEVEC because it is easy to remember, yet unlikely to clash with existing variable names.

You can use CODEVEC to detect names that correspond through ALIAS, or ones that share code because of Toolkit updates:

DEFine FuNction CODEMATCH (a\$, b\$) RETurn CODEVEC (a\$) = CODEVEC (b\$) END DEFine

Listing two starts with the usual hex loader, the same each month, unless you write in to say you prefer the decimal line version used for *Task Commander*. The DATA corresponds to the assembly code in listing 1, but can be entered relatively quickly.

Check and correct the DATA lines if the loader reports 'Checksum incorrect' – otherwise, type the name of the file you want to create, eg FLP1_ALIAS_CODE. Before using ALIAS, INVERSE or CODEVEC you load the code from disk, like this:

X=RESPR (434) LBYTES FLP1__ALIAS_CODE, X CALL X Alternatively you could use LRESPR, LINKUP to load and link the file, or ALLO-CATION to reserve memory if tasks are running. Avoid ALCHP as the space it reserves does not remain allocated when you load a new SuperBasic program.

You do not need to retype the code from Listing one or Listing two. Binary code, original assembler source and documentation for ALIAS, INVERSE and CODEVEC are available now on 3.5 or 5.25 inch disks, or your microdrive cartridge.

Ask for DIY Toolkit volume A for ALIAS, the latest of 18 volumes of utilities and extensions, available from Richard Alexander at Cwm Gwen Hall, Pencader, Dyfed, Cymru SA39 9HA, or ring (0559) 384574. One volume costs £7, two cost £10 and so on, up to £58 for the full 1988-1991 set.

I have updated two volumes with Task Commander examples: the MAP com-

mand joins volume H, showing the exact allocation and ownership of memory on the heap, intask space, and elsewhere. Volume Q gains CHANS, a SuperBasic keyword that shows details of all the channels in use at any time.

Listing one is the program assembled into ALIAS_CODE. When you CALL the first instructions they point A1 at the table labelled DE-FINE, read the BP.INIT vector word from ROM, and jump to that routine. It links the names and addresses at the end into SuperBasic.

The next routine deals with IN-VERSE. The default is INVERSE 1; brackets, hashes and other punctuation are optional. The most likely error reports are channel not open and bad parameter, if the channel is not a CON or SCR window.

The Qdos call SD.EXTOP is used to find the details of the window. IN-

VERSE says bad parameter if you apply it to a MEM channel. The EXTOP works but the instructions to set the 'ink' and 'strip' fail

If you are looking for a simple project, consider adapting INVERSE to set both the PAPER and STRIP colours. This takes two Qdos calls in machine code; the SuperBasic PAPER command sets both to the same value.

It is not enough just to swap the ink and paper values. EXTOP reads the colour values, avoiding *QRam*, *QPac* and Thor windowing variables, then calls SD.SETST and SD.SETIN to set the colours.

D1 is the only data register passed both ways by EXTOP. I use it to return both colours, exchanging the high and low 16 bit halves with a couple of SWAP instructions

Two system calls update the colour masks SD.SMASK and SD.IMASK at offsets 48-65 in the standard channel defini-

bac

too

* 6

nor

	\$110,a2	Point A1 at definition BP.INIT vector
jmp : #ch% 3	\$110,a2	
#ch% 3	(a2)	
		Link code to SuperBASIC
	1	And the sum will say to sent thing.
	- exchanges c	hannel INK & STRIP colours
moveq	#1,dØ	Assume channel 1 at first
cmp.1	a3, a5	Any parameters?
beg.s	pick_chan	
move.w	\$112,a2	Vector to get integers
jsr	(a2)	CA.GTINT
	give_up	
subq.w	#1,d3	One parameter expected
		Otherwise, complain
		It must be Ø or more
		Scale for Channel table
		Add the base offset Check it is within table
		Reject if past the end
		Negative if closed
		Now AØ is channel ID
lea.1		
moveq		Infinite timeout
wored	#9, dØ	SD.EXTOP trap key
trap	#3	Call QDOS IO system
tst.1	ďØ	Check for any error
bne.s	give_up	
		SD.SETST trap key
		Set STRIP colour in D1.B
		SD. SETIN trap key
and the second s	#3	Set INK colour
THE STREET		
moved	#Ø.d1	Clear odd bytes of result
move-b	69 (aØ), d1	Pick up STRIP colour byte
swap	d1	Prepare other half of D1
move.b	7Ø(aØ),d1	Pick up INK colour byte
moveq	#Ø, dØ	OK, no error
rts		
D_NAME	IU NEW_NAME	for Resident Procs & Functions
lea.l	16(a3).a4	
		Two parameters please
		Two parameters prease
tst.b		Check type of parameter 1
bne.s	bad_param	Reject unless it is unset
moveq	#Ø,d5	
move.w	10(a3, a6.1),	d5 Pick up the name's index
	bad_param	
lsl.l	#3,65	Scale: 8 bytes per entry
	24(a6),d5	Add NT base offset
move.1	d5,-(a7)	To the a remaining to what the
		Isolate remaining parameter
		Evaluate parameter 2
		(24 25 1)
	jsr bne.s subq.w bne.s move.w bmi.s mulu add.l cmp.l bme.s moveel trat.l bne.s moveel trat.l bne.s movee trat.l bne.s moveel trat.l bne.s bne.s moveel trat.l bne.s bne.s trat.l bne.s t	jsr give_up subq.w #1,d3 bne.s bad_param move.w Ø(a1,a6.1),d what_chan mulu #4Ø,dØ add.l 48(a6),dØ cmp.l 52(a6),dØ bge.s what_chan move.l Ø(a.4),dø lea.l colour_ext,a moveq #3,dØ trap #3 tst.l dØ bne.s give_up moveq #4Ø,dØ trap #3 rts moved #4,dØ trap #3 rts moved #0,dØ trap #3 rts moved #0,dØ trap #3 colour_ext,a moved #0,dØ trap #3 bne.s give_up moved #40,dØ trap #3 swap dl move.b 59(aØ),dl di move.b 70(aØ),dl moved #0,dØ rts D_NAME" TO NEW_NAME lea.l 16(a3),a4 cmpa.l a4,a5 bne.s bad_param tst.b 8(a3,a6.1) bne.s bad_param tst.b 8(a3,a6.1) bne.s bad_param moved #0,dØ move.w iØ(a3,a6.1), bad_baram moved #0,dØ solution lea.l 24(a6),d5 dd.l 24(a6),d2 dd.l

tion. These masks determine the pattern of bits set in video memory, and hence the colour displayed.

INK 0 is the simplest case. It clears the mask to zero. In MODE 4, INK 7 sets a mask of all bits set. This is the video memory pattern that corresponds to a white display.

The masks depend on the screen mode, as well as the colour and stipple. The first word of the mask is used on even numbered lines, the second on odd lines, to give stipples two pixels deep. In MODE 4, INK 7, 0, 1 stores the masks \$FFFF and \$0000 in SD.IMASK. In MODE 8, the same command stores \$AAFF and 0, unless you select FLASH 1.

There are many cases to consider, and they might vary between machines; it is best to use normal Qdos colour codes, 0-255, and leave calculation of the masks to your system.

ALIAS works rather like ALTER from May 1991's *QL World*. It converts an unset name

into a resident function – or procedure, in this case – by setting the first, third and fourth words in the corresponding name table entry. The second word is unchanged. It points to the name text in the name list.

Phil Spink observes that Unix programmers may prefer to type ALIAS NEW TO "OLD", in the style of an assignment. The DIY code is flexibly written so it can process the parameters in either order, with the minimum of tailoring. If the fourth and seventh lines of ALIAS use offsets 8 and 10 the unset parameter is the second one. Offsets 0 and 2 specify the first parameter.

The other parameter must be the 'old' name string. LEA.L 8 (A3),A5 singles out the first parameter for string LOOKUP; alternatively LEA.L 8 (A3),A5 selects the second. The DIY disk includes code and source to process parameters either way round.

CODEVEC calls LOOKUP to find its parameter, then plucks the relevant address

from the name table with a single instruction. DIY code must work on all QLs and compatible systems, and most do not allow long integer function results, so it converts the value in D1 into a floating point value. The NORMALISE loop shifts the binary value of D5 to the 'normal' position at the left, adjusting the exponent in D4 accordingly.

ČÓDEVEC must check that there are six bytes for its result. The slow call to BV.CHRIX could be avoided if the name is at least three characters long, as the result will fit in the space previously allocated to the string on the maths stack.

The last machine code subroutine, LOOKUP, resembles the eponymous keyword code. This version shows how two extensions can share code to fetch and analyse a parameter. It resets BV.RIP so that memory is not left allocated on the Maths Stack after the parameter has been processed.

```
* Now find SuperBASIC task (0,0) and its Name Table
                      #-15-40
                                           Signal BAD PARAMETER error
param
          moveq
                                           Error code is in DØ
CHANNEL NOT OPEN error
                                                                                                                  #Ø, d2
                                                                                                                                  Search entire task tree
t_chan
          moved
                      #-6.00
                                                                                                                                 Look for SuperBASIC
MT.JINF Trap key
                                                                                                                  #Ø. d1
                                                                                                      moved
                                                                                                                  #2,dØ
#1
                                                                                                                                  AØ := base of task Ø,Ø
                                                                                                      trap
ODEVEC("NAME") returns code address for any Resident NAME
                                                                                                                  a0.a2
                                                                                                                                 A2 -> BASIC system vars
AØ -> Name Table Start
DØ -> Name Table End
                                                                                                      move. 1
                                                                                                                  24(a2),aØ
                                          Try to find the name
          bsr.s
                      Lookup
                      bad_exit 4(a\emptyset,a2.1),d1 Pick up its code address
                                                                                                      move.1
                                                                                                                  28(a2),dØ
                                                                                                                  32(a2),d3
                                                                                                                                 D3 -> Name List Start
          move. 1
ETURN_FP stacks D1.L in SuperBasic floating-point form
                                                                                        * Scan the Name Table for names with the right length
                                                                                                                 2(a0,a2.1),a3 Pick up offset in NL
d3,a3 (A3,A2.L) -> Name
0(a3,a2.1),d5 Compare length
got_length Length matches!
                                           D4 will be exponent
D5 will be mantissa
                                                                                                      move.w
                                                                                        next_name
urn_fp
                                                                                                       adda.1
          move.1
                      d1, d5
                      normalised
#2079,d4
                                           Zero is a trivial case
          beq.s
                                                                                                      cmp.b
                                                                                                      beg. s
                                                                                                                                 Advance through NL
          add.1
                      d1.d1
                                           Already normalised?
                                                                                        advance_nl addq.l
                                                                                                                  #8, aØ
                                                                                                                                 Stop at the end
                      normalised
                                                                                                      cmp.l
                                                                                                                 a0,d0
next_name
                                           No, halve exponent weight
          suba. w
                      #1.d4
                                           No, naive exponent weight
Double mantissa to match
Try a 16 bit shift
Take copy of mantissa
Shift mantissa DØ places
Overflow; must shift less
                      d1,d5
#16,dØ
          move.1
                                                                                                                  #-7, dø
                                                                                                                                 Signal NOT FOUND
          moveq
malise
          move. 1
                      d5.d1
           asl.1
                                                                                        * Check the name text to see if it matches the parameter
          bvs.s
                      too far
                                           Correct exponent for shift
New mantissa is more normal
                                                                                                                 1(a3,a2.1),d4
d7,d4 E
          sub.w
                      dø,d4
                                                                                        got_length move.b
                      d1,d5
                                                                                                      or.b
                                                                                                                                 Ensure consistent case
          move. 1
                                                                                                      cmp.b
bne.s
                                                                                                                  Ø(a5,a6.1),d4
advance_nl Mismatch, try another
          asr.w
                      #1.dØ
                                           Halve shift distance
                                           Try shift of 8, 4, 2 and 1
          bne.s
                      normalise
                                                                                                                                 DERA count for the rest
Found name, length 1
D4 & A4 are temporary
                                                                                                      move.w
                                                                                                                  d5.d6
                      bytes of space for the result
                                                                                                                  #2,d6
heck there's six
                                                                                                      bmi.s
                                                                                                                  found it
                                                                                                                  a5, a4 D-
2(a3, a2.1), d4
malised moved
                      #A. d1
                                           No. of bytes needed
                                                                                                      move.1
                                           BV.CHRIX vector
          move.w
                                                                                        check_name move.b
           jsr
                       (ag)
                                                                                                      or.b
addq.1
                                                                                                                  d7,d4
#1,a3
                                                                                                                                 Convert case of name
Step through Name List
                      $58(a6),a1
           move.
                                           Get a safe Al value
                      #6, a1
a1, $58(a6)
          subq. 1
                                                                                                      addq. 1
                                                                                                                  #1,a4
                                                                                                                                  Step through parameter
          move.1
                                           Grab 6 more bytes
                                                                                                      cmp.b
                                                                                                                  Ø(a4, a6.1), d4
                      d5,2(a1,a6.1)
d4,Ø(a1,a6.1)
                                           Stack mantissa
Stack exponent
                                                                                                      dbne
                                                                                                                  d6, check name
          move.w
                                                                                                                  advance_nl Name mismatch, go on
           moveq
                      #2-d4
                                           Floating point result
          moveq
                                                                                        * Check that the name is a Resident Procedure or Function
                                                                                                                  Ø(aØ, a2.1),d1
                                                                                        found_it
                                                                                                      move.b
OOKUP "string parameter" -- NT entry @ (A2, AØ) or error
                                                                                                       subq.b
                                                                                                                  #8,d1
                                                                                                                                  Expected type code 8 or 9
                                                                                                      bmi.s
                                                                                                                  wrong_type
                                     Fetch CA.GTSTR vector
                      $116,aØ
kup
          move.w
                                                                                                       subq.b
                                                                                                                  #2,d1
                                                                                                                                 Check type code <= 9 (!)
                                     Fetch string parameter
Quit unless it worked
Check for ONE parameter
                       (ag)
                                                                                                      bpl.s
                                                                                                                  wrong_type
          bne.s
                      bad_exit
                                                                                                                  #Ø, dØ
                                                                                                                                  No error, CODEVEC is in D1
                      #1,d3
bad_param
           subq. w
                                                                                                      rts
           bne.s
          MOVE. W
                      Ø(a1.a6.1).dØ
                                                                                                                                  BAD NAME error code
                                                                                        wrong_type moveq
                      bad_param
dØ,d5
                                     Reject a null parameter
                                                                                                      rts
                                     Save length for late
Save offset of text
           move.w
          lea.1
                      2(a1), a5
                                                                                        define
                                                                                                      dc.w
                                                                                                                                  Two procedures
                                                                                                                  alias-*
5,'ALIAS'
                                                                                                      dc.w
quate UPPER/lower case; set bit 5 of parameter bytes
                                                                                                      dc.w
                                                                                                                  7,'INVERSE'
                      #32,d7
           moveq
                                      Case conversion mask
                      #1,d2
dØ,d2
                                      Odd/even length mask
D2=1 if length is odd
           moveq
and.l
                                                                                                      dc.w
                                                                                                                                  One function
                                                                                                      dc.w
                      d7,2(a1,a6.1)
#1,a1 A
:k_case
                                                                                                                  codevec
                                                                                                      dc.w
           addq.1
                                      Advance through text
                                                                                                      dc.b
                                                                                                                  7, CODEVEC
           subq. w
                       #1.dØ
                                      Count down length
                                                                                                      dc.w
           bne.s
                                     Convert all characters
                                                                                                      end
                      2(a1,d2.1),ai
a1,$58(a6) Tidy the RI stack
           lea.1
           move. 1
```

```
100 REMark Sinclair QL World HEX LOADER v 3
                                                                        560 END DEFine HEX LOAD
150 CLS: RESTORE : READ space: start=RESPR(space)
160 PRINT "Loading Hex..." : HEX_LOAD start
170 INPUT "Save to file...";f$
                                                                        580 REMark Space requirements for the machine code
                                                                        59Ø DATA 432
                                                                        600
    SBYTES f$, start, byte : STOP
180
                                                                        610 REMark Machine code data 620 DATA "43FA018A34790000",
                                                                                   "43FAØ18A34/00000
"67143479ØØØØØ112"
                                                                                                           "Ø11Ø4ED27ØØ1BBCB
    DEFine Function DECIMAL(x)
RETurn CODE(h$(x))-48-7*(h$(x)>"9")
200
                                                                        63Ø DATA
                                                                                                            4E9266385343667E
210
                                                                        64Ø DATA
                                                                                    3Ø31E8ØØ6B7CCØFC
                                                                                                           'ØØ28DØAEØØ3ØBØAE"
220
     END DEFine DECIMAL
                                                                        65Ø DATA
                                                                                    ØØ346C6E2Ø36Ø8ØØ
                                                                                                            6B682Ø4Ø45FAØØ18"
230
                                                                        66Ø DATA
                                                                                     76FF7ØØ94E434A8Ø
                                                                                                            66ØA7Ø284E434841"
240
    DEFine PROCedure HEX_LOAD(start)
                                                                        67Ø DATA
                                                                                    70294E434E757200
                                                                                                            1228004548411228"
290 byte = 0 : checksum = 0
300 REPeat load_hex_digits
                                                                            DATA
                                                                                    ØØ467ØØØ4E7549EB
                                                                                                            ØØ1ØBBCC663Ø4A33"
                                                                        69Ø DATA
                                                                                    E8Ø8662A7AØØ3A33
                                                                                                            E8ØA6B22E78DDAAE"
        READ h$
IF h$="*" : EXIT load_hex_digits
310
                                                                        700 DATA
                                                                                                            61682A5F66123DB2"
                                                                                    00182F054BEB0008
320
                                                                        71Ø DATA
                                                                                    8800D8002DB28804
                                                                                                            D8Ø47ØØØ4E757ØF1"
330
         IF LEN(h$) MOD 2
                                                                        72Ø DATA
73Ø DATA
                                                                                     4E757ØFA4E75614A"
                                                                                                            66F6223ØA8Ø438Ø1"
340
            PRINT"Odd number of hex digits in: ";h$
                                                                                                           'D281691453442AØ1"
'984Ø2AØ1E24Ø66F2"
                                                                                    2AØ1671C383CØ81F
35Ø
            STOP
        END IF
FOR b = 1 TO LEN(h$) STEP 2
hb = DECIMAL(b): 1b = DECIMAL(b+1)
IF hb<0 OR hb>15 OR 1b<0 OR 1b>15
                                                                        740 DATA
                                                                                    7Ø1Ø22Ø5E1A169Ø4
360
                                                                        75Ø DATA
                                                                                    720630790000011A
                                                                                                            4E9Ø226EØØ585D89"
370
                                                                        760 DATA
38Ø
                                                                                    2D4900582385E802
                                                                                                            3384E80078027000
                                                                        77Ø DATA
                                                                                                            4E9Ø66A45343669E'
                                                                                    4E753Ø79ØØØØØØ116
390
400
               PRINT"Illegal hex digit in:
                                                                        78Ø DATA
79Ø DATA
                                                                                    3Ø31E8ØØ67983AØØ
                                                                                                            4BE900027E207401"
                                                    hs : STOP
            END IF
POKE start+byte, 16*hb+lb
                                                                                    C48Ø8F31E8Ø25289"
                                                                                                            534Ø66F643F128Ø2"
420
                                                                                    2D49ØØ5874ØØ72ØØ
                                                                            DATA
                                                                                                            70024E412448206A
                                                                        800
430
                                                                                    'ØØ182Ø2AØØ1C262A
440
            checksum = checksum + 16*hb + 1b
                                                                        81Ø DATA
                                                                                                            ØØ2Ø367ØA8Ø2D7C3
                                                                                   "BA33A8ØØ67ØA5Ø88"
450
        byte = byte + 1
END FOR b
                                                                        820 DATA
                                                                                                            BØ8862EE7ØF94E75'
                                                                            DATA
460
                                                                        830
                                                                                    1833A8Ø188Ø7B835
                                                                                                            E8ØØ66EA3CØ55546"
470 END REPeat load_hex_digits 480 READ check
                                                                        840 DATA
                                                                                    6B16284D1833A8Ø2
                                                                                                            88Ø7528B528CB834"
                                                                                                           123ØA8ØØ51Ø16BØ8"
                                                                        85Ø DATA
                                                                                    E80056CEFFF066CE
                                                                            DATA
    IF check <> checksum
                                                                                    55Ø16AØ47ØØØ4E75
                                                                                                            7ØF44E75ØØØ2FED8"
                                                                        860
                                                                                   "05414C494153FE76", "07494E5645525345"
"000000001FF020743", "4F44455645430000"
500
        PRINT"Checksum incorrect. Recheck data. ": STOP
                                                                        87Ø DATA
                                                                        880 DATA
530 PRINT"Checksum correct, data entered at: ";start
                                                                        89Ø DATA
                                                                                   "*", 36114
```

LOOKUP reads its parameter as a SuperBasic string, to avoid problems with function names. The check on the value of D3, the number of string parameters, is only relevant when called from CODEVEC; ALIAS sets A3 and A5 to delimit a single parameter.

As written, LOOKUP searches for names in the tables of SuperBasic task (0,0). This suits Turbo and Supercharge, but users of QLiberator and Minerva 1.8x, which create extra name tables, might want the scan to examine the current task.

To achieve this, remove the five lines that

point register A2 at task (0,0) and replace subsequent references to A2 with A6, the current task base. This entails changes to eleven operands, and one comment. The resultant code is ten bytes shorter. The DIY disk includes both implementations.

QL SUPERTOOL KIT II by Tony Tebby Over 118 Commands:- Full Screen Editor, Key Define Print Using, Last Line Recall, Altkey, Job Control, File Handling, Default Directories, Extended Network, 16k Eprom Cartridge Version .. Configurable Version on Microdrive @£23 50d MIRACLE SYSTEMS PRODUCTS OK Disc Interface (Inc Tool Kit II) ... @£99.64b QL Expanderam 512K Thrucard @£99 64h QL HARDWARE Single 3.5" Disc Drive & (Own PSU) @£105.75a @£176.25a @£9.40c QL Keyboard Membrane . @£11.75d Care Eprom Cartridges each. ULA CHip ZX8301 .@£15.98c SOFTWARE 87 (State MDV or Disc) TEXT87 (Budget Version) @£45.98d **FOUNTED 89 FOUNTEXT 88** @£25.00c **TEXT 87/FOUNTED 89/FOUNTEXT 88** 248B PRINTER DRIVER @£15.00c Upgrade to Text 87 V.3.00. Return old copy together with @£25.00d MONITORS (Price including lead)

QPAC II by Tony Tebby

MAKES YOUR QL TRULY MULTI - TASKING QPAC II Main menu windows adjust automatically to size. Files, directory, view, print, delete, backup, jobs, pick, Rjob, sort, channels, things exec, wake, buttons, Hotkey, Hotjobs. Fully multitasking, allows many programs to run at once. Requires min of 256k expanded memory

....@£49.35b @29 61h

Upgrade QRAM to QPAC II return master @ PLEASE SEND SAE FOR A COPY OF THE QPAC II **REVIEW**

TONY TEBBY SOFTWARE (QJUMP)

QLFP (Micro/P disk interface upgrade)	@£15.51d
QTYP Type/Spell Checker	@£30.55d
QPAC 1-Desk top accessories, calander,	
tor, typewriter, digital clock sysmon	@£22.56d

ZITASOFT SOFTWARE by Steve Jones

LOCKSMITHE copies M/DRIVE - M/DRIVE	@£14.100
4MATTER + LOCKSMITHE copies M/DRIVE	E - DISC
	@£23.50d

SIDEWINDER - High resolution printer driver prints full
screens or parts of screens from postage stamp size to
large banners. Prints sideways, invert, scale, mirror, text
insertion@£20.21c
SIDEWINDER PLUS - (for expanded QL's) includes all
the features of above, PLUS multiple label printing, desk-
top publishing files and printer driver for The LC10 JX80
24 pin and colour printers (Please state 3.5" disc or M/
Drive)@£23.97c
Upgrade to Sidewinder Plus@£8.46c

QPOWER REGULATOR

DEADY MADE LEAD

Switch mode power supply, QL runs cool, stops, lock ups (due to voltage drop). Helps filter noise out. Simple to fit (no soldering) £25.85c

COLOURED PRINTER RIBBONS

dold, Silver, Magerila, Charige, Furple, Brown,	Green
Blue and Red.	
Citizen 120D/Swift	£7.99c
Cannon 1080A/1156A	£9.87c
Epson FX80/LQ400/LQ800	£5.17c
Epson FX100/LQ1000	£7.99c
Panasonic KXP 1080	£8.46c
Star LC10	£7.52c

HEADT WADE LEADS	
RGB QL TO PHONO	£6.11c
RGB 8-6 PIN	£7.52c
RGB 8-7 PIN HITACHI	£7.52c
RGB 8-7 PIN FERGUSON	£7.52c
RGB 8 PIN TO SCART	£11.75c
6WAY PCC TO 25WAY 'D'	£9.87c

24 Hour Order Line 0923 894064 OPEN 9am-5pm Mon-Thu 9am-4pm Fri

CARE ELECTRONICS

DEPT QL, 15 HOLLAND GDNS GARSTON, WATFORD, HERTS, WD2 6JN. Tel: 0923-894064 Fax: 0923-672102

Please add carriage a=£11 75 b=£3.76 c=No charge d=£2.35

HOW TO ORDER:

Philips BM7502 Green Hi-Res

By Post. Enclose your Cheque/PO made payable to CARE Electronics or use ACCESS/VISA. Allow 7 days for delivery

£99.64a

Joehen Merz Software

Imstillen Winkel 12 - W-4100 Duisburg 11 - Germany

& & Fax: 0203 501274

Dear QL-User,

You'll find a lot of new software described in this advertisement. Of course, complete descriptions do not fit on one page. If you think that you need more information, just write. This ad has been designed in September, so maybe at the time you read this, higher versions may exist. Be sure you'll always get the latest versions from us.

QL-Emulator Extended4 for any ATARI ST (not STE) - Displays standard QL mode 512x256 as well as 768x280 in four colours! Current Driver Level is D.09, together with the new DEV-device and more utilities. Now supports AdSpeed! **£166**

QL-Emulator manual & disc update (return old discs) £6 EPROM Cartridge for ST (makes machine autoBOOT), switchable £33

Floppy Adaptor to connect QL-Disk-drives to the ST £9 ST Centronics-Parallel-cable 5m £10.50 ST Monitor-cable Scart £9

Other cables and adaptors available!

NEW

DISA - Intelligent Disassembler which allows you to disassemble interactively any kind of machine-code. Completely pointer-controlled, and very easy to use. Generates ASCII-output which may be assembled using the GST (Macro) Assembler. The program also tries to insert label names (used in the Technical Guide and the Reference Manual), and also knows QDOS standards (e.g. Proc/Fn tables, ROM-headers, CONFIG-format etc.) **£29**

QDesign - Graphics program for the Pointer Env. Editable area ranging from 512x256 pixels up to a complete A4 in resolutions up to 300x300 dpi (depending on RAM). You can load mono 640x400 ST pictures and use them. Supports Vectorfonts. Three different zoomsizes, for 9, 18 and 24 pin printers (configurable). **£38**

LaserVersion for Laserjet II, Inkjet, Deskjet £45 Vektor-Font-Editor for QDesign £19

EASYPTR II - Create your own Pointer Environment menus & sprites and use them in your own SuperBASIC or machine-code programs. Many users waited for this package, as creating Menus was not easy, until now! Put all the items you need on screen, that's it! Supports all the PE facilities, even split sub-windows and uses the Menu Extension! Now even complete application-sub-windows may be created! Many examples! **£49**

EASYPTR II - Budget Version £29
EASYPTR II Upgrade from Ver. 1 (return old disc & manual)
£13

FLP/RAM Level 2 - Replacement EPROM for SuperQBoards (V1.17 onwards, with & without mouse) and all TrumpCards. No soldering (if your EPROM is in a socket)! New Manual! Real subdirectories! QL-Emulator compatible! About twice as fast, with improved slave-block-handling! £15

QD III - Very comfortable text-editor, running under the Pointer Environment. It does not contain commands for word-processing, but has many features a machine-code/C/Pascal-programmer can dream of. Local directories, real scroll-bar etc. supported. It uses the Menu Extension and also supports the Scrap for inter-QD-text-communication. £38

Upgrade from VI or VII £10

Many customers ask about the differences between QMENU, QPTR and EASYPTR: QPTR is the basic package, explaining all the structures and discussing the new Traps and Routines for SuperBASIC and Machine-code. If you program in Machine-code, that's what you need. EASYPTR is designed to create menus very easily (by menus) and control them. It is much easier to use, but does not explain the structures. QMENU already contains a lot of very useful menus, which can be used in the easiest way you can imagine (e.g. File-Select). Programs like QD, DataDesign, QDesign, EPROM Manager II, CONFIG etc. share them all.

QPTR - Toolkit for Machine Code and BASIC Pointer Environment Programmers, including CONFIG. £30
Update (new manual & disc) £14

QMENU - Many QD-Users will know it: the Menu Extension. Now with more facilities, even real subdirectories are treated in a new file-select window. Programming instructions and examples for SuperBASIC and machine code. A Scrap Thing is also implemented now! **£11**

QPROMMER - EPROM - Programmer software which allows you to burn EPROMs using the well-known Junior-Prommer for the ATARI ST. Now accelerated algorithm as well as EPROMs up to 27512 and 27010, 27020, 27040 & 27080 supported £19

Thing & EPROM Manager II - This program puts all your files together in one file, ready-to-burn into EPROM. £18.50

QDOS Reference Manual - This book is a must for all m-code programmers. It explains how to use QDOS, all traps and vectors, the Thing System, the HOTKEY System II and much more. It points out which features work on a QL, an Emulator and how to write compatible for future operating systems. DIN A5, 170 pages. £30 **Special update service available!**

DataDesign - Version 2 - DataBase program running under the Pointer Environment. May be controlled by Menu, SuperBASIC or from Machine-code (all access routines are implemented as Thing Extension). Very fast, fields may be longer than one line. Exported Archive-files may be used. **£55**

QLiberator £51 QLoad-Ref £14.50 QSUP £26 QLQ £21 Diamonds £11 Firebirds £10 BrainSmasher! £12 Arcanoid II £10

QIMI - Mouse-interface & Real-Time-Clock £38 w/o RTC £35 High Quality Mouse for QIMI or ATARI ST £27 Pack of 10 discs 3.5" MF2DD with labels £3.10

Please add £4.00 for postage and package.

All programs except Arcanoid & Firebirds need memory expansion. All prices excl. V.A.T. E&OE. Cards welcome!







Plans for the next year: the QL-Emulator for STE's is coming; QTimer the personal time planer (pointer-controlled); MIDI net for all ST's!?

PSION SOLUTIONS

've just come a cropper with Quill (v 2.3). I realise it wouldn't have happened had I backed up files but even so it looks like a serious bug to me.

If one tries to save a _doc file with an existing filename one is asked whether the old file is to be deleted. Pressing <ESC> returns one to the original prompt, for example 'Save,flp2_letter_doc'. If one then attempts to save the file by overwriting this prompt by typing in, say, 'letter2' Quill takes no notice but deletes the original file and saves the new one with the old name.

Hilary Snaden Portishead Bristol

I can confirm that this happens with both versions I have available too (QLWP 2.1 and Quill 2.35). Hilary Snaden's careful observation explains the loss of more than one of my files! There seems to be no way to cure it without modifying the code for Quill itself, so it just has to be lived with. The only answer if you change your mind while saving is to remember to press <ESC> TWICE and then repeat the entire save sequence with the new name.

Bugs

This is probably an opportune introduction to a catalogue of other bugs and inconveniences in Quill. There is another serious bug in all versions: if you use the Erase or Copy functions the program partially loses track of cursor movements. Pressing <SHIFT down-arrow>, which usually moves the cursor to the start of the next paragraph, has an erratic effect. More seriously, repeated use of <up-arrow> may lock up Quill altogether without warning. In my experience it is only <up-arrow> that causes the problem and it is only Quill that is locked, not the whole QL, so if you are Why does Quill V2.3 take the law into its own hands when you ask it to save a new file under an existing file name? Why won't the Psion suite save one reader's files to disk? Howard Clase catalogues some Quill bugs, looks at Ron Massey's alterations to install_bas, and offers a modification to his own program FTidy.

multitasking you can still get at your other programs, ramdisk files, etc.

Pointers

Contrary to some advice I have read, you cannot reset the pointers by going to the top or bottom of the _doc. You can avoid using up-arrows by using <SHIFT up-arrow> to get to the top of the paragraph and coming down line by line, but it's probably safer to save and reload your document after using either of these two commands as I always do. If you can use Toolkit II to generate 'macros', this only involves a couple of keystrokes. Note: It's the reloading that resets the pointers; you cannot get away with saving alone if you are going to do any more work on the file.

Printer

Another way to lock up Quill, and your printer port as well, is to ask Quill to print something without having a printer ready and waiting at the other end of the printer cable. The <ESC> key has no effect in these circumstances. If it is just a case of pressing the on-line button on the printer, then the situation is recoverable, but switching on a printer or plugging in

a printer cable while the QL is running, risks a chip-destroying surge. That said, I sometimes do switch on my printer after the QL, but I have taken care that it is plugged in to a different main circuit. That hasn't prevented my wife from starting up the Electrolux on the same circuit as the QL, but without causing any problems – so far!

There are a few other quirks of Quill that beginners may come across, which, while they aren't absolute disasters, can be frustrating if you don't know what is going on.

Headers

Firstly headers and footers. The default settings when Quill is switched on are: no header, and a footer that prints 'page 1', etc. at the bottom centre of each page. Unfortunately the default page design expects the top of the sheet to be at the print head, not at the tear off bail, which is where it is convenient to put it. This means that if you are using form feed paper, 'page 1' appears not at the bottom of page one, but at the top of page two. You can get around this by putting the perforation at the print head but this means wasting one sheet every time you print a

My personal solution to this is to get into 'Design' <F3,D>

and set the upper margin to 0 and the bottom margin to 9. This is about right for the top of the sheet at the bail. I also prefer to have my page numbers at the top rather than at the bottom, so I set the footer to "none" and the header to "nnn", which prints the page number in ordinary Arabic numerals.

Footer and header work similarly: after you have decided whether you want your message left, right or centre you are presented down at the bottom left corner of the screen with the present message if there is one, otherwise the line is blank waiting for you to type it in. The enhanced Psion line editor I mentioned in an earlier article is available, so you can use SHIFT with the arrow keys, etc. If you include "nnn" in your message it is replaced by the page number in Arabic numbers. ('rrr' gives Roman numerals and 'aaa' alphabetical labelling - upper case, eg 'NNN', has the same effect. You have to type them in, not say

Bold

The last question asked when you are resetting footers or headers is 'bold'. While Quill is able to remember the position and content of your message it seems to suffer from amnesia when it gets to the typeface—so you have to press 'n' every time

PSION SOLUTIONS

if you don't want your header in the default **bold** type.

This leads me to another problem which I met when I had a fading ribbon and tried to compensate by printing a whole article in bold type. Quill thinks 'normal' is whatever the main text is in, and doesn't send any typeface codes to the printer when printing header and footers, but I had set the header to bold. The result was that, having printed the header in bold, it sent the code to turn bold off, and the main page came out in normal type. When I set the header to 'normal' it didn't change the typeface and everything came out as I wanted it - all bold! You've just got to look at things the way Quill sees them.

Def_tmp files

I'm writing this while on a short sabbatical in England using a basic 128K QL and a tv set. Perhaps all contributors should do this from time to time, since I've discovered another annoyance that I never would have met on my 640K disk drive QL at home (NB Ms Editor, that's Newfoundland, not Nova Scotia). Let's just say Canada. The code for Quill itself takes up so much memory in the QL that there is only enough room for about 700 words left on an unexpanded QL, so when this is full Quill sets up a special file, def_tmp, on mdv2_. It keeps the whole of your text in this and only keeps the bit you seem to be currently interested in in the active memory (in computerese, it uses the mdv tape as virtual memory).

Merging

This can slow things down, while the mvds whirr as you move about your document, so I am trying to write my article in short bits, only merging them together when everything is finished. Obviously, since the tape in mdv2_ contains part of your doc, you cannot take it out to save a second copy as a backup, but you can take out the Quill tape from mdv1_ and make a copy on that microdrive. (Remember to

put the Quill tape back before you print.) When you leave Quill with quit, or zap a file, it should delete the def_tmp file. However, if you load a new shorter file without 'zapping' the original doc then the def_tmp file remains on your cartridge taking up unnecessary space. You can delete it from within Quill using the 'files' command <F3,F3,F,D>; for once Quill seems to be intelligent enough to allow this only if the def_tmp file is not part of your current doc.

If you do forget, and try to change cartridges in mdv2_while there is an active def_tmp,Quilldoesn'tgiveyou agentle reminder,itsays: "Fatal error – restarting Quill", and your document is lost. Even though it seems to be starting again from scratch it gets very possessive about the original cartridge and won't accept any other – it's best to reset at this point.

Configured or confused?

Mr Raymond Fowles of Liverpool has upgraded his QL to disk, but is having problems getting his Psion suite to run on his new system. In particular he has been unable to save any of his files to disk.

Mr Fowles' problem arises because each of the Psion programs has a number of 'default' devices built into its software. If you are still using the original versions, you will probably have noticed that when loading or saving a file in any of the Psion suite you do not have to tell it which microdrive to use as you do in Basic. It just assumes you mean mdv2_; although you can over-ride this default by typing the device name before the filename, eg if you type in "mdv1_letter" it will save it to mdv1_. (I wouldn't recommend this as a regular habit, as there isn't very much extra room on the Quill cartridge.)

Whirr

Also if you ever need help or want to print a document you will notice mdv1_ whirr for a bit before anything happens. It is because of the built-in de-

faults in the code that Quill knows where to look for the appropriate files.

If you put your Quill cartridge into mdv1_ after pressing F1/F2 and type "copy mdv1_quill to scr_" at the keyboard you will see the code for Quill spew out onto your screen; most will be gobbledegook, but occasionally recognisable words will appear, and amongst them you will see mdv1_, mdv2_, mdv1_in close succession. If you have an (or even THE) editor or a monitor you will be able to find them more easily and even alter them, for this is where the names of the defaults are hid-

Config_bas

There is no need to spend money on an editor though; there is a program called config_bas supplied with the Psion suite. In fact there are no less than three identical copies of it, one on each master, apart from Archive. You can use any copy to configure any member of the suite. As far as I can see there is no significant difference in the various versions of config_bas that come with the different versions of the Psion suite, but, if, like me you have more than one version, it is probably safest to use the right one - I haven't tested them all exhaustively.

Reconfigure

To re-configure your copies of the Psion suite, first reset your QL and press F1/F2 before inserting your Psion cartridge into mdv1_. Then enter command "LRUN mdv1_config_bas". In operation config_bas is easier to use than install_bas; just follow instructions. First it asks you for the name of the program you want to configure and where it can be found (mdv1 and mdv2 are the only options, so you will have to copy your reconfigured program to disk later). You can reset the default devices for all four Psion programs and for Abacus and Archive there is the additional option of changing the sort order – I'll come to that later.

The three device defaults in order are:

- 1. The device that contains 'system information'; in practice this means the location of the printer drivers—printer_dat or gprint_prt in the case of Easel.
- 2. Where you keep data files: eg _doc files in Quill or _aba files in Abacus.
- 3. The location of the _hob files which are called up when you press <F1> for HELP!

Dual Disk

If you have a dual disk system then the obvious thing is to simply swap flp1_for mdv1_ and flp2_for mdv2_. If like me, you have only one disk drive then you can either set all three devices as flp1_, or use a ramdisk as I do. I set the 'system' device as ram8_, and have altered my boot to copy the appropriate dat file ram8_printer_dat before EXEC_Wing the Psion probefore gram. I have differently named dat files for different purposes and use the backup facility, <F3, F3, F, B>, if I want to changeram8_printer_dat. N.B. it must always be called printer_dat in ram8_whatever it's called on the disk - you can change the name when you copy or back it up.

If you run config_bas with Abacus or Archive you can also change the sort order, ie the alphabetical order used when strings are sorted. If you are using English only then you probably won't want to change it. This facility is primarily made available for users of other languages which use other sequences - for example, in German a-umlaut is treated as equivalent to a, but in Finnish it comes almost at the end after z, but before o-umlaut, and w and v are considered equivalent. (This might come in useful if you are ever using the Helsinki phone directory!)

There is an alternative way of dealing with running the Psion suite on disks – or any other programs that have built in references to microdrives – and that is to use the FLP-USE command which is present in almost all disk interface software. Edit your boot to include

PSION SOLUTIONS

the following line before any reference to mdv is made:

nnn FLP USE MDV (where nnn is an appropriate line number.)

This statement makes 'flp' an alias for 'mdv' so an instruction to look for a file on mdv2_ is redirected to flp2 for example. I prefer to call a disk a disk and not to indulge in euphemisms of this kind, as you can get into a muddle. Obviously you can only do this without using config_bas if you have dual disk drives, from access to your microdrives themselves.

One More

Mr Fowles also refers to proposed by Ron Massey in QL World. It is not necessary to do anything to install_bas when you convert to disks, just copy over the printer_dat files and they will work as they are. Install_bas enables

printer dat files which the program refers to when it needs to know the special codes your printer uses to create effects like superscript, bold, etc.

Alterations

Ron Massey's alterations represent one approach to solving the problem of wanting to pick and choose between different versions of printer_dat for different situations - especially and you will cut yourself off when you have more than one of the Psion Suite on the same disk. I go along with him as far as giving each version a distinctive name, but you can do that with the COPY command eg COPY mdv1_printer_dat to flp1_Quillnlq_dat.

His approach also involves some alterations to install_bas altering the code of your Psion programs, and you cannot do that without an editor or some skill at writing SuperBasic. Even if you do follow his suggestions your new version is still restricted to one named _dat file. Using the backup facility in the

you to design your own way I describe above is more flexible and doesn't require any alterations except a bit of renaming of printer dat files.

> The main trouble with both config_bas and install_bas is that both are designed to operate with microdrives alone so you have to modify or create your files on microdrives and transfer them to disk, or use the FLP USE command. It only requires a small amount of editing to make disk versions of these programs. I will investigate and report in a future article.

FTidy bug

Some readers have been having problems with a file handling program of mine called FTidy which was available through QL World's mdv exchange. This was primarily intended for QLers with disk drives and requires a small alteration to run on a QL with microdrives only. In order to manipulate the directory it has to be read into a temporary file, and the program as supplied tries to put this onto flp1_. To

use FTidy with microdrives load the program FTidy_bas and type EDIT 640, you should get a line starting:

640 DATA "FLP1_": REMark...

Edit this to read:

640 DATA "MDV1 ": REMark...

and press enter. Delete FTidy_bas from your working cartridge and save this modified version as FTidy_bas in its place. You should have no further problems, as long as there is a tape in mdv1_ with enough space for a short file-two sectors is probably enough. If you do have a ramdisk then use this rather than mdv1_, it is much quicker. If you still have problems then please write to me c/o Sinclair QL World.

This only applies to the original SuperBasic version of FTidy. A Q Liberated version, with a superbasic program to enable you to configure the devices has been sent in to the new microdrive exchange, but administrative problems have prevented it from appearing yet.

NEWSAGENT ORDER FORM

By placing a regular order with your newsagent you can be sure of receiving Sinclair QL World every month. Complete this coupon and pass it on to your newsagent.

Dear NEWSAGENT. Please reserve/home deliver _____ copies of Sinclair QL World every month for: Mr/Mrs/Miss Telephone No

Sinclair QL World is published on the 3rd Thursday of every month. Any distribution queries to: IPC Marketforce, Kings Reach Tower, Stamford Street, London. SE1 9LS. Tel: 071 261 5000.

FIKOSHA

Silica Systems are pleased to recommend Seikosha printers at NEW LOW PROMOTIONAL PRICES. The Seikosha range is built to exacting standards, by a company that is used to manufacturing high quality precision products. In fact, you may find that you are already wearing one of these products on your wrist as Seikosha are part of the massive Seiko/Epson group (with a turnover of £6 billion and over 18,000 staff!).

When you buy a Seikosha printer from Silica, we will give you a Silica Printer Starter Kit (worth £25+VAT = £29.38) FREE OF CHARGE, to make sure you get off to a flying start with your new printer. For further information on the Seikosha range, complete and return the coupon below. Or, if you can't wait to get your hands on a new low priced Seikosha printer, telephone our mail order hotline, 081-309 1111 to place your order now.

- REE DELIVERY Next day - anywhere in the UK mainland
- EE HELPLINE Technical helpline during office hours.
- Printer speeds are quoted as follows:

 SD = Superdraft 15cpi, D = Draft 12cpi, NLQ = Near Letter Quality 12cpi, LQ = Letter Quality 12cpi

FREE STARTER KIT Worth £29.38 with every Seikosha printer.

1 YEAR WARRANTY

With every Seikosha printer from Silica

Seikosha SP-1900

24-PIN

- 192CPS DRAFT 80 COL
- Seikosha SP-1900Al 9 pin 80 col
 192cps Draft, 48cps NLQ
 1K Printer Buffer + 2 Fonts Parallel Interface
- Graphics Resolution: 144×72dpi Epson and IBM Emulation
- Paper Parking
 FREE Printer Starter Kit

SP-1900AI RRP

£25 TOTAL RRP: £204

Less Silica Saving: £105 SILICA PRICE (EXC VAT): £99

£179

+VAT= £116.33 Ref: PRI 8190



CPS DRAFT 80 COL

- SELVPS DRAFT

 Seikosha SP-2000AI + 9 pin 80 coi
 192cps Draft, 48cps NLO
 21K Printer Buffer + 2 Fonts
 Parallel and Serial Interfaces
 Graphics Resolution: 144×72dpi
 Epson and IBM Emulation
 Optional Auto Sheet Feeder Unit
 FREE Silica Printer Starter Kit

SILICA PRICE: £129



136 COL 40 CPS DRAFT

- Seikosha SP-2415Al 9 pin 136 col
 300cps SD, 240cps Draft, 50cps NLQ
 17.5K Printer Buffer + 5 Fonts
 Parallel and Serial Interfaces

- Graphics Resolution: 240×144dpi
 Epson and IBM Emulation
 Superior Paper Handling
 FREE Silica Printer Starter Kit

P: £320
ARTER KIT £25
TOTAL RRP: £345
SAVING: £136
SILICA PRICE: £209



80 COL 40 CPS DRAFT

- Selkosha St. 92Al 24 pin 80 col
 240cps Draft, 80cps LQ
 44K Printer Buffer + 2 Fonts
 Parallel Interface
 Graphics Resolution: 360×360dpi
 Epson Emulation
 Ontional Engl ROM 7 Fonts

- Optional Font ROM 7 Fonts FREE Silica Printer Starter Kit

E335 ER KIT. £25 TOTAL RRP: £360 SAVING: £171 SILICA PRICE: £189



PRINTERS

- 80 COL 4 CPS DRAFT
- Seikosha SL-210Al 24 pin 80 col 324cps Draft, 108cps LQ 5K Printer Buffer + 9 Fonts Parallel and Serial Interfaces
- Graphics Resolution: 360×360dp Epson and IBM Emulation
- Optional Auto Sheet Feeder

P: £599
RTER KIT £25
TOTAL RRP: £624
SAVING: £255
SILICA PRICE: £369



80 COL 4 CPS DRAFT

- Selkosha LT-20 24 pin 80 col
 180cps SD, 144cps Draft, 60cps LQ
 1K Printer Buffer + 9 Fonts
- Parallel Interface
- Graphics Resolution: 360×180dpi IBM Emulation

P: £369
RTER KIT £25
TOTAL RRP: £394
SAVING: £125
SILICA PRICE: £269

BUSINESS PRINTERS (WIDE-BODY)



- 277 CPS DRAFT 136 COL

- CPS DRAFT CUL
 Selkosha SL-230AI 24 pin 136 col
 277cps Draft, 92cps L0
 5K Printer Buffer + 9 Fonts
 Parallel and Serial Interfaces
 Graphics Resolution: 360×360dpi
 Epson and IBM Emulation
 Optional Auto Sheet Feeder
 FREE Silica Printer Starter Kit





462 CPS DRAFT **136** COL

- Selkosha BP-5500Al 8 pin 136
 462cps Draft, 106cps NLO
 18K Printer Buffer
 Parallel and Serial Interfaces
 Graphics Resolution: 240×144dpi
 Epson and IBM Emulation
 Optional Auto Sheet Feeder
 FREE Silica Printer Starter Kit

RRP: £1299 STARTER KIT £25 TOTAL RRP: £1324

SAVING: £325

SILICA PRICE: £999



136 COL

- 520 CPS DRAFT
- Seikosha BP-5780AI 18 pin 136 col 780cps SD, 520cps Draft, 130cps NLQ 20K Printer Buffer + 2 Fonts Parallel and Serial Interfaces Graphics Resolution: 240×240dpi Epson and IBM Emulation

 Handles 1+6 Multipart Forms
 FREE Silica Printer Starter Kit
 RRP: 124
 TOTAL RRP: 1724
 TOTAL RRP: 1724
 TOTAL TRP: 1724
 SAVING: £325 SILICA PRICE: £1395



136 COL

- **800** CPS DRAFT

- Selkosha SBP-10AI 18 pin 136 col
 800cps Draft, 200cps NLQ
 64K Printer Buffer + 2 Fonts
 Parallel and Serial Interfaces
 Graphics Resolution: 240×240dpi
 Epson and IBM Emulation
 Built-in Cut Sheet Feeder
 FREE Silica Printer Starter Kit

RRP: £2999
STARTER KIT £25
TOTAL RRP: £3024
SAVING: £525 SILICA PRICE: £249



Every Seikosha printer from Silica, comes with the Silica Printer Starter Kit, worth 229.38 (225 ±VAT), completely FREE OF CHARGE. It includes all you need to get up and running with your new printer.

33½ "Disk with Amiga & ST Printer Drivers
1.8 Metre Parallel Printer Cable
200 Sheets of Quality Continuous Paper
100 Continuous Tactor Feed Address Labels
5 Continuous Envelopes on Tactor Feed

SYSTEMS OFFER

- FREE OVERNIGHT DELIVERY: On all hardware orders shipped in the UK mainland.

 TECHNICAL SUPPORT HELPLINE: Team of PC technical experts at your service.

 PRICE MATCH: We normally match competitors on a "Same product Same price" basis.

 ESTABLISHED 12 YEARS: Proven track record in professional computer sales.

 BUSINESS + EDUCATION + GOVERNMENT: Volume discounts available for large orders.

 SHOWROOMS: Demonstration and training facilities at our London & Sidcup branches.

 THE FULL STOCK RANGE: All of your PC requirements from one supplier.

 FREE CATALOGUES: Will be mailed to you with offers and software/peripheral details.

 PAYMENT: By cash, cheque and all major credit cards.

Before you decide when to buy your new printer, we suggest you think very carefully about WHERE you buy it. Consider what it will be like a few months after you have made your purchase, when you may require additional peripherals or software, or help and advice. And, will the company you buy from contact you with details of new products? At Silica Systems, we ensure that you will have nothing to worry about. We have been established for over 12 years and, with our unrivalled experience and expertise, we can now claim to meet our customers requirements with an understanding which is second to none. But don't just take our word for it. Complete and return the coupon now for our latest Free literature and begin to experience the "Silica Systems Service".





1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX Tel: 081-309 1111 Mon-Sat 9.00am-6.00pm No Late Night Opening Fax No: 081-308 0608 52 Tottenham Court Road, London, W1P 0BA Tel: 071-580 4000 Mon-Sat 9.30am-6.00pm No Late Night Opening Rax No: 071-323 4737 Selfridges (1st Floor), Oxford Street, London, W1A 1AB Tel: 071-629 1234 Mon-Sat 9.30am-6.00pm Late Night: Thursday until 8pm Extension: 3914 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX Tel: 081-302 8811 Mon-Sat 9.00am-5.30pm Late Night: Firday until 7pm Fax No: 081-309 0017 MAIL ORDER: LONDON SHOP LONDON SHOP SIDCUP SHOP:

To: Silica Systems Ltd, Dept. QLW 1191-58B, 1-4 The Mews, Hatherley Rd, Sidcup Kent, DA14 4DX

PLEASE	2FMD LK	FF 2F	IKUSHA	INFURMATION	
Mr/Mrs/Ms:	Initials:	Surname:			
0					

Company Name (if applicable): Address:

Tel (Home): Tel (Work): Which computer(s), if any, do you own?

E&OE - Advertised prices and specifications may change - Please return the coupon for the latest information.

ARCHIVE A=N+S-W=E+R-S

rchive's numerical abilities are really quite impressive. Numbers are stored to 14 significant floating point figures, to a maximum value of some 1.7E38 – by my reckoning that is plus or minus 170 billion billion!

The downside of this powerful feat is that Archive numbers still occupy enough space for such numbers (8 bytes), even if all you want to store are numbers between 1 and 10, or even just to store a zero. That does not matter on a small database, but in applications where large amounts of small numbers are involved, it can represent a huge waste of both computer memory and disk/microdrive space.

Another problem with Archive numbers is the inability to define arrays or sets of any sort. Each number has to be held in a variable of its own. This presents all sorts of problems, both in terms of the awkwardness of this kind of data handling, and in the inefficiency of space it can lead to. When devising a new record structure, you have to allocate every number variable you may need – even if in most of the records, it will be carefully storing zero to fourteen significant floating point figures.

This Archive Answers will not be a finished application. Instead it offers the Archive programmer several alternative sets of tools to help overcome this situation. They represent several different data structures, each of which may improve

Robin Stevenson offers the Archive user several alternative tools to assist number-handling.

these string integers, and back again. As with all *Archive Answers*, input into a procedure is via calling parameters, and output is via global variables: ANSWER for string, and ANSWER for numeric output.

Once the numbers are held as string values they can be concatenated together, so that one string variable can be used to hold up to 127 such values. Once in such a string variable, these numbers are very easy to deal with *en bloc*. It is easy to

Table One. Which procedures are needed by each data structure?

proc struc	Encode	Decode	Array Dim	Array Store	Array Get	Push	Pop	Pull	Array Insert	Array Cut
Fixed Length Array	Υ	Y	Y	Υ	Y	厦				
Variable Length Array	Y	Υ		Υ	Y		12		Υ	Y
Stack	Υ	Υ				Υ	Υ			
Queue	Y	Y				. Y		Y		

both the data access and data storage for particular kinds of problems. The data type used will be integers (whole numbers) in a range of plus or minus 36000 or so. This can be stored in two bytes of a normal text string. The two short procedures in **listing one** convert Archive numbers into

duplicate the whole set, by simply assigning it to another variable. You can also find the total number of elements, by simply dividing its length by two. And because Archive uses variable length string variables, they only occupy the space they need. What is not so easy is dealing with

Listing One

proc Encode; VALUE

let VALUE=VALUE+32639

let ANSWER\$=chr(VALUE/256) +chr(VALUE-(int(VALUE/256) *256))

endproc

proc Decode; ITEM\$

let ANSWER= (code (ITEM\$ (1)) *256) +code (ITEM\$ (2)) -32639

endproc

ARCHIVE ANSWERS

```
Listing Two
proc ArrayDim; ELEMENTS
  let ANSWER$=rept(chr(127), ELEMENTS*2)
  endproc
proc ArrayStore; ARRAY$, ELEMENT, VALUE
  local LENGTH: let LENGTH=len(ARRAY$)/2
  if ELEMENT <= LENGTH and ELEMENT
    Encode; VALUE
    if LENGTH=1: return : endif
    if ELEMENT=1: let ANSWER$=ANSWER$+ARRAY$(3 to )
      let ANSWER$=ARRAY$ ( to (ELEMENT*2)-2)+ANSWER$
      if ELEMENT<LENGTH
        let ANSWER$=ANSWER$+ARRAY$((ELEMENT*2)+1 to )
        endif : endif
    else : print "ArrayStore: element out of range"
    let ANSWER$=ARRAY$: endif
  endproc
proc ArrayGet;ARRAY$,ELEMENT
  if ELEMENT*2<=len(ARRAY$) and ELEMENT
    Decode; ARRAY$ ((ELEMENT*2)-1 to )
    else : print "ArrayGet: element out of range"
    let ANSWER=0: endif
  endproc
proc Show; ARRAY$
  local LENGTH, COUNT: let LENGTH =len(ARRAY$)/2
  let COUNT=1: while COUNT<=LENGTH</pre>
    ArrayGet; ARRAY$, COUNT
    print COUNT; ": "; ANSWER
    let COUNT=COUNT+1: endwhile
  print "An array of "; LENGTH; " elements."
  endproc
proc ArrayTest
  local COUNT: ArrayDim; 10: let A$=ANSWER$
  print "Enter numbers between 1 and 10. 0 to finish"
  let COUNT=1: while COUNT<>0
    input ": "; COUNT
    if COUNT
      ArrayGet; A$, COUNT
      ArrayStore; ANSWER$, COUNT, ANSWER+1
      let A$=ANSWER$: endif
    endwhile
  let COUNT=1: print "Frequency:-"
  Show; A$
  endproc
```

the individual elements. The procedures developed here help overcome this in various ways. With the appropriate data-handling procedures, the strings can be treated as a variety of different data structures.

The simplest is probably the fixed length array, which always contains a fixed number of element values. More space

efficient options include a stack – in which numbers can be added or removed from the top of a list – and a queue, adding to one and removing it from the other. The most flexible, but also the trickiest to keep under control is the variable length array. Data can be read, inserted or deleted from any point, and there is no need to waste storage space.

Each of these data structures has its benefits and limitations. It is important to match an application with the appropriate date structure, to maximize the benefits, and minimise the shortcomings.

The savings to be gained could be considerable. If you need to store 50 numbers per record, in 200 records, this would occupy some 80K by conventional means, and only 20K in fixed length arrays. If you needed up to 50 numbers per record, but on average only used 10 of them, it would still take 80K normally, while variable length arrays would use not much more than 4K.

Using structures

We shall now look at the nitty gritty of using these data structures. Encode and Decode do the maths of converting numbers to two-character strings and back, and are needed for all of the data structures. However you may never need to call these directly. Each data structure uses its own set of storing and extraction procedures, which obey a set of rules specific to the particular structure. While such rules can limit what any one array can do, they make the programming very much simpler. When designing the system, choose a data structure suited to the task and stick to it. In this way, you can actually gain more freedom in the use of the data, since you can be sure of what is going on. It is one of the paradoxes of programming, as of life, that as options (and so complexity) increase, so the effective freedom of choice tends to decrease.

The first data structure we shall look at is the fixed-length array. There are three procedures needed here: ArrayDim to dimension the array; ArrayStore to store numbers; and ArrayGet to retrieve numbers. The basic rule for a fixed-length array is (surprise, surprise) that you can't change the number of elements. When you dimension the array, you fix its length, and each element is assigned the value zero. This means it is quite legal to retrieve elements that have not had a number stored in them. The first three procedures of **listing two** perform these three tasks. The remaining two are demonstration procedures. Show will display the values held in any array passed to it. ArrayTest is a simple demonstration of one use of a fixed-length array. In this instance, there are ten elements in the array, and you are requested to enter as many values between 1 and 10 as you like. For each entry, the existing value for that element is read, added to, and restored. In this way it monitors the frequency of each number pressed.

In this example it is important that all the elements start off initialised at zero, so they can be added to, even on the first call. It is also useful to be able to deal with each element by number. The procedure doesn't

ARCHIVE ANSWERS

need to know which number was pressed. It can simply pass it on when getting and storing the frequency. One important point to note about these array strings is that they are not automatically put into your array variable. ArrayTest stores its array in A\$. If you look at the occasions this is used, you will see that while you can pass A\$ to a procedure (as in ArrayGet;A\$, COUNT), it cannot pass it back. Instead the revised array is now in ANSWER\$, which must be re-assigned to A\$ (let A\$=ANSWER\$). This must be done after any procedure which alters the array. In this case that means ArrayStore and ArrayDim. It is an unfortunate weakness with Archive parameters. Also note that if A\$ was a file variable, instead of a memory variable, you would also need to use the UPDATE command to make the change to A\$ permanent.

There are many occasions when fixedlength arrays could be useful. Anything where a fixed amount of data arrives in a variable order is ideal. For example, your students each have six essays to do during the term. You could set up a database with a six-element array for each student record, each essay title corresponding to a number. As the essays are marked you could store the values against the relevant essay number. It would be fairly easy to devise procedures to search for unmarked essays (hopefully no student will get 0 percent as an actual mark), and to add up the totals for each student.

The stack

The next structure we shall look at is the stack. This is used a lot in low-level programming, and also in Forth, where it is the main data feature. The idea behind it is that elements can only be added to the top of the stack, or taken off the top (like a stack of plates in a cafeteria as the tutorials always say). Archive users are unlikely to want a multipurpose stack of the kind used in Forth, so rules to control stack use by different parts of a program probably don't apply. By limiting access to nothing but adding and removing, the programming is very simple, and it is very easy to keep track of the data.

The stack is accessed entirely by two procedures, *Push* and *Pop* – the traditional names given for adding and removing values. A stack is one of the simplest but also most limiting of data structures.

Similar in both form and use is a queue. The difference is that values are extracted from the bottom, instead of the top of the list. It is a first-in-first-out system. The procedures for a queue are *Push* (the same as for the stack) and *Pull* which removes the bottom value. One use for a queue might be to co-ordinate a real queue in a doctor's waiting room. As patients arrive, their IDs are added to one end of the queue. Then each ID can be taken from

```
Listing Three
```

```
proc Push;ARRAY$,VALUE
  if len(ARRAY$)<253
    Encode;VALUE
   let ANSWER$=ARRAY$+ANSWER$
   else : print "Push: stack full"
   let ANSWER$=ARRAY$: endif
  endproc</pre>
```

```
proc Pop;ARRAY$
local LENGTH: let LENGTH len(ARRAY$)
if LENGTH>=2
  if LENGTH=2:Decode;ARRAY$: let ANSWER$=""
    else :Decode;ARRAY$(LENGTH-1 to )
    let ANSWER$=ARRAY$( to LENGTH-2)
    endif
  else : print "Pop: stack empty"
  let ANSWER$="": endif
endproc
```

```
proc Pull;ARRAY$
  if len(ARRAY$)>=2
    Decode;ARRAY$
  if len(ARRAY$)=2: let ANSWER$=""
    else : let ANSWER$=ARRAY$(3 to ): endif
  else : print "Pull: queue empty"
    let ANSWER$="": endif
  endproc
```

```
proc QTest
  local COUNT
  print "Enter numbers +/-32600, ending with 0"
  let FIFO$="": let COUNT=1: while COUNT<>0
    input ": "; COUNT
    if COUNT
      Push; FIFO$, COUNT: let FIFO$=ANSWER$
      endif
    endwhile
  let LIFO$=FIFO$
  print "The numbers were:-"
  print tab 5;"FIFO"; tab 20;"LIFO"
  while len(FIFO$)
    Pull; FIFO$: let FIFO$=ANSWER$
    print tab 5; ANSWER;
    Pop; LIFO$: let LIFO$=ANSWER$
    print tab 20; ANSWER
    endwhile
  endproc
```

the front of the queue, to show who is next, and then automatically posted in the consultation record.

Either of these structures would also be ideal for any occasion where an unknown

number of values need to be gathered, before being used to produce statistics. For example, an athletics event may wish to record lap times for each runner, in each race. Each runner's record would

```
Listing Four
proc ArrayInsert; ARRAY$, ELEMENT, VALUE
  local LENGTH: let LENGTH=len(ARRAY$)/2
  if ELEMENT <= LENGTH+1 and ELEMENT
    Encode: VALUE
    if ELEMENT>1
      let ANSWER$=ARRAY$ ( to (ELEMENT*2)-2)+ANSWER$
    if ELEMENT<=LENGTH
      let ANSWER$=ANSWER$+ARRAY$((ELEMENT*2)-1 to )
    else : print "ArrayInsert: out of range"
    let ANSWER$=ARRAY$: endif
  endproc
proc ArrayCut ; ARRAY$, ELEMENT
  local LENGTH: let LENGTH=len(ARRAY$)/2
  if ELEMENT<=LENGTH and ELEMENT
    Decode; ARRAY$ ((ELEMENT*2)-1 to )
    if ELEMENT>1
      let ANSWER$=ARRAY$ ( to (ELEMENT*2)-2)
      else : let ANSWER$="": endif
    if LENGTH>ELEMENT
      let ANSWER$=ANSWER$+ARRAY$((ELEMENT*2)+1 to )
    else : print "ArrayCut: out of range"
    let ANSWER$=ARRAY$: endif
  endproc
proc Prune; ARRAY$
  local T, COUNT
  let COUNT-2:ArrayGet;ARRAY$,1: let T=ANSWER
  let ANSWER$=ARRAY$
  while COUNT<=len(ANSWER$)/2
    ArrayGet; ANSWER$.COUNT
    if ANSWER=T: ArrayCut; ANSWER$, COUNT
      else : let COUNT=COUNT+1: let T=ANSWER
      endif
    endwhile
  endproc
proc InsertTest
  local N, COUNT: let A$=""
  print "Enter numbers, +/-32000. End with 0"
  let N-1: while N<>0
    input ": "; N
    if N
      let COUNT=1: let ANSWER=-40000
      while COUNT< Tien (A$) /2 and N>ANSWER
        ArrayGet; A$, COUNT
        if N>ANSWER: let COUNT=COUNT+1: endif
        endwhile
      ArrayInsert: A$, COUNT, N: let A$=ANSWER$
      endif
    endwhile
  Show; A$
  Prune; A$: let A$ ANSWER$
  Show; A$
  endproc
```

include a stack, into which was added each lap time. At the end of the race, it would be possible to find the fastest, and average laps of each runner, and use the same system for races of different lengths.

Listing three contains the stack and queue procedures, plus a demonstration. This shows how the same data, once collected, can be used as either a stack or a queue, as needs require.

The final data structure offered here is the variable-length array. This uses both ArrayStore and ArrayGet from Listing two, adding procedures to insert and delete values anywhere in the list. It has no inherent rules in the way the others do, and is clearly of less use when the absolute position of the elements is important. However it is ideal where the relative value is significant. For example, you could insert each new number in ascending rank order, as demonstrated by the InsertTest procedure in Listing four. Once numbers are in order it is very easy to check for duplicated values. The Prune procedure does just this, and prunes out any duplicates it finds.

One important, but complex use for an array could be in a one-to-many relational database. Records in the main data file could store an array of reference numbers, for each of the subsidiary file records that relate to it.

When entering the listings initially, you should add all four together into one program, as there are overlaps in the procedures they require. However when you come to use them in your applications, you could remove those you do not require, for the particular structures you need. **Table one** shows which procedures relate to each of the data structures described.

A word of warning may be in order regarding printing these array strings on the screen. Because they may include values below CHR (32), they can interfere with the screen driver and write rubbish, or generate error messages. This is true even with a file variable using DISPLAY. You may need to customise the input screen, to remove such variables.

It would be fairly easy, by just altering the Encode and Decode procedures, to convert all these procedures to handle a different set of integers. If zero was positioned at true zero, instead of at 32639, you could store numbers from 0 to 65000 instead. If only very small numbers were needed, you could, with rather more wideranging changes, use a single byte for each number, to store integers from 0 to 255, for example. This would halve the storage area used.

There is also scope for using other data structures, or access rules from those described here. Archive programmers are probably not used to thinking in terms of bytes of data, or required integer ranges. The vastness of the built-in numeric variables shields us from that. However if your applications are too inefficient using these variables, the integer arrays described here could be the answer you need.

NOTICE BOARD

LOST LISTING

First, apologies. The listings of DBQL across the centre of pages 46 and 47 of the October issue are illegible. The setter's pagemaker program apparently swallowed the listings across the gutter and refused to give them back. The subsequent scan of the backup listing failed to print properly.

There are moments when some bits of paper and a sharp scalpel look like the answer to modern technology.

We have not been able to make contact with Mr Tom Ashcroft (who is innocent of all blame for this blunder) in time to re-run the damaged section of the listing this month, but when it arrives we will send a copy out to anyone who drops us a line. We may also re-run the damaged column for readers further afield.

ENCORE

A line was also dropped out of Simon Goodwin's DIY Toolkit in October. We don't know what the official excuse is, but the correction appears in this month's QL Scene.

YOU HELP US . . .

If you have a query or complaint for our subscriptions department, and more especially if you want to report a change of address, please quote your subscriber number. This enables them to go straight to your reference on their database with your information, instead of putting it in a pile of papers which can get mislaid.

Our agents are: MCM Subscription
Department, Lazahold Ltd., PO Box 10,
Roper St., Pallion Industrial Estate,
Sunderland SR4 4 SN. If you have a missing
issue or payment query you can reach Steve
Price on 091 510 2290, but if you are
changing your address, please notify them in

writing, quoting your ubiquitous subscriber number.

It is not often that I ask for volunteer labour on QL World. One person chained in ceaseless slavery seems like enough. However, the expertise on the QL is now so scattered, and so up to its individual and collective neck in new developments of one sort or another that I ham having difficulty pinning it down when I want it.

One upshot of this is that I can't get useful replies to stuck readers' queries (what we used to call Technical Helpline) fast enough to be really useful. The emigration of Ron Massey has likewise left us without a reliable all-rounder on the Psion suite. Ron used to digest queries and turn them round to us every month. Few of the knowledgeable people have the time or the across-the-board knowledge to do that, even on a good page rate.

What I would like to compile is a list of people who are experienced or good in one particular area (or two or three if they are that way inclined) who would be willing to take the occasional letter from us and work out a reply to it to get get somebody out of a jam. Some of us do this on an informal basis already, but we have not enough spare capacity to run a regular page of problem solving beyond what Bryan can handle in Troubleshooter.

I may even take to publishing a short list of enquiries on a page of its own by way of an ongoing and general appeal for assistance.

One of our purposes is to help people with difficulties, and we could do this more effectively if we had more people to call on.

THE OTHER THING WE NEED, for all the same reasons and perhaps with greater urgency, is a handful of volunteers to try out and report back on programs sent to us for publication.

Write to me if you can help or if you want more information.

THE EDITOR





For one month only, Sinclair QL World is offering you the chance to subscribe for 12 months and receive 14 issues. Yes, that's 2 free issues! Subscribe now!

The first issue of a new subscription to be delivered will be one or two issues atter the one you placed your order in

PONT WATER TO WATER TO WATER TO THE PARTY TO										
Please send me one year's subscription to Sinclair QL World. I enclose my cheque/money order for £ made payable to MCPC LIMITED or debit my Access/Visa card.										
Card No.	the state of the s									
Expiry date										
Name	and red light with being of ear.									
Address										
PORT COS	en and the second of the second secon									
Postcode										
rosicode	(Please enter postcode to ensure prompt delivery)									
Signed	Date SQLW1191									
Send to: M.S.M. Subs. Dept., Lazahold Ltd., P.O.	Box 10, Roper Street, Pallion Ind. Estate.									
Sunderland SR4 6SN.	as an next seelf an laber motivation									
Juliuci iuliu Jiva UJI 1.	Company of the Asia and Asia and Asia and Asia									

U.K.: £23.40, EUROPE: £32.90, REST OF THE WORLD: £40.90 OVERSEAS RATES INCLUDE AIRMAIL SERVICE

Arch Ed Part II

Stephen Mitchell continues with the second part of his Archive editor.

n the last article we produced some file handling procedures that will enable you to link your dbf file to the ArchEd editor procedures that appear this month. This Editor runs within Archive and enables you to edit the fields of your file to their full 255 character length. ArchEd will handle a file containing any number of fields without the need to create special sedit screens. Arch Ed can also be incorporated within your existing Archive procedures. Nearly all this month's procedures are prefixed by the letters w2. Type in the procedures given in the listing using the Archive edit command and save it with the name given in the initial REMarks. Make sure you keep a security

The task of the w2 procedures is to display each field in turn from the record selected by the file handling procedures and to enable individual fields to be edited as required.

Before proceeding it is necessary for the w2g1 procedure to be edited to the names of the fields in your file. A non-elementary file structure is given as an example in procedure w2g2. The parameter 'n' to this procedure simply indicates which field is to be assigned to the string variable s\$. The fields of a file are numbered from zero, so if the fifth field of your file is called 'descriptions\$' its field number is 4 and so is the statement:

if n=4: let description\$=s\$: endif

must be included in w2g1. A statement of this form must appear for each of the textual fields in your file with the field numbers set as appropriate. The example shows how to code this structure in a reasonably efficient manner. Note that a gap will be present for any numeric field defined in your file. The w2g2 procedure can be deleted once w2g1 has been amended to reflect your file.

As mentioned last month, if you have an expanding QL then you might like to try merging the editor and file handling procedures and running them as a single loadable program. ArchEd runs somewhat more efficiently in this form.

ArchEd is run in the normal way by typing 'run ArchEd ENTER'. The initial questions asked are those from the file handling procedures with which you should by now be quite familiar. When you have selected a record from your file

you will be asked 'Do you want to EDIT this record?'. If the answer is 'yes' ArchEd will display the first textual field of the record. This field becomes the 'current' field and appears double-lined spaced at the top of the screen. The individual lines into which the current field is broken are known as 'components' and it is these that are edited by the sub-edit commands (see below). Of course, the field may be shorter than the component length in which case only one line is displayed. The current field is followed by the next field (if this is textual) single-line spaced. The following editing instructions are displayed at the bottom of the screen:

ENTER: Edit field (i/d/r/di=insert/ delete/replace/del & ins); (SHIFT) 1,2, ..., 10: Accept field edit ord skip (-)n fields (cyclic); F4/F5: Abandon/Commitall field edits to current record and Exit; Rp Space

enter: re-edit current field when at next component; <3 SPACES>: Accept field edit when at next component.

Again, these are mostly self-explanatory but the sub-editing commands require further amplification by way of some examples.

To perform any editing on the current field you must press ENTER. This causes the cursor to appear under the first character of the first component of the current field. This left-hand end of the component is designated as the reference point and the sub-edit command is applied relative to this point. It is possible to delete, insert or replace characters within the component. For instance, consider the following component text:

All in a hott and copper sky.

To correct the spelling mistake type 12

```
REM Save this listing as 'ArchEd3_prg'.
    w2aled
    run "ArchEd2"
    endproc
proc w1z2head
   print at 0,0; paper 2;" A R C H I V E E D I T O R ";
print rept(" ".mod*3);"Memory ";memory();" Bytes"
    if memory()<1200
       print at 1, mod*3; "**WARNING** Memory low - Close & backup file!"
   endproc
proc w2aled
REM "ARCHIVE EDITOR - 'ARCHED' Version 2.02 3/5/91"
    REM Copyright S.G. Mitchell
   local ln, 12, m, n, ft, z, upd, go1
    let 12=0
   let n=0
let ft=numfld()
       let m=n
        if fieldt(n)
           let s$=fieldv(n)
           let upd=0
           let go1=1
           while gol
              cls
              ink 4
               w1z2head
              wizzhead
print at 19,0; ink 2;"ENTER"; ink 4;"; Edit field (";
print ink 2;"i/d/r/di"; ink 4;"=insert/delete/replace/del&ins);"
print at 20,0; ink 2;"(SHIFT)1,2...,"; ink 4;"1"; ink 2;"0";
print ": Accept field edit & skip (-)n fields (cyclic);"
print at 21,0; ink 2;"F4/F5";
print ": Abandon/Commit all field edits to current record & Exit;"
print at 22,0;"RP "; ink 2;"SPACE ENTER";
print ": Re-edit current field when at next component;"
print at 23,0;" "; ink 2;"SPACE ENTER";
print ": Accept field edit "" "" "" "";
ink 6;"
              ink 6
let line=1
              w2e1zm
w2b1disp;n,s$,1
              w2f1zn
               if n+1<ft
                  if fieldt(n+1)
                      let ln=line
let line=line+mod-6
                      w2bldisp:n+1,fieldv(n+1),0
```

```
let line=ln
            endif : endif
        print at 18.0:"
        let z=0
        while not z
          let z=code(getkey())
          if z=30
            w2cledit; 2
            if s$=fieldv(n)
              let upd=Ø
              else
let upd=1
              endif
            if p3 or s$=" "
               let gol=0
               if n=ft-1: let m=-1: endif
               endif
            else
             if z=22
               let go1=0: let m=ft
               else
               if z=21
                 let go1=0: let upd=0: let m=ft
                 if 47<z and z<58
                   let go1=0
                   if z=48: let z=58: endif
                   let m=n+z-49
                   if m>=ft-1: let m=m-ft: endif
                   else
                   if z=33 or z=64 or z=35 or z=36 or z=37 or
                     z=94 or z=38 or z=42 or z=40 or z=41
                     let go1=Ø
                     if z=33: let m=n-2: endif
                     if z=64: let m=n-3: endif
                     if z=35: let m=n-4: endif
                     if z=36: let m=n-5: endif
                      if z=37: let m=n-6: endiff
                     if z=94: let m=n-7: endif
                     if z=38: let m=n-8: endif
                     if z=42: let m=n-9: endif
                     if z=40: let m=n-10: endif
                     if z=41: let m=n-11: endif
                     if m<-1: let m=ft+m: endif
                     else
                     endif : endif : endif : endif : endif
          endwhile
        endwhile
      if upd:w2g1af:n: let i2=1: endif
      endif
    let n=m+1
    endwhile
 if z=21 and i2: back : next : let i2=0: endif
if i2: update : endif
 w2e1zm
 w2f1zn
  endproc
proc w2b1disp;x,x$,a
 local fl1, k, m, n, q, l, lp, x1$ let fl1=fl-1
  if a: let p4=1: let q=2
    else
    let q=1
    end1f
 print at line, 0; ink 4; fieldn(x)+":";
  let lp=len(x$)
  if lp=0: let x$=" ": let lp=1: endif
 let m=1
 while m<=lp
    let n=m
    if n+f11>1p
      let l=lp-n
      let x1$=x$(n to n+1)
print at line,col;x1$
      let line=line+2
        w2b2am; p4, x1$
        let p4=p4+1
        return
        endif
      let 1=f11
      if x$(n+1)<>" "
        while x$(n+1-1)<>" "
          let l=1-1
          endwhile
        let m=n+1
let l=1-1
        else
        let m=n+l+1
        let k=lp
        while m<=k
          if x$(m)=" ": let m=m+1
            else : let k=m-1: endif
          endwhile
      while x$(n+1-1)=" "
```

spaces, denoted by dots, followed by a 'd':

All in a hott and copper skyd^

and then press ENTER. The character above the 'd' will be deleted when the file is re-displayed; in this case the second 't' is deleted. Each of the sub-edit options is performed in much the same way. These are now described.

It is possible to delete a whole string of characters from a component by typing a set of consecutive 'd's. The words 'planks did swell' will be deleted from the following text:-

And all the planks did swell;ddddddddddddd

To insert text in a component the cursor is again positioned relative to the reference point. An 'i' is placed underneath the character in front of which new text is to be inserted. For instance the words 'boards did shrink' will be inserted to the right of the semi-colon in the following text:

And all the ;iboards did shrink^

Inserting text is the default for sub-edit commands. For example:

And all the;boards did shrink^

would have the same effect. The only exceptions to this are if the first character to be inserted is a 'd', 'i' or an 'r'. In these cases the initial 'i' is then obligatory.

Text of equal length can be replaced character-for-character by placing the cursor underneath the first character to be replaced and typing an 'r'. The replacing text is then typed before pressing ENTER. In the following example the word 'below' is replaced by the word 'above':

Right up below the mast did stand.rabove^

A more usual requirement is to replace text of unequal lengths. This can of course be performed as two separate operations, viz, first be deleting the old tex and then by inserting the new (or vice-versa). However, it is possible to achieve this in one operation. The text to be replaced is first deleted, as described above, but before pressing ENTER an 'i' is typed followed by the replacing text. For example, the words 'Not much larger' are replaced by the words 'No bigger' in the following text:

Not much larger than the moon. ddddddddddddddiNo bigger^

Sub-edits are performed for each component of the current field. If a particular component requires no edit then simply press ENTER. The cursor will move to the

ARCHED

start of the next component. Once the last component has been edited and ENTER pressed the current field will be displayed in its edited form. The field in this new form can be edited again by pressing ENTER and performing another set of subedits.

This process can be repeated any number of times until the full text of the current field is correct. The numeric key 1 is then pressed to move to the next textual field in the record. Larger jumps of from two to 10 fields can be made relative to the current filed by pressing the appropriate numeric key. To skip 10 fields use key 0. ArchEd considers the last field in the current record to be followed by the first field of the same record. As such the fields are arranged clockwise in a circle. Clockwise is synonymous with positive progress around the fields. Pressing a numeric key that would skip beyond the last field will give a new current field at an appropriate number of fields from the beginning of the record. For example:

Numbered fields on record = 12; current field = 10th; press 5; current field becomes 3rd. (If the third field is numeric the next textual field becomes the current field).

Similarly, pressing a SHIFTed/Key will move ArchEd anti-clockwise, with the last field following the first. This is the negative direction, and a SHIFTed numeric is taken to mean minus that number of fields from the current field. Whatever numeric key is pressed, the edits to the current field are accepted and will be applied if the record is updated – see below.

Movement

Movement around the record in either direction can be repeated. During this cycling individual field edits can be 'accepted' any number of times. Once the record is considered to be correct it is ready to be updated.

There are two 'rapid progress' options available which allows you to jump out of sub-editing after any particular sub-edit, to any particular component. Both these facilities are useful once a certain amount of practice and familiarity with ArchEd has been gained. The first option causes immediate re-display of the current field with any sub-edits applied while the second accepts any sub-edits and moves immediately to the next field. A single space is used in the first case and two spaces in the second. To do this, a sub-edit to a component is first completed by pressing ENTER. The cursor will move to the reference point of the next component as normal. If one space (or two, for the second option) is now typed and ENTER pressed, the appropriate action will occur. These options are obviously not applicable if the current field comprises only a single component.

```
let 1=1-1
         endwhile
      let x1$=x$(n to n+1)
     print at line, col; x1$
      let line=line+q
      if a
         w2b2am; p4, x1$
         let p4=p4+1
      endwhile
   endproc
proc w2b2am; n, x1$
  if n=1: let m1$=x1$
  else : if n=2: let m2$=x1$
        else : if n=3: let m3$=x1$
else : if n=4: let m4$=x1$
           else : if n=5: let m5$=x1$
  else : if n=6: let m6$=x1$
  endif : endif : endif
endif : endif : endif
proc w2cledit:row
  local 1, m, n, go, e$, v$, w$, r1$, r2$
  let p3=0
let n=1
     if n=1: let r1$=m1$
else : if n=2: let r1$=m2$
          else : if n=3: let r1$=m3$
              else : if n=4: let r1$=m4$
              else: if n=4: let r1*=m4$
else: if n=5: let r1*=m5$
else: if n=6: let r1*=m6$
endif: endif: endif
endif: endif:
     let m=row+2*n-2
     let go=1
     while go
        input at m, col; e$
        let l=len(e$)
           1f e$<>" " and e$<>" w2c2type;e$," d"
              if p1: let g0=0
  if p1>1: let v$=r1$(1 to p1-1)
    else : let v$="": endif
  let e$=e$(p1 to )
                 let p2=len(e$)
             let l=instr(es, "1")
             if 1
               let p2=1-1
               let e$=e$(1+1 to )
else : let e$="": endif
             if len(r1$)<p1+p2: let w$=""
               else : let w$=r1$(p1+p2 to ): endif
                let p1=255-len(r1$)+p2
               1f p1<256
                 let e$=e$(1 to p1)
             endif : endif
let r2$=v$+e$+w$
             if r2$="": let r2$=" ": endif
             w2c3an:n.r2$
             w2c2type; e$."
             if p1: let go=0
               if p1>1: let v$=r1$(1 to p1-1)
  else : let v$="": endif
                let e$=e$(p1+1 to )
                let p2=len(e$)
                if len(r1$)<p1+p2: let w$=""
                else : let w$=r1$(p1+p2 to ): endif
let r2$=v$+e$+w$
                w2c3an; n, r2$
                else
                w2c2type;e$," i"
                if not pl
                  let 1=1: let p2=len(e$)
                  if p2=255: let p2=254: endif while 1 \le p2
                    if e$(1)=" ": let l=1+1
                       else : let p1=1: let e$="i"+e$(1 to p2): let 1=p2+1: endif
                  endif
                if p1: let go=0
                  if p1>1: let v$=r1$(1 to p1-1)
  else : let v$="": endif
                   let e$=e$(p1+1 to )
                  if len(r1$)<p1: let w$=""
                    else : let w$=r1$(p1 to ): endif
                  let p1=255-len(r1$)
                  let e$=e$(1 -te p1)
                  let r2$=v$+e$+w$
                  w2c3an:n,r2$
                  endif : endif : endif
          else
          else let go=\emptyset: let n=p4 if e\$=" ": let p3=1: endif
           endif
```

```
endif
             endwhile
           endwhile
        endproc
      proc w2c2type; x1$, x2$
        let p1=instr(x1$,x2$)
        if p1: let p1=p1+2: return : endif
        if x1$(1)=x2$(3): let p1=1: return : endif
        if x1$(1 to 2)=x2$(2 to 3): let p1=2: return : endif
        let p1=0
        endproc
      proc w2c3an; n, x1$
      r n=1: ret nr*=xr*
else : if n=2: let n2*=x1*
           else : if n=3: let n3$=x1$
else : if n=4: let n4$=x1$
              else : if n=5: let n5$=x1$
else : if n=6: let n6$=x1$
endif : endif : endif
endif : endif :
      endproc
   proc w2dlas
      local n, k
      if len(n1$): let m1$=n1$: endif
     if len(n2$): let m2$=n2$: endif
if len(n3$): let m3$=n3$: endif
if len(n4$): let m4$=n4$: endif
if len(n5$): let m5$=n5$: endif
      if len(n6$): let m6$=n6$: endif
     let p2=len(m1$)
     if p2<k
        let p1=p2+len(m2$)
        if pick
           let p2=p1
           let p1=p2+len(m3\$)
           if pl<k
              let p2=p1
              let p1=len(m4$)
                let p1=p2+p1
                1f p1<k
                   let p2=p1
let p1=p2+len(m5$)
                    if p1<k
                      let p2=p1
                      let p1=p2+len(m6$)
                      if pl<k
                         let s$=m1$+m2$+m3$+m4$+m5$+m6$
                         else : let s=m1$+m2$+m3$+m4$+m5$+m6$(1 to k-p2)
                         endif
                      else : let s$=m1$+m2$+m3$+m4$+m5$(1 to k-p2)
                      endif
                   else : let s$=m1$+m2$+m3$+m4$(1 to k-p2)
                   endif
                else : let s$=m1$+m2$+m3$
                endif
              else : let s$=m1$+m2$+m3$(1 to k-p2)
           else : let s$=m1$+m2$(1 to k-p2)
           endif
        else : let s$=m1$
        endir
     endproc
  proc w2e1zm
     let m1$="": let m2$="": let m3$=""
     let m4$="": let m5$="": let m6$=""
  proc w2f1zn
let n1$~"": let n2$="": let n3$=""
     let n4$="": let n5$="": let n6$=""
     endproc
  proc w2glaf;n
     if n<3
        if n=1: let field1$=s$
          else : let field2$=s$: endif
        if n=3: let field3$=s$
        else : let fleid4$=s$: endif
     endif
   endproc
proc w2g2af;n
if n<4
      if n=0: let Title$=s$: endif
     if n=1: let Fname$=s$: endif
     if n=2: let Sname$=s$: endif
if n=3: let Surname$=s$: endif
     else: if n<9
rem n=4 'Num', omitted numeric field.
if n=5: let House$=s$: endif
if n=6: let Streef$=s$: endif
if n=7: let Town$=s$: endif
if n=8: let County$=s$: endif
        else
        if n=9: let Post$=s$: endif
        if n=y: let Post$=s$: endif
if n=10: let Country$=s$: endif
rem n=11 'Index', another numeric field.
if n=12: let Phone$=s$: endif
if n=13: let Key$=s$: endif
        endif : endif
  endprod
```

A 'quit' function is provided by pressing key F4 which abandons all the edits performed for all the fields of the current records during this editing phase. This would normally only be chosen if it was suddenly realised that the wrong record was being edited. A record is updated (ie the edits committed) if key F5 is pressed between field edits. A quit or an update causes a return to be made to the record selection process.

A few words of caution are now given, both on the use of ArchEd and the subsequent use put to an 'ArchEd' edited file.

1. There are two instances in procedure w2b1disp where an unrecoverable 'string subscript' error (Error 77) can occur, causing ArchEd to fail. Both these errors arise when the procedure is performing a backward search along the current field to locate a particular character—the first instance involving a search for a space and the second for a non-space. The error is avoided if fields never contain strings of 48 (or more) consecutive spaces or non-spaces.

In standard text this is never the case, so this error should never be a problem. If the error occurs processing control immediately passes from the procedure to the standard command level of Archive. All but the last field edit to the current record can be applied if an Archive update command is given immediately. The update must be followed by a 'close' on the file before ArchEd or your own procedures are restarted.

2. It is possible to insert a string of (up to) the full length of the Archive input buffer into the current component. The same is true when replacing text although once the component length has been exceeded the excess replacing text is treated as insertion text. In both these cases any following components, starting with the last, will be pushed off the end of the field to accommodate the inserted text. However, inserting such long strings tends to be impractical since the inserting text tends to obliterate the text of the following components as shown on the tv monitor screen. It is better to insert part of the text, redisplay, and then insert the rest of the text.

3. The Archive 'alter' command restricts field displays to less than screen width in much the same way that sedit fields were originally restricted to screen width. Excess text over-writes the initial text of an 'alter' field and it is almost impossible to assess how CTRL&<-or CTRL&-> changes affect the field data. It is there fore better not to use 'alter' on ArchEd edited files but to use only your own application procedures or ArchEd to make further changes.

The following descriptions can be skipped if you're not interested in the inner workings of the 'ArchEd' Procedures.

The w2 editing procedures have the following structure and function:

1. aled is the controlling procedure for editing an individual record from the file. Two 'while' loops control the presentation

ARCHED

of each field of that record, via a work variables s\$, to two subordinate procedures. The first of these procedures is bldisp, whose task is to split the current field into components and display these on the screen. The second, cledit, is the heart of ArchEd, and handles the editing of the component strings of the current field. Upon return from a cledit a call to d1 as sets the value of s\$ to the 'after' images (see 3 and 4 below) resulting from the edit. Upon exit from the inner 'while' loop, and given that a meaningful edit has been applied, s\$ is assigned to the current field by a call to g1af. Dependent upon the type of exit from the outer 'while' loop the current record is updated. Finally, the component strings and s\$ (all global variables) are set to 'null' in order to save space upon exit from Arch Ed.

2. b1disp has two main tasks. These are firstly to split up the current field into component strings and secondly to display them, double-line spaced on the screen. The procedure is also used to display the field following the current field, this time single-line spaced.

3. b2am is called by b1disp to assign the component strings to the six string variables m1\$-m6\$. These variables are the 'before' images of the field. Six other variables, n1\$-n6\$, are used during the editing process as the 'after' images of the field.

4. cledit controls the editing of an individual field from the current record. Two 'while' loops handle the editing of the com-

ponent strings. The first selects the next component and assigns it to a work string (r\$). The second both validates and actions the sub-edit commands (i/d/r - insert/ delete/replace) to the work string. A call to c2type assists in this task. The edited work string is assigned to the appropriate 'after' image variable by a call to c3an.

Convoluted

There were a number of problems I encountered while writing these procedures. These mostly stem from the somewhat restrictive nature of Archive's particular dialect of Basic.

Not having array processing at my disposal has lead to some necessarily convoluted techniques to achieve the desired results. These techniques have themselves contributed to the slowness of the procedures in their efforts to perform the edits. Certainly if improvements to Archive Basic were forthcoming from Psion these procedures would undoubtedly benefit both in an increase in speed of operation and a cut-back in the amount of storage they occupy. For instance, the ability to assign a value/string directly back to a particular (non-named) occurrence of a field as in, for example:

'let fieldv(n)=x\$'.

However, this is not a valid assignment fingertips.

statement in Archive. Examination of the procedures will show the protracted nature of the coding Archive labours through to achieve this simple task.

You'll also notice that I've made no use of the error command. During development I noticed that when such error-governed failures occurred memory used by the error trapped procedures was not fully released for re-use. Designing the procedures based on the error command, to control certain processing, led to a gradual loss of memory - a sort of 'creeping amnesia', one might say. I have there fore outlawed their use in procedures what I've written other than where memory was never likely to be a problem and then only in cases of true fatal error processing.

Having stated these criticisms I do however recognise the restrictions in developing a tool like Archive to suit all requirements and accept that the many facilities within Archive represent terrific value especially when one considers that Archive was bundled in with the QL. Any improvements that were to have come Archive's way given that it was to be continually developed, would no doubt have negated the need for ArchEd; a slicker way of handling text strings would be now (no doubt) have existed.

Hopefully, if you have had any difficulties in using Archive, especially in this area of text handing, then you will turn back to it afresh - armed with ArchEd at your

C.G.H. SERVICES

Cwm Gwen Hall, Pencader, Dyfed, Cymru, SA39 9HA (Tel. 0559 384574) (1pm - 9pm)

COMMERCIAL SOFTWARE

ANELPUM OUAT (NICK WARD) (text adventure) (128k) (flp/mdv) £10.00
ASSAULT AND BATTERY (DAMON CHAPLIN) (shoot 'em up) (128k) (flp/mdv) £12.50
ASTRO (NICK WARD) (astrology prog) (128k) (flp/mdv) £12.50
THE BLAG2 (TONY WOOLCOCK) (text adventure) (256k) (flp/mdv) £10.00
D-DAY MKII (DDC & RICH MELLOR) wargame) (256k) (flp) £15.00
DOUBLE BLOCK (FRANCOIS LANCIAULT) (arcade game) (128k) (flp/mdv) £10.00
DREAMLANDS (JEAN-YVES ROUPFIAC) (text adventure) (256k) (flp) £10.00
FIVE GAMES PACK 1 (WREFORD DAVIES) (mind games) (128k) (flp) £12.50
FROM THE TOWER OF VALAGON (ALAN PEMBERTON) (text adventure) (128k) (flp/mdv) £10.00

£10.00 GEE-GEE SYSTEM (PHIL JONES AND ANDY CSERBAKOI) (race predictor) (128k) (flp/

mdv) £10.00 GREY WOLF (OLIVER NEEF) (u-boat simulator) (256k) (flp) £10.00 HERE WE GO (PHIL JONES AND ANDY CSERBAKOI) (text adventure) (128k) (flp/mdv)

MACSPORRAN'S LAMENT (DAVE WATSON) (illustrated text adventure) (128K) (flp/mdv)

MACSPORHAN'S LAMENT (DAVE WAT 5017) (missisted)
210.00
OPEN GOLF (OLIVER NEEF) (golf simulator) (384k) (flp) £12.50
ORBITING STARS (JOHN TOPHAM) (astronomical simulator) (128/256k) (flp/mdv) £10.00
PERSONAL FINANCE MANAGER (JASON VICINANZA) (budget system) (128k) (flp/mdv) £10.00
POLYTEXT (NICK WARD) (multi-column quill) (128/256k) (flp/mdv) £17.50
PUDGE (DAMON CHAPLIN) (arcade game) (128k) (flp/mdv) £12.50
QUICK MANDELBROT (KENNETH MURRAY) (fractals) (128k) (flp/mdv) £10.00
QUICK MANDELBROT & JULIA (KENNETH MURRAY) (fractals) (128k) (flp/mdv) £12.50
QUIZMASTER (PHIL JONES AND ANDY CSERBAKOI) (quiz game) (128k) (flp/mdv) £10.00

QUIZMASTER II (AS ABOVE & RICH MELLOR) (quiz game + module option) (128k) (flp/

mdv) £12.50
RETURN TO EDEN (OLIVER NEEF) (role-playing illustrated adventure) (256k) (flp) £15.00
RETURN TO EDEN (OLIVER NEEF) (role-playing illustrated adventure) (256k) (flp) £12.50 (mdv) £15.00
SPEEDFREAKS (DAMON CHAPLIN) (car race game) (128k) (flp/mdv) £12.50
SQUIDGY ROUND THE WORLD (MICHAEL CHOWE) (arcade game) (flp) £12.50 (mdv) £15.00

£15.00 STARPLOD (ALAN PEMBERTON) (icon-driven adventure) (128k) (flp/mdv) £10.00 UNCLE LOONIE'S LEGACY (DAVE WATSON) (puzzle adventure) (128k) (flp/mdv) £10.00 VOYAGE OF THE BEANO (ALAN PEMBERTON) (illustrated text adventure) (256k) (flp)

WRECK DIVE (NICK WARD) (arcade adventure) (128k) (flp/mdv) £10.00

CLIP ART 1 - SPORTS (FLP) £6.00 CLIP ART 2 - WHIMSIES (FLP) £6.00 CLIP ART 3 - OFFICE (FLP) £6.00 CLIP ART 4 - VIZ (FLP) £6.00 CLIP ART 5 - GENERAL (FLP) £6.00

SPEEDSCREEN - ROM VERSION £20.00 SPEEDSCREEN - FLP/MDV £10.00

PUBLICATIONS

QL TECHNICAL REVIEW ISSUES 1 - 2 £1.50 EACH QL TECHNICAL REVIEW ISSUES 3 - 6 £1.75 EACH QL ADVENTURERS FORUM ISSUES 1 - 3 £1.25 EACH QL ADVENTURERS FORUM ISSUES 4 - 9 £1.50 EACH QL LEISURE REVIEW ISSUE 1,75 EACH INTERNATIONAL QL REPORT ISSUES 1 - 2 £1.50 EACH QL SURVIVOR'S SOURCE BOOK £2.50 EACH

ALL PRICES INCLUDE MEDIA AND POST AND PACKING FOR THE UK. PLEASE ADD 10% FOR ORDERS IN EUROPE; 20% OUTSIDE OF EUROPE PLEASE INDICATE 3.5"/5.25"/MDV VERSIONS WHEN ORDERING.

PUBLIC DOMAIN AND SHAREWARE LIBRARY ALL DISKS £2.00 EACH INCLUSIVE OF MEDIA AND P&P

PUBLIC DOMAIN AND SHAREWARE LIBRARY
ALL DISKS 22.00 EACH INCLUSIVE OF MEDIA AND P&P

ADVENTURE GAMES DISK 1 (includes fantasia and ye classical type adventure)
ADVENTURE SOLUTION DISKS 1-3 (includes The Pawn and Mortville Manor, mainly ST thoughl)
ADVENTURE SOLUTIONS DISK 4 (OL. specific)
ADVENTURE GAMES SOURCE CODE DISK 1 (includes Fantasia, Haunted House, etc.)
ADVENTURE UTILITIES DISKS 1+2 (includes Cuil to SuperBasic converter and demo adventure)
AUSTRALIAN P.D. DISKS 1+2 (includes Cuil to SuperBasic converter and demo adventure)
AUSTRALIAN P.D. DISKS 1+2 (includes A wide variety of games, utilities etc.)
COMMUNICATIONS DISK 1 (includes SC EX Bulletin Board system)
COMMUNICATIONS DISK 1 (includes ST - CL. screen and file converters)
DEVICE UTILITIES DISK 1 (includes ST - CL. screen and file converters)
DEVICE UTILITIES DISK 1 (includes ST - CL. screen and file converters)
DILWYN JONES DISK 1 (includes many SuperBasic progs and Wordsearch)
DILWYN JONES DISK 1 (includes many SuperBasic progs and Wordsearch)
DILWYN JONES DISK 1 (includes many SuperBasic progs and Wordsearch)
DILWYN JONES DISK 1 (includes ST - CL. screen save and print progs, and many more utilities)
EDICATIONAL PROGRAMS DISK 1 (includes screen save and print progs, and many more utilities)
EFACTALS DISK 1 (includes large numbers of mandlebrot and other fractal progs)
FFACTALS DISK 2 (includes screen supers of mandlebrot and other fractal progs)
FFACTALS DISK 3 (Fainer Kowallick's mandebrop plus animation screens)
FFACTALS DISK 3 (Fainer Kowallick's mandebrop plus animation screens)
FFACTALS DISK 3 (includes Starburst, Caven Frenzy)
GAMES DISK 2 (includes many arcade type games)
GAMES DISK 3 (includes Starburst, Caven Frenzy)
GAMES DISK 3 (includes Starburst, Ca

TF Services



MINERVA

The ULTIMATE operating system upgrade

MKII MINERUA now with battery for 256 bytes ram, CRASHPROOF clock t interface (1ºC) for robots etc. Can autoboot from battery ram.

Other features (common to MKI/MKII): Autoboot on reset/ Multiple Basic/ Faster scheduler-graphics(10% of Lightning)-string handling etc/ WHEN ERROR/ Second screen/TRACE Foreign kybd drivers/ "Warm" fast reset etc

UPGRADES 1.80+ FREE. 1.79 % earlier - £5 send disk/2 mdvs+RODD NO MKI to MKII upgrade

Original	MKI	£40	HKII	 	£65
HET COLD C					

QuaLsoft Terminal

Viewdata/VT52/VT100 QL TERMINAL EMULATOR

Multitasking for electronic mail, PRESTEL etc, CET dounload. Computible with Tandata Geornect QL modem/modaptor. Use Geonnect RS232C to drive unbuffered modems, Comprehensive A5 manual.

Software (3.5" or mdv) & manual [3]

QL SPARES

Faulty QL boards (excl plug in ICs) . 29
Keyboard membrane . 28 Circuit diags . 22
68088 cpu . 28 1377 PRL . 23
JH row set . 212 Power supply . 212
8382 ULR . 210 8381 ULR . 210
8849 . 28 MDU ULR . 212

Other components (sockets etc)... plse PHONE

BULLETIN BOARD

QBBS - UK's first QL scrolling board

QL Echomail around Europe, and FIDO netmai

Around 18mb of files including the WHOLE King James' bible! 071-706 2379 U21/23/22/22bis 24hrs

QLs tested with Thorn EMI test rig and ROM software (MDV hardware extra if required)

£27 - 6 month guarantee

COMPUTER CLEANER

HELP STOP POWER SUPPLY INDUCED LOCKUPS AND PROTECT COMPUTERS

Much improved mains filters, 40-80 db cut. Contain inductance, spike filters (three in 3 & 4 way) and certified 240vac capacitors.

2-uay	(5a adaptor)(5a adaptor)(13a trailing socket)	£14
3-uay	(5a adaptor)	£18
4-uay	(13a trailing socket)	£24

Att prices include VAT and postage in the UK

LE TRANSFER

Programs to transfer text AND programs error free (XMODEM) between computers

Available for IBM PC and compatibles ATARI ST and Sinclair QL. Connects to Psion organiser via Psion comms link

Qualsoft program (per m/c).....£7.50 Serial lead (name 2 computers)...£10 Complete package for 2 computers.£25



12 Bouverie Place, London W2 1RB (tel: 071-724 9053) SCROLLING BBS FOR ORDERING/QL HELP - 071-706 2379 (All speeds to V22bis)



☆ sinclair **QL ☆**

EEC LTD MAIN SUPPLIER OF Sinclair QL COMPUTERS & PRINTERS OLs FROM £125 PRINTERS FROM £130 inc VAT

The expandable system for small businesses, beginners, and exper QLs COMPLETE JM ROM FULLY TESTED AND WITH 6 MONTHS WARRANTY

Package includes PSU TV lead, QL Software 2.35, Quill – Word Processor, Abacus – Spread \$125
Sheet, Archive – Records, Easel – Business Graphics
Customers buying one of the QL Computers are given one year's free membership to QUANTA (Help, Newsletters, & 400+ Library of Programs – mostly free).
QUANTA MEMBERS can obtain a £5 discount
As above but fitted with JS ROM \$150

★ £50 PART EXCHANGE ★

OFFER ON OL

QL only £75 with JM Rom, £99 with JS Rom – consisting of keyboard unit, original psion software wallet, leads and feet in exchange for your old QL. Spectrum Plus or 128K, working or not working as long as repairable.

If you want to keep old one then part exchange is £40 (is JM £85, JS £109), Power Supply for QL if required £12, Instruction book £20.

PC/QL KEYBOARD AND INTERFACES

PC AT 102 KEYBOARD AND CONNECTOR QL TO PC INTERFACE FOR ABOVE CASE AND LEAD FOR EXTERNAL MOUNTING-TO ENABLE BOTH KEYBOARDS TO BE USED AND EASIER MOUNTING £17

OUR PRICES NOW INCLUDE 17.5% VAT AND HAVE NOT BEEN INCREASED

QL Psion Software 2.35 QL Power Supply Unit Centronics Printer Interface Complete User Guide Cartridges, Wallets of 4, new Quill, Abacus, Archive, Easel each Joysticks with QL lead Keyboard Membrane QL ICs and Spares £12 £12 £9.50 £12 £27 £8 £12 ASK 4 unused prog cartridges

20 new cartridges in plastic storage box £55

SOFTWARE QL Decision Maker £18. Home Finance £18. QL Games £9. Q-Liberator Super Basic Compiler (disc) £60. Q-Liberator Budget Version for (MDV) £30. Q-Load Superbasic Quickloader with Q-ref Programming utility (MdV) £15. File Transfer Programs. QL to other systems including PC: Text Tidy 315. Discover £20 Multi-Discover £30 BUSINESS SOFTWARE (Suitable for standard QLs) Small Traders Pack £24.95. Invoicer £19.95. General Ledger £19.95. Set of three £50. Mail Merger £14.95. Filer Pack £14.95. Also Stock Accounting £39.95. (For expanded QLs). Send SAE for software leaflets, or phone

All prices include VAT. Terms CWO, Access or Visa. Minimum order £10. 28.00 for printers, monitors & QL (overseas £20.00) other items £3.00 (overseas £6.00)

EEC LTD

18-21 MISBOURNE HOUSE, CHILTERN HILL, CHALFONT ST PETER, BUCKS. SL9 9UE Tel: 0753 888866 Fax: 0753 887149

IF AN ADVERT IS WRONG, WHO PUTS IT RIGHT?

We do.

The Advertising Standards Authority ensures advertisements meet with the strict Code of Advertising Practice. So if you question an advertiser, they have to answer to us.

To find out more about the ASA, please write to Advertising Standards Authority, Dept. X, Brook House, Torrington Place, London WC1E 7HN.



This space is donated in the interests of high standards in advertisements.

QUBBESoft P/D

1 Copying 50p

Public Domain and Shareware Software For The

Sinclair Q.L.

S.A.E. (A5) for Software Catalogue

Copying Fee 30p

C68 Public Domain 'C' Compiler

Consists of 73.5in Disks, containing the following:
Disk1: Main System
Disk-Contains the variDisk-Contains Source Code Disk1: Main System
Disk-Contains the various passes of the Compiler, Header files & Li-

Disk2: Utils & Doc's -

Copying fee: £2.50p (User Supplies Disks) or

for C68 Compiler, CC. CPP, R568, LD, Generic cPP, R568, LD, Generic part of Standard 'C' Li-brary, QDOS Specific part of 'C' Library, Addi-tional Libraries & Utili-ties such as MAKE & SLB.

£5.00p (Pre-Copied Disks)

MicroEMACS V3.9p Text Editor

Consists of 23.5 in Disks, co Disk1: Main Program | Disk - Contains EMACS | Main prog EMACS_RC | Resource | file, SEMACS_HLP Help file, SEMACS_HLP HERMACS_HLP EMACS_MSS User guide, EMACS_TUT

ontaining the following: EMACSF_doc form. Disk2: Source Code -Contains all relevant Source Code for Micro-EMACS V3.9p. Also includes document on the latest update, and how it has been re-compiled using C68. EMAC51_doc to

Copying fee: £1.00p (User Supplies Disks) or £2.00p (Pre-Copied Disks)

Disk's SPECIAL 1 & SPECIAL 2

SPECIAL 1: Q.A.T.S. (QL Application Traffic Supervisor)

This program is a powerful Utility designed to reduce the number of keystrokes needed to perform housekeeping

and task manipulation on your Q.L.

QATS is menu-driven and the inbuilt menus can be
tailored to suit your own particular Q.L. set-up and
working rhythm in order to maximise your productivity.

SPECIAL 2: Molecular Graphics V5.09

program was written by M. Knight with ac knowledgements to Dr A. Mynett of Brighton College

The program enables the User to display, rotate, animate and design molecules in a Graphical form.

Compatible with Miracle's 'Gold Card'.

Copying Fee: £0.50p-User Supplies Disk £1.00p-Pre-Copied Disk £0.50p-User Supplies Disk £1.00p-Pre-Copied Disk

Q.L. Hardware

Q.L.'s with JS ROMs From£55.00 Q.L.'s with JM ROMs From£45.00 Cased Single 3.5in Disk Drives (inc PSU) From Cased Twin 3.5in Disk Drives

(inc PSU) From£110.00 Q.L. Standard Power Supply Unit £10.00

Stock Continually Changing - Please ring for Availability to avoid Disappointment

Public Domain Authors

QUBBESoft P/D are always seeking Authors of any type of Public Domain Software for the Q.L. If you have written a program for the Q.L. then why not have written a program for the Q.L. then why not send it in for evaluation.

Payment

Cheques/Postal Orders payable to :- 'K. Dunnett'

Postage & Packing

C68-50p (UK) £1.50 (EUROPE) £2.50 (REST OF WORLD) EMACS, SPEC1, SPEC2-30p (UK) 70p (EUROPE) £1.50 (REST WORLD)

38, Brunwin Road, Rayne, Braintree, Essex. CM7 5BU. Tel No. (0376) 47852

S

QL REAL TIME DIGITIZER

Digitize moving pictures in real time. Transforms QL into a video printer or 3-D image digitizer via a video camera/recorder * Digitizes in .02 secs. * 256x256 resolution in 8 levels

LMMZ 250x250 resolution in 8 levels

Full, 1/4, or 4x 1/4 screen modes

Screen update - 5 or 2.7 frame/sec

1:1 grey level 9-pin printer dump.

Interfaces to QL ROM PORT

Runs on unexpanded QL and multitasks.

* Cost: £99.00 incl. State mdv or flp.
CL SYSTEMS, 403 CHAPTER ROAD, DOLLIS HILL LONDON NW2 5NG TEL: 081 459 1351

2993

MICRO ADS

MICRO ADS

MICRO ADS

... MICRO ADS

MICRO ADS

. MICRO ADS

... MICRO ADS ... MICRO ADS ... MICRO ADS

QL ROMS AND SPARES

ROMS, MGE (Spanish, MGF (French), MGG (German), JS (English), £20 each. JM (English),

£10

MDVS. Complete QL MDV Subunit £20, head and chassis £10, Microswitch £2, Motor £6. Rubber & Plastic Roller £2. MDV2 Stand-off spacer + srew £2. ULA £5. Tr 4,5,6,7 set £2. MDV pcb inc, ULA £11. Prices include UK postage. Send SAE for price list of all QL spares. Joe Atkinson, 36 Ranelagh Road, Ealing, Leaden WS 5PL (Mail Order DM).

London W5 5RJ (Mail Order Only).

PROGRAMMIEREN IN QDOS. ca. 400 Seiten DM 79.80. H Peter Recktenwald

Tel: 852 0413. D-1000 Berlin 41, Albestr. 21 Eine ausführliche Beschreibung des Betriebssystems und Arbeitsweise einschließlich Pointer Interface, Thing-Erwoiterung und der programmierbaren Hardware. Mit Beispielen zu den gängigen Standards und allen wichtigen Details der Programmierung. Jobs, neuen Devices. Erweiterungen und Paramoter-Angaben Basic. Tabellen Kurzbeschreibung zu Systemzahlen. und Vectoren. Beispielprogramme und assemblertaugliche Tabellen und Texte auch auf Discette. Vollständiges inhaltsverzeichnis gegen Freiumschlag an obige Adresse.

QL DISASSEMBLER £10; MS-DOS Reader, £5.00. Kevin Robinson, Utility Room, 5 Upton Way, Walshaw, Bury, Lancs, BL8 3BT.

FOR SALE 2QL (JS, JM), 256K PCML interface with twin 3.5" drives, cub colour monitor, Epsom LX80 printer, software (inc. Assembler, Wbench, Speedscreen Turbo) and books £500 ono. 081 4604369 anytime.

Computer and Peripheral Repairs Caps Wigan 0942 35112. QL £20 + parts. ZX £16 + parts. Monitors £30 + parts. Will collect in South Lancashire **QTop** is the definitive User-Front-End package for all QL compatible computers, the **SINCLAIR QL** itself, all **CST** Thor computers including the powerful Thor **XVI**, the **ATARI ST** and **AMIGA** with QL-Emulators. **QTop** is the QL's equivalent to WINDOWS on MS-DOS PC's. The powerful QJUMP extended Pointer Environment is included and if it's installed all its facilities are supported. The main menus of QTop are DESK, DEVICES, FILES, JOBS, KEYBOARD, PROGRAMS, MY PROGS, TOOLS and OPTIONS with over 110 sub-menus. **QTop** is ideal for Gold-Card or Harddisk users as it supports real Sub-Directories, The **QTop** package includes five disktop accessories: CLOCKS, DEMOS, ANIMATOR, INDEX and SNAP. Software with 41 page manual is available in English or German. Free updates and user support. Ask for free product information sheet. Prices including P&P are SFR 90 (on one 3.5" or 5.25" disc) and SFR 98 (on three mdv). Send orders with cheques drawn in SFR to

COWO Electronic Urs König, Münsterstrasse 4, CH-6210 Sursee, Tel 045-211478

or contact your local distributor: **TK Computerware** in the UK and **QLympic Computer Systems** in Germany.

Please send coupon to: Advertising Department Sinclair/QL World, Panini House, 116/120 Goswell Road, London EC1. Pleae place this Classified Advertisement in the next issue of Sinclair/QL World.

NAMEADDRESS			I enclose a cheque/P.O. to the value of £17.65 (inc. VAT) for a lineage advertisement of no more than 30 words. Please make cheques payable to MCPC Ltd							
DAYTIME TELEPHONE	NO			litivi	All					
ESTABLE AND ADDRESS OF THE PARTY OF THE PART	Disk galance has been personal.	I - IANSEL	all points	gerondina eliminare	m one					
			I disabilities	the guid Code of A.	atsopping major to					
			Offer to	Level Private S.C. and Sec	Committee of the committee of					
special state of sales					ia essent tutt ball ett					
		and the same of		and the sale of	perfected of affine separate					
Parley & Debig	DOUGH THE WATER	rest books 1129 August Laurie I. J.		Bereiter Lief	mbito.) engli milimpiki					
	And the second	and the later	A. 7							

ale Se Te Az N2 T

) | a Ne Se Te A2 N2 T

HARDWARE

Care Electronics

0923 672102

Peripherals and accessories.

Thor International

010 4533 930305

010 4533 937544

Digital Precision

081-527 5493

Discs, interfaces, drives, keyboards,

RAM expansions.

EEC Ltd

0753 888866

QLs, peripherals, accessories

Miracle Systems

0904 423986

Trump Card interface, modems, hard disc drive.

Strong Computer Systems

0267 231246

Sector Software

0772 454328

Peripherals.

S.P.E.M

Via Aosta 16, 10154 Torino, Italy. +39 11 857924 Fax +39 11280009

QL disk interfaces, ram, eprom holders.

TF Services

071 724 9053

Repairs, spares, peripherals.

TK Computerware

0303 812801

Peripherals.

) | a Ne Se Te A2 N2 T

SERVICES

Adman Services

0952 255895

Joe Atkinson

36 Ranelagh Road, London W5 5RJ Roms, mdvs and all spares.

Suredata

081-902 5218

Repairs.

QL World

(reader services)

Subscriptions

091 510 8787 (Lazerhold)

Microdrive Exchange

0772 454328 (Sector)

Recent back issues: write to editor

Quanta

User Group, support.

Hon. secretary, Phil Borman.


0933 460690

Xchange User Group

Freepost

Beckenham

Kent BR3 2BR



SOFTWARE

Athene Consultants

0705 511439

ARK Distribution

0983 79496

Archivist, Master Spy and other business and utility software.

Call Us What You Like

55 Greenan, Shaws Road, Belfast BT11 8LX. No telephone. Superspy.

Care Electronics

0923 672102

Tony Tebby software. Miracle hardware, peripherals, utilities.

CGH Services

0559384 574

Adventures. QLAF, DIY Toolkit.

Compware

0270 582301

Task Swopper, Mega Toolbox, Expert, System Shell, Speedscreen and others.

COWO Electronic

010 41 45 211478 (Switzerland)

QTop, Atari QL emulator, Thor support

Digital Precision

081-527 5493

Turbo Basic compiler, Desktop

Publisher, Editor, Eye-Q Graphics. Sprite generator, Super Forth, Better Basic,

Professional and Super Astrologer,

Media Manager, Supercharge,

Blocklands. Droidzone. Aracadia.

Reversi, Backgammon, Master Bridge

Tutor, C-M Emulator, C compiler,

Lightning speed enhancer.

DJW Software

0256 881701

Homebanker

Dilwyn Jones Computing

0248 354023

Home Budget, Vision Mixer, QL

Genealogist, Textidy, Spellbound and others.

Eidersoft

Lidersoπ

089283 2552

Games utilities, Ice. Pyramide.

ImaQLate Software

42 Albion Street, Broadstairs, Kent CT10 1NE.

Biograph.

Jochen Merz Software

010 49 203501274

QL/Atari Emulators, utility and games

Lear Data Systems

6 Southview Green, Bentley Ipswich, Suffolk IP9 2DR

Otris

Liberation Software

081 546 7795

Basic compiler (QLib) and utilities.

QFILE

Apartado 2110 p-1103 Lisboa Codex, MS-Link and Discopy. Portugal.

QL Supersoft

0256 475992

Spell, Numbers, Superdraw.

Qubbesoft PD

38 Brunwin Road, Rayne, Braintree,

Essex CM7 5BU

Public domain software.

Sector Software

0772 454328

Flashback and other utilities.

SD Microsystems

0462 422897

Business software including General Ledger. Small Traders' Pack/Invoicer and Stock Accounting.

Software 87

33 Savernake Road, London NW3 2JU Text 87 and updates.

Talent Software

0303 813883

Utilities, games.

TK Computerware

0303 812801

Add-ons, spares, software.

WD Software

0534 81392

NEW FROM DIGITAL PRECISION

CPORT BASIC TO C PROGRAM TRANSLATION SYSTEM

This program translates SuperBASIC programs directly into C source code, automatically! If you want to move programs into C for migration to other into C source code, automatically! If you want to move programs into C for migration to other hardware, or want to get your programs running faster, or simply want to learn C the easy way (chuck BASIC in one end and examine the C that spews out the other), CPORT is the system for you. CPORT is extremely friendly, easy-to-use and tolerant of poorly-written BASIC. There is even a method of dealing with BASIC toolkits. The C it will generate is very readable, human-like and is often optimal. Of course, the better the quality of the BASIC you put in, the better the clarity of the C that will be generated. But don't misunderstand - even if your BASIC is a rats-mest of GOTOs and GOSUBSS, CPORT won't mind. Usually, the generated C - which can even be switched between the ANSI and Lattice (K&Rish) industry standards - needs no tinkering with. The only conditions worth mentioning are that there must be no computed branching (e.g. GOTO 3*Y+L), no interpreter-only commands (LIST, EDIT, RENUM etc) and that if the program contains any PROCS or FNs (as it probably will), there mustn't be a GOSUB as well - not restrictions at all. CPORT is an amazing program, making breakthroughs in AI. CPORT is available on its own or together with the acclaimed C68 compiler.

SUPERBASIC MONITOR

Yes - this program monitors and reports on the performance of SuperBASIC programs as they run (i.e. dynamically) under the interpreter. Even if you only occasionally tinker, this one you must have! Ideal for use with XREF, BETTER BASIC, TURBO etc.

XREF v2.0

An incredibly competent program analyser -structure, the dynamic call hierarchy of procedures/functions, step-ladder report, glossary, warnings, variable usage and so on. Ideal with SUPERBASIC MONITOR, BETTER BASIC, TURBO etc.

OMON v2.05

version of Tony Tebby's superb The ultimate machine-code Monitor. An absolute must for those who really want to know what's going on in the QL. £10 off if you return the old Digital Precision Monitor.

This little gem compares files (data or program) at great speed, and allows shuffles and alignment in auto- and semi-auto mode. You cannot do without it!

MEGA DICTIONARY

If you have over 1.5Mb RAM (Goldcard, some ST/Thor) this is the ultimate PERFECTION PLUS accessory, enabling the best possible spellchecking. It contains approximately 360,000 words, which really says it all. Another attraction of this masterpiece — we will soon be announcing a suite of programs enabling sophisticated user-controlled access to the dictionaries and giving previously unsurpassed power at all sorts of word-handling (crosswords, anagrams, missing letters/groups, properties, all sorts of board and TV games). So get the Mega Dictionary now!

SPELLCHECKER

SPELLCHECKER works with and without PERFECTION.
SPELLCHECKER can always spellcheck files - either
PERFECTION format or plain ASCII (Quill or text87
export files, for example). If PERFECTION is
present, SPELLCHECKER can also selectively
(pages/blocks/all) contlabeak the supervised. (pages/blocks/all) spellcheck the current document, or spell as you type. Peak spellchecking speed is over 35,000 characters per second on Goldcard even over 35,000 characters per second on Goldcard even with the Mega Dictionary, and a cracking 3 pages per second on ordinary QLs. SPELLCHECKER comes with two ready-made dictionaries (the bigger is for 640K or bigger setups) and a system for creating and maintaining (add/delete/edit/view) user dictionaries. Further, you can spellcheck using 1 or 2 dictionaries - typically a supplied one and a user one - you can even specify which is to be used first when checking! So if you bought PERFECTION without SPELLCHECKER and now want to add it, or even if you do not have PERFECTION at all, this is the product for you!

QMATHS MATHEMATICAL SYSTEM

QMATHS MATHEMATICAL SYSTEM
An incredible mathematical compendium for the QL. Pride of place goes to the symbolic problem solver... It can solve problems, simplify expressions, factorise, expand etc etc — all symbolically! If you could sneak this one into a maths examination (school/GCSE/O/A/S/undergraduate) you would have a formidable ally. It knows about all the algebraic operators, powers, roots, brackets (any number), trigonometry, matrices, determinants, vectors, factorials, perms and combs, binomials, exponentials, logarithms, hyperbolics, inverse functions, infinite series and their approximations,

complex and imaginary numbers, conversions, and even calculus - both differential and integral (even knows definite integration, integration by parts etc)! And when the program is working something out, you can opt to get it to display some or all of the steps either All this is accompanied by a superbinteractive tutorial. So whether you have been terrified of maths or are a boffin, this is the program for you; no mathematical skills are assumed interactive tutorial. So whether you have been terrified of maths or are a boffin, this is the program for you: no mathematical skills are assumed or needed. Whether all you want to do is compute 2+2 or d/dx((sin(x)+x.log(x))^(x^(g(x)))), QMATHS will do it. There is nothing like this available on any computer. In addition to this program, the package also contains an interpretive, fractal image-generating language with loads of beautiful fractal programs supplied for you to use, modify or adapt. No programming skill is assumed or needed. In addition, there is a multiple precision floating point maths package — allowing calculations with all the QL functions at precisions up to over 600 decimal digit accuracy (that is not a misprint) and very fast too. In addition, there is a 3D surface modelling program and lots of calculating routines to perform all sorts of algebraic and statistical computations in your own BASIC or Abacus systems. This is an incredible package.

PROFESSIONAL PUBLISHER TOOLBOX PART TWO

Did you think we'd stopped? Another blisteringly good collection of fonts and utilities for the Professional Publisher user, augmenting and adding to the first toolbox. You really should have both.

HARDBACK + FINDER
THE hard disk utility.

Recovers lost Archive databases. Ideal companion for Media Manager Special Edition.

ARCHDEV + RTM

The Archive development environment - gives enhanced speed, greater workspace and a cleaner boot system.

DATABASE ANALYSER

Fast statistics about your Archive database(s).

ARCHIVE TUTORIAL

Everything you always wanted to know about Archive -but were afraid to ask.

NAMES + ADDRESSES MAILMERGE

DAT-APPOINT

Names and addresses, mailmerging and appointment diaries - sophisticated, fast and ready to run under Archive. If you've never used your Archive, now is the time to start!

SEDIT

SCREENPRINT

Creates/edits and prints screen-format files in Archive. An invaluable aid.

A fast, sophisticated printer driver manager for the Psion programs - replaces the free one!

CASH TRADER v3.0 INCLUDING ANALYSER

An accounts system for the small and medium-sized business, with lots of excellent reporting and management facilities. Aimed at the layman.

PLEASE SI UP TO 25%)
PRICES AN	ND OI	R TE	RMS &	a	ONDI	TIC	INS.		LV1B	10)	,	Olima	-	
CPORT WIT	TH CE	8 COM	PILI	ER								99.95	cT	
CPORT BAS	SIC T	OCI	TRANS	SLA	CION	S	STI	EM				89.95	cT	
SUPERBASI													aT	1
XREF v2.0) .							-				29.95	aT	
QMON MACE													at	
COMPARE												19.95	aT	
MEGA DICT	CIONA	RY .										29.95	gT	
SPELLCHEO	CKER												dT	
QMATHS MA													cT	
PROFESSIO												29.95	eT	
PROFESSIO													eT	
HARDBACK	+ FI	NDER										49.95	cT	
RECOVER													aT	
ARCHDEV +	- RIM											29.95	aT	
ARCHIVE T												19.95		
DATABASE														
NAMES + A	DDRE	SSES										19.95	dT	
MATIMERGI	R											19.95	aT	

DAT-APPOINT

19.95 99.95

! Minimum 1.5Mb RAM:only available on disk Note: Some of the above had been available from PDQL previously (usually earlier versions) Once-recorded cartridges £50/25; £75/50; £100/100 Disk interfaces (6 months guarantee) only £39.95!

